

MEETING OF THE AMERICAN PHYSICAL SOCIETY DIVISION OF PARTICLES AND FIELDS

Contribution ID: 238

Type: Presentation

Event Reconstruction in the NOvA Experiment

Thursday, 3 August 2017 13:48 (18 minutes)

The NOvA experiment observes oscillations in two channels (electron-neutrino appearance and muon-neutrino disappearance) using a predominantly muon-neutrino NuMI beam. The Near Detector records multiple overlapping neutrino interactions in each event and the Far Detector has a large background of cosmic rays due to being located on the surface. The oscillation analyses rely on the accurate reconstruction of neutrino interactions in order to precisely measure the neutrino energy and identify the neutrino flavor and interaction mode. Similarly, measurements of neutrino cross sections using the Near Detector require accurate identification of the particle content of each interaction. A series of pattern recognition techniques have been developed to split event records into individual spatially and temporally separated interactions, to estimate the interaction vertex, and to isolate and classify individual particles within the event. This combination of methods to achieve full event reconstruction in the NOvA detectors will be discussed.

Primary author: Mr BEHERA, Biswaranjan (IIT Hyderabad/Fermilab)
Co-authors: Ms PSIHAS, Fernanda (Indiana University); Dr DAVIES, Gavin (Indiana University)
Presenter: Mr BEHERA, Biswaranjan (IIT Hyderabad/Fermilab)
Session Classification: Neutrino II

Track Classification: Neutrino Physics