

MEETING OF THE AMERICAN PHYSICAL SOCIETY DIVISION OF PARTICLES AND FIELDS

Contribution ID: 117

Type: Presentation

Search for electroweak production of a vectorlike quark decaying to a top quark and a Higgs or Z boson using boosted topologies in an all-hadronic final state

Tuesday, 1 August 2017 13:46 (16 minutes)

We present a search for the electroweak production of a vector-like top quark partner T of charge + 2/3 in association with a standard model top or bottom quark, using proton-proton collision data at $\sqrt{s}=13$ TeV collected by the CMS Experiment at the CERN LHC. Our search targets T quarks decaying to a top quark and a Higgs or Z boson in a fully hadronic final state. For a T quark with mass above 1 TeV the daughter top quark and Higgs/Z boson are highly Lorentz-boosted and can appear together as a single hadronic jet. The top quark and Higgs/Z boson are identified using b-tagging and jet substructure techniques, which also acts to suppress the standard model backgrounds.

Primary authors: BEAN, Alice (Univ of Kansas); MAJUMDER, Devdatta (University of Kansas); SCHMITZ, Erich (University of Kansas); WILSON, Graham (University of Kansas); BARINGER, Philip (University of Kansas)

Presenter: SCHMITZ, Erich (University of Kansas)

Session Classification: Beyond Standard Model

Track Classification: Beyond Standard Model