




Kaons in GEANT4

Aaron Higuera University of Houston

During the simulation process after the generation stage is done GENIE passes a list of particles (FSI particles) into GEANT4 to simulate the pass through matter

GEANT4 will calculate its energy loss (dE/dx), it would calculate the cross section and decide whether it goes under elastic, inelastic or charge exchange interaction

GEANT4 uses a parametrization that was developed using extensive data samples and contains a number of parameters which depend on the particle



kaon+ p total cross section

Prior to version G4.10.3 patch-03 GEANT4 was not in a good agreement with PDG data

This has been fixed (see version release note)

o Physics Lists:

+ constructors/hadron_elastic:


o G4HadronElasticPhysics, G4HadronHElasticPhysics: changed kaon elastic cross-sections from, respectively, Gheisha and Chips, to Glauber Gribov ones. This way, the total (elastic + inelastic) kaon cross sections are consistent with the PDG ones.

o Processes - Hadronic:

+ cross_sections:


o Bug fix in G4ComponentGGHadronNucleusXsc to use the correct crosssections for kaons on Hydrogen; use Starkov parameterization for them.

+ models/cascade:




4

Carbon



Thanks to Hans Wenzel for provide Geant4's cross section tables





A^{2/3} scaling



Current version of GEANT4 (geant4-10-03-patch-01a) in LArSoft has a known bug for kaons

We request LArSoft team to update GEANT4 version to 4.10.3.p03 or later

The End

Rasheed Auguste

Geant4 total cross section simulation vs. data (Ashery)

