



Contribution ID: 446

Type: Poster

Development of Scintillating Bolometer with Large Undoped and Eu-doped CaF₂ Crystals for Neutrinoless Double Beta Decay of ⁴⁸Ca

We are developing CaF₂ scintillating bolometers to search for neutrinoless double beta decay of ⁴⁸Ca.

We realized large scintillating bolometers using 312g(50mm ϕ \times 50mm cylinder) of undoped and Europium-doped CaF₂ crystals with a readout technology of metallic magnetic calorimeters.

We used CaF₂ crystals with a large amount of internal ²³⁸U-series impurities to evaluate detector performance such as energy resolution and particle identification.

We found that the thermal signal amplitudes are strongly position-dependent in both CaF₂ crystals.

By analyzing the sequential alpha-decays (²²²Rn-²¹⁸Po-²¹⁴Pb), the energy resolution without position dependence was evaluated, and obtained to be 0.2% at 5MeV, in the case of undoped CaF₂ crystal.

In the poster presentation, we will present the results obtained with this R&D measurements.

Mini-abstract

Scintillating Bolometer with Large CaF₂ Crystals for Neutrinoless Double Beta Decay of ⁴⁸Ca

Primary authors: Mr TETSUNO, Konosuke (RCNP, Osaka University); Dr LI, Xiaolong (Osaka University)

Co-authors: Mr KWON, D.H. (Institute for Basic Science); Dr LEE, H.J. (Institute of Basic Science); Mrs KIM, H.L. (Institute of Basic Science); Dr KIM, Inwook (Institute for Basic Science); Dr LEE, Minkyu (Korea Research Institute of Standards and Science); Dr UMEHARA, Saori (RCNP, Osaka University); Dr YOSHIDA, Sei (Osaka University); Prof. KISHIMOTO, Tadafumi (Osaka University); Prof. KIM, Yong-Hamb (1Institute for Basic Science (IBS))

Presenter: Dr YOSHIDA, Sei (Osaka University)

Session Classification: Poster Session 2