




# B02: ESH Overview and Response to Previous Reviews

T.J. Sarlina, HL-LHC CMS ESH&Q Coordinator  
CD-1 Director's Review  
March 19-21, 2019





# Outline

- Presentation will include:
  - Biographical Sketch
  - Response to Previous Recommendations
  - DOE 413.3B Requirements
  - ISM
    - ES&H at Fermilab
    - ES&H at participating Institutions
    - Site Visits
  - Codes and Standards
  - Preliminary Hazard Analysis
    - Summary by institution
    - Hazard Analysis Worksheets
  - Summary



# Biographical Sketch – T.J. Sarlina

- CMS Upgrade ESH&Q Coordinator
  - Assistant Radiation Safety Officer for Meson Department (1979-1982)
  - Senior Safety Officer for Research Division and Particle Physics Division (1982-2002)
  - Project Scheduler (2002-2008)
    - CDF Upgrade Project, DO Upgrade Project, Minerva, Dark Energy Camera.
  - Project Manager at Fuel Tech, Inc. (2008-2010)
    - Air Pollution Control Projects (power plants and refineries) in Hong Kong, Guangzhou, Liaoning Province
    - Austin, TX and
    - Seattle, WA
  - Associate Project Manager for ESH and QA on NOvA (2010-2014)
    - Constructed and commissioned Near Detector at Fermilab and Far Detector in Ash River, MN
  - Fermilab Quality Assurance Manager (2014-2017)
    - Transitioned the Fermilab QA Program from consultant led to internally owned
  - Fermilab Quality Assurance Specialist (2017-present)
    - Supporting the Fermilab QA Program under Jemila Adetunji, IERC QA Coordinator, CMS US HL-LHC ESHQ Coordinator



# Response to June 2018 IPR

Charge #6 and #8

- #22 - Revise the ISM and QAP to accurately document the process for receipt, review, concurrence, coordination, and oversight of project specific plans and activities prior to the issuance of any contract instrument.
  - The ISM and pHAR documents have captured the oversight process for institutions.
  
- #23 - Develop a clear plan for identification and documentation of codes, standards, requirements, and timing for inclusion.
  - [CMS-doc-13717](#) has been developed to document the applicable codes and standards.



# Response to Nov 2018 ESH&Q Review

## Charge #6 and #8

- #1 - Develop a clear list of design codes and standards that are applicable to both the U.S. and CERN operations.
  - [CMS-doc-13717](#) has been developed to document the applicable codes and standards.
- #3 -The hazard analysis worksheets within the pHAR need to be reviewed by the ESH&Q Coordinator.
  - Hazard Analysis sheets have been updated to match Fermilab Quality Assurance Manual chapter 12030. Reviewed & approved by L2 Managers.
- #4 - The ISM Plan needs to be restructured to clarify collaborating institutions ESH requirements.
  - ISM Plan has been revised to better define ES&H requirements and expectations at participating U.S. institutions.
- #5 - Develop a set of ESH review criteria for institutional site visits.
  - An inspection form has been developed that will be used for ES&H site visits at all U.S. participating institutions.




# DOE O 413.3B Requirements

- National Environmental Policy Act (NEPA)
  - Minimal impact
  - Categorical Exclusion issued in January 2018
  - [CMS-doc-13483](#)
- Integrated Safety Management Plan
  - [CMS-doc-13395](#)
- Preliminary Hazard Analysis Report
  - [CMS-doc-13394](#)
- Security Vulnerabilities Assessment
  - [CMS-doc-13755](#)





# Integrated Safety Management Plan



## Key Elements

- Conduct work to ensure protection of workers, the public, the environment, and equipment.
- Roles & Responsibilities for ISM Implementation.
- Includes support from the Fermilab ES&H Section.
- Requires each institution to provide an independent ES&H contact.
- Defines Stop Work authority.

[CMS-doc-13395](#)



## Roles and Responsibilities

- U.S. CMS Project Manager has overall responsibility.
- ESH&Q Coordinator works with L2 Managers to evaluate institution ES&H programs and will conduct site visits as required.
- Level 2 Managers oversee work within their WBS.
- Level 3 and 4 Managers are responsible for direct implementation of all ES&H standards for the tasks being performed on a daily basis.
- Fermilab ES&H Section will provide oversight for activities at Fermilab as well as at participating U.S. institutions at the request of the CMS Project.





# Roles and Responsibilities

- Each university or laboratory group will demonstrate compliance with the Project ES&H requirements.
- Universities and institutions provide ES&H professionals from their organization to ensure local ES&H programs, policies, and procedures are being followed appropriately.
- Each participating U.S. institution has provided:
  - Name and contact information for institutional safety contact responsible for conducting safety reviews
  - Institutional list of ES&H Contacts. [CMS-doc-13605](#)



# Institutional ES&H Contacts (partial list)


| Institution     | NSF/DOE | PI (email) phone   | ES&H Responsible   | University ESH Staff Member  |
|-----------------|---------|--|--|--|
| Boston          | DOE     | TFPX:Zeynep Demiragli<br>(zeynep.demiragli@cern.ch)  | Samantha Beglinger<br>(sbegling@bu.edu)                    | Rhoda Bianchi, Program Manager<br>OHS (rhodab@bu.edu) 617-353-6368                                 |
| Brown           | DOE     | OT:Meenakshi Narain (narain@hep.brown.edu)   | Linda Olmsted<br>(linda_olmsted@brown.edu) 401-863-7697    | Stephen Morin, Director EHS<br>(stephen_morin@brown.edu) 401-863-3353                              |
| Caltech         | DOE     | MTD:Maria Spiropulu (smaria@caltech.edu)   | Jason Trevor<br>(trevor@hep.caltech.edu) 626-395-6560      | Caz Scislowicz, ARM, Director EHS<br>(caz@caltech.edu) 626-395-6727                                |
| Carnegie Mellon | DOE     | EC:Manfred Paulini (paulini@heps.phys.cmu.edu)   | Barry Luokkala (luokkala@cmu.edu)<br>412-268 2756          | Shailendra Singh, Director EHS<br>(shailen2@andrew.cmu.edu) 412-268-5609                           |
| Fairfield       | DOE     | EC:David Winn (winn@fairfield.edu)   | Victor Podrasky<br>(vgpodrasky@fairfield.edu) 203-751-5882 | Joseph Bouchard<br>(jmbouchard@fairfield.edu) 203-254-4000 ext. 2546                               |
| Princeton       | DOE     | OT:Daniel Marlow (marlow@princeton.edu)<br>MTD:Christopher Tully (cgtully@princeton.edu)<br>TD:Isobel Ojalvo (iojalvo@princeton.edu) | Geoff Gettelfinger<br>(gettelf@princeton.edu) 609-245-4404 | Robin Izzo, Director EHS<br>(rmizzo@princeton.edu) 609-258-6259                                    |
| U. of Rochester | DOE     | OT:Demina Regina<br>(regina.demina@rochester.edu)  | Myron(Mike) Culve<br>(mculver@pas.rochester.edu)           | Mark Cavanaugh, CFPS, CHSP,<br>Director EHS<br>(mcavanaugh@safety.rochester.edu)<br>) 585-275-8412 |
| NIU             | DOE     | EC:Vishnu Zutshi (vzutshi@niu.edu)   | Michele Crase (mcrase@niu.edu) 815-753-9251                | Scott Mooberry, Director EHS<br>(smooberry@niu.edu) 815-753-6250                                   |



# ES&H Expertise

- Fermilab ES&H Section will provide subject matter experts.
  - R. Lewis: Particle Physics Division – Division Safety Officer (DSO).
  - PPD DSO is responsible to complete Occurrence Reporting and Processing System (ORPS) or Computerized Accident Incident Reporting System (CAIRS) reports.
  - Additional personnel available on an as-needed basis if other expertise required (FESHCom Subcommittees)
- Independent University ES&H personnel will be involved at all production and testing sites.
- CMS ESHQ Coordinator will work with CERN LEXGLIMOS (Large Experiment Group Leader in Matters of Safety) – Niels DuPont
- Integration, installation and commissioning stages at CERN will be covered by CERN ES&H personnel.

## ESH&Q Section Organization Chart





# FESHComm Subcommittees

## Fermilab ES&H Committee (FESHCom)

+ Cryogenic Safety Subcommittee (CSS)

+ Electrical Safety Subcommittee (ESS)

+ Fire Hazard Subcommittee (FHS)

+ Incident Prevention Subcommittee (IPS)

+ Mechanical Safety Subcommittee (MSS)

+ Quality Assurance Subcommittee (QAS)

+ Radiation Safety Subcommittee (RSS)

+ Safety Assessment Document Review (SAD)

+ Subcontractor Safety Subcommittee (S-3)

+ Tritium Task Force





# Major Work or Assembly Sites per WBS

| WBS #     | WBS Description                                 | Facilities                                    |
|-----------|---|---|
| 402.02.03 | Outer Tracker: Sensors                          | Brown, Rochester, Fermilab                    |
| 402.02.04 | Outer Tracker: Electronics                      | Fermilab, Princeton, Rutgers                  |
| 402.02.05 | Outer Tracker: Modules                          | Brown, Fermilab, Princeton, , Rutgers         |
| 402.02.06 | Outer Tracker: Flat Barrel Mechanics            | Fermilab                                      |
| 402.02.07 | Outer Tracker: Integration                      | Fermilab                                      |
| 402.04.03 | Calorimeter Endcap: Sensors                     | Brown, Fermilab, Texas Tech, FSU              |
| 402.04.04 | Calorimeter Endcap: Modules                     | Carnegie Mellon, Texas Tech, UC Santa Barbara |
| 402.04.05 | Calorimeter Endcap: Cassettes                   | Fermilab, Minnesota                           |
| 402.04.06 | Calorimeter Endcap: Scintillator<br>Caorimetry  | Fermilab, FSU, Maryland, NIU, Rochester       |
| 402.04.07 | Calorimeter Endcap: Electronics and<br>Services | Fermilab, Minnesota                           |
| 402.06.03 | Trigger / DAQ: Cal Trigger                      | Wisconsin                                     |
| 402.06.05 | Trigger / DAQ: Correlator Trigger               | Wisconsin                                     |
| 402.06.06 | Trigger / DAQ: DAQ                              | Fermilab                                      |
| 402.08.03 | Timing Layer: Barrel Timing Layer               | Virginia, Caltech, KSU                        |
| 402.08.04 | Timing Layer: Endcap Timing Layer               | Fermilab, Nebraska, Kansas                    |

**Table 2: Major work or assembly sites for the U.S. CMS HL-LHC detector upgrade project.**





# Site Visits

- Site Visit Checklists - [CMS-doc-13668](#)

## US-HL-CMS ES&H Site Visit Checklist

WBS X.X.X

Date:

/Contacts:

Location:

| 1. | Mechanical Hazards                              | Satisfactory | Unsatisfactory | N/A |
|----|---|--------------|----------------|-----|
|    | Pressure or vacuum vessels                      |              |                |     |
|    | Compressed gasses                               |              |                |     |
|    | Tech shop machinery and tools                   |              |                |     |
|    | Ladders and scaffolds                           |              |                |     |
|    | Crane, forklift, aerial lift, or hand truck use |              |                |     |
|    | Below the hook lifting fixtures                 |              |                |     |
|    | Slings  |              |                |     |
|    | Lockout/Tagout                                  |              |                |     |

| 2. | Fire Protection  | Satisfactory | Unsatisfactory | N/A |
|----|--|--------------|----------------|-----|
|    | Fire detection, suppression, and reporting                             |              |                |     |
|    | Fire doors, emergency exits, and emergency lights                      |              |                |     |
|    | Fire extinguishers   |              |                |     |
|    | Flammable gasses   |              |                |     |
|    |  |              |                |     |
|    |  |              |                |     |
| 2. | Electrical Hazards   | Satisfactory | Unsatisfactory | N/A |
|    | Electrostatic discharge protection                                     |              |                |     |
|    | High voltage and low voltage power distribution systems                |              |                |     |
|    | Exposed electrical hazards   |              |                |     |
|    |  |              |                |     |
|    |  |              |                |     |
| 3. | Radiation Hazards  | Satisfactory | Unsatisfactory | N/A |
|    | Lasers   |              |                |     |
|    | Radioactive sources  |              |                |     |
|    | Ultraviolet radiation  |              |                |     |
|    | Magnetic fields  |              |                |     |
|    |  |              |                |     |
|    |  |              |                |     |
| 4. | Industrial Hygiene Hazards   | Satisfactory | Unsatisfactory | N/A |
|    | Ergonomics   |              |                |     |
|    | Personal Protective Equipment (PPE)                                    |              |                |     |
|    | Respiratory protection   |              |                |     |
|    | Eyewash and Showers  |              |                |     |
|    | Temperature extremes   |              |                |     |
|    | Lead or Beryllium  |              |                |     |
|    |  |              |                |     |
|    |  |              |                |     |
| 5. | Cryogenics & ODH Hazards   | Satisfactory | Unsatisfactory | N/A |
|    | Gaseous cooling systems or refrigerants                                |              |                |     |
|    | Cryogenics (i.e. Nitrogen, Argon, LOX, CO <sub>2</sub> , Helium, etc.) |              |                |     |
|    | Confined spaces  |              |                |     |
|    |  |              |                |     |
|    |  |              |                |     |
| 6. | Environmental Protection   | Satisfactory | Unsatisfactory | N/A |
|    | Chemical handling, storage, and disposal                               |              |                |     |
|    | Polychlorinated Biphenyls (PCBs)                                       |              |                |     |
|    | Air emission sources   |              |                |     |
|    | Chemical vent hoods  |              |                |     |
|    |  |              |                |     |
|    |  |              |                |     |



## Codes and Standards

- It is recognized that some code requirements may vary between the United States and CERN.
- Fermilab and the participating institutions have had significant involvement with CMS over time, are aware of CERN requirements, and have provided equipment to CERN in the past.
- CERN code and standard compliance is evaluated as part of the standard review cycle.



# Codes and Standards

- Differences in code requirements between the U.S. and CERN as they relate to this Upgrade Project have been documented in [CMS-doc-13717](#).



**CMS-doc-13717**

## 1 Introduction and Purpose

The purpose of this document is to identify the codes and standards, and their equivalence, between CERN, where the CMS HL-LHC upgrades will be installed, and the U.S., where the U.S. Project deliverables will be built. All of the upgrade materials built in the U.S. will ultimately be installed in the CMS detector located in the underground area at the LHC Point 5 in Cessy, France. CERN generally follows all European Union regulations except where explicitly stated. All CMS upgrade detector components that will be installed in the CMS detector must be CERN compliant, and additionally components which remain in the U.S., or are tested in the U.S., must also be compliant with U.S. Codes and Standards.




# Codes and Standards

| Purpose  | Code or Standard   | US                            | CERN                 | Notes/Comments  |
|--|--|-------------------------------|----------------------|---|
| Electronics:<br>Standard<br>Commercial<br>Off the Shelf<br>(COTS)                |  | <b>UL<br/>61010</b>           | <b>IEC<br/>61010</b> | For COTS commodities (i.e. ATCA power supplies, PCs, testing equipment). Generally COTS items are rated for international use.  |
| HL-LHC<br>specific<br>safety<br>requirements<br>(fire/radiation):<br>Electronics | Specific safety requirements are detailed in CERN code C1, which can be found, along with related documents at <a href="https://hse.cern/content/el">https://hse.cern/content/el</a> . All designs must be approved by the Large Experiment Group Leader In Matters Of Safety (LEXGLIMOS). | -                             | -                    | Many materials have been pre-tested for fire and radiation compliance (including glues, cables, and mechanical materials) and documented in EDMS TIS-000967   |
| Mechanical<br>Equipment  | Mechanical codes for lifting equipment, pressure equipment, cryogenic equipment, and lifts are detailed here: <a href="https://hse.cern/content/m">https://hse.cern/content/m</a>  | <b>ASME<br/>B31.3</b>         | <b>EN1348<br/>0</b>  | Only “pressure equipment” applies to HL-LHC CMS – the cooling pipework in the tracker and the endcap calorimeter are subject to high pressures. The designs for the piping must follow rules in GSI-M-2 found here: <a href="https://edms.cern.ch/ui/file/875610/LAS_T_RELEASED/GSI-M-2_EN.pdf">https://edms.cern.ch/ui/file/875610/LAS_T_RELEASED/GSI-M-2_EN.pdf</a> |
| Mechanical:<br>Pressure<br>Release<br>Devices                                    |  | <b>ASME<br/>BPVC<br/>VIII</b> | <b>EN4126</b>        | Pressure release devices are not US deliverables, however are needed for testing the piping both at FNAL and at CERN.   |



# Preliminary Hazard Analysis Report



- Covers design, prototyping, pre-production, and testing at U.S. institutions.
- Proactive identification of project hazards and plans for mitigation.
- Hazards are typical of those expected during detector upgrades.

[CMS-doc-13394](#)



# pHAR Hazard Summary

- Mechanical (Cranes, Rotating equipment)
- Leaks and Spills (Oils, solvents, chemicals)
- Electrical (Shock, Arc flash)
- Fire
- ODH/CO<sub>2</sub> (ODH Class 0 at SiDet)
- Cryogenic (CO<sub>2</sub>)
- Lasers
- Radiation (Sources)
- Flammable Materials
- Toxic Materials (Solvents, glues, epoxies)
- Environmental (Oils, solvents, chemicals)
- ESD (Electrostatic Discharge Damage)



# pHAR Hazard Summary

| WBS Number | WBS Description  | Mechanical | Leak/Spill Hazards | Electrical Hazards | Fire Hazards | ODH CO <sub>2</sub> Hazards | Cryogenic Hazards | Laser Hazards | Radiation Hazards | Flammable | Toxic Material | Environmental | ESD Hazards |
|------------|--|------------|--------------------|--------------------|--------------|-----------------------------|-------------------|---------------|-------------------|-----------|----------------|---------------|-------------|
| 402.01     | Management Finance & budget, travel, workshops, integration planning |            |                    |                    |              |                             |                   |               |                   |           |                |               |             |
| 402.02.03  | Outer Tracker: Sensors   |            |                    | x                  | x            |                             |                   |               | x                 |           |                |               | x           |
| 402.02.04  | Outer Tracker: Electronics   |            |                    | x                  | x            |                             |                   |               | x                 | x         |                |               | x           |
| 402.02.05  | Outer Tracker: Modules   | x          | x                  | x                  | x            |                             |                   |               | x                 |           | x              |               | x           |
| 402.02.06  | Outer Tracker: Flat Barrel Mechanics                                 | x          |                    | x                  | x            | x                           | x                 |               | x                 | x         | x              |               |             |
| 402.02.07  | Outer Tracker: Integration   | x          |                    | x                  | x            | x                           | x                 |               |                   |           |                |               | x           |
| 402.04.03  | Calorimeter Endcap: Sensors  | x          | x                  | x                  | x            |                             |                   | x             | x                 | x         |                |               | x           |
| 402.04.04  | Calorimeter Endcap: Modules  | x          | x                  | x                  | x            |                             |                   |               | x                 | x         | x              |               | x           |
| 402.04.05  | Calorimeter Endcap: Cassettes  | x          |                    | x                  | x            | x                           | x                 |               | x                 | x         | x              |               | x           |
| 402.04.06  | Calorimeter Endcap: Scintillator Callorimetry                        | x          |                    | x                  | x            |                             |                   | x             | x                 | x         |                | x             | x           |
| 402.04.07  | Calorimeter Endcap: Electronics and Services                         |            |                    | x                  | x            |                             |                   |               | x                 | x         |                |               | x           |
| 402.06.03  | Trigger / DAQ: Cal Trigger   |            |                    | x                  | x            |                             |                   |               |                   | x         |                |               | x           |
| 402.06.05  | Trigger / DAQ: Correlator Trigger                                    |            |                    | x                  | x            |                             |                   |               |                   | x         |                |               | x           |
| 402.06.06  | Trigger / DAQ: DAQ   |            |                    | x                  | x            |                             |                   |               |                   | x         |                |               |             |
| 402.08.03  | Timing Layer: Barrel Timing Layer                                    | x          |                    | x                  | x            | x                           | x                 | x             | x                 | x         | x              |               | x           |
| 402.08.04  | Timing Layer: Endcap Timing Layer                                    | x          |                    | x                  | x            | x                           | x                 |               | x                 | x         | x              |               | x           |

Table 1: Hazard identification for both university and national laboratory located activities.



# Hazard Codes (From QAM 12030)

## HAZARD SEVERITY (CONSEQUENCE):

**Critical                  High                  Medium                  Low                  Minimal**

## MISHAP PROBABILITY (Could occur once in):

**Annual                  2 years                  10 years                  30 years                  100 years**

## RISK ASSESSMENT CODE:

**Critical                  High                  Medium                  Low                  Minimal**

- The Project does not have any Critical ratings on any of the Hazard Analysis Worksheets



# pHAR Hazard Analysis Worksheets

## 6.1.5 HAZARD: Environmental impact due to leak, spill or release

**HAZARD INITIATOR:** Unsafe practices, equipment failure, procedural violation.

**HAZARD CONSEQUENCE:** Release of oils, solvents, chemicals or radiation to the soil, groundwater, air, or sanitary system.

**COMMENTS:** Water/glycol mixture used in coldbox systems for sensor testing. Glues, epoxies, and solvents are also used in varying quantities during construction.

### RISK ASSESSMENT PRIOR TO MITIGATION:

|                             |                                     |  |   |   |  |
|-----------------------------|-------------------------------------|--|---|---|--|
| <b>Severity</b>             | <input type="checkbox"/> 1-Critical | <input type="checkbox"/> 2-High              | <input type="checkbox"/> 3-Medium                       | <input checked="" type="checkbox"/> 4-Low       | <input type="checkbox"/> 5-Minimal                             |
| <b>PROBABILITY</b>          | <input type="checkbox"/> A-Annually | <input type="checkbox"/> B-Once in two years | <input checked="" type="checkbox"/> C-Once in ten years | <input type="checkbox"/> D-Once in thirty years | <input type="checkbox"/> E-Less than once in one hundred years |
| <b>Risk Assessment Code</b> | <input type="checkbox"/> 1-Critical | <input type="checkbox"/> 2-High              | <input checked="" type="checkbox"/> 3-Medium            | <input type="checkbox"/> 4-Low                  | <input type="checkbox"/> 5-Minimal                             |

### MITIGATING FACTORS (DESIGN):

- Closed loop cooling systems designed following all applicable standards and regulations.

### MITIGATING FACTORS (OPERATIONAL):

- Only trained personnel will operate systems, following established operational rules.
- CO<sub>2</sub> systems are subject to sensor test box operational readiness reviews.
- Chemical usage is minimized through review; less hazardous chemicals and processes are substituted where possible.

### RISK ASSESSMENT FOLLOWING MITIGATION:

|                             |                                     |  |  |   |   |
|-----------------------------|-------------------------------------|--|--|---|---|
| <b>Severity</b>             | <input type="checkbox"/> 1-Critical | <input type="checkbox"/> 2-High              | <input type="checkbox"/> 3-Medium            | <input checked="" type="checkbox"/> 4-Low                                 | <input type="checkbox"/> 5-Minimal              |
| <b>PROBABILITY</b>          | <input type="checkbox"/> A-Annually | <input type="checkbox"/> B-Once in two years | <input type="checkbox"/> C-Once in ten years | <input checked="" type="checkbox"/> E-Less than once in one hundred years | <input type="checkbox"/> D-Once in thirty years |
| <b>Risk Assessment Code</b> | <input type="checkbox"/> 1-Critical | <input type="checkbox"/> 2-High              | <input type="checkbox"/> 3-Medium            | <input type="checkbox"/> 4-Low  | <input checked="" type="checkbox"/> 5-Minimal   |



## Communication

- We have ES&H management and oversight systems in place. This includes Fermilab and participating institutions.
- All Project personnel have the responsibility/authority to stop work when they believe an activity poses an imminent danger to individuals, the environment, or the equipment.
- ES&H concerns will be brought to the attention of the appropriate L2 Manager, the ESH&Q Coordinator, and the Project Manager.
- Incidents resulting in personnel injuries or significant equipment damage may result in a formal work stop.
- Events will be discussed at regularly scheduled meetings where appropriate.



## Summary

- The ES&H program is fully integrated into the Project.
- Roles and responsibilities have been defined for all levels of the Project.
- Hazards are evaluated and mitigation strategies put in place to protect employees, equipment, and the environment.
- We have addressed the recommendations from previous reviews.
- Documentation required by DOE O 413.3B is in place.
- Applicable codes and standards have been identified and documented.
- Ready to proceed to CD-1.