



Contribution ID: 30

Type: not specified

## Anomalous quartic gauge couplings at a muon collider

*Monday, 18 July 2022 20:40 (20 minutes)*

Prospects for searches of anomalous quartic gauge couplings at a future high-energy muon collider using the production of  $WW$  boson pairs are reported. Muon-muon collision events are simulated at  $\sqrt{s} = 6$  TeV corresponding to an integrated luminosity of  $4 \text{ ab}^{-1}$ . The simulated events are used to study the  $WW\nu\nu$  and  $WW\mu\mu$  final states with the  $W$  bosons decaying hadronically. The events are analyzed to report expected constraints on the structure of quartic vector boson interactions in the framework of dimension-8 effective field theory operators.

### In-person or Virtual?

In-person

**Primary authors:** SCHUY, Alexander (University of Washington); APYAN, Aram (Brandeis University); AZARTASH, Bianca; ABBOTT, Brad (University of Oklahoma); WAITS, Connor (University of Oklahoma); KHODA, Elham E (University of Washington); BERRYHILL, Jeffrey (Fermilab); STUPAK, John (University of Oklahoma); KAWALE, Mayuri (University of Oklahoma); STRAUSS, Michael (University of Oklahoma); PARSONS, Ryan (Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma); JINDARIANI, Sergio (FNAL); HSU, Shih-Chieh (University of Washington); BALAKRISHNAN, Veena (University of Oklahoma)

**Presenter:** SCHUY, Alexander (University of Washington)

**Session Classification:** Poster Session