

EW Higgs Boson Production in Association with Three Jets at the LHC

Dr. Terrance Figy

Assistant Professor

Department of Mathematics, Statistic, and Physics

Wichita State University


May 31, 2017

LOOPFEST XVI




**WICHITA STATE
UNIVERSITY**

Vector Boson Fusion




- Energetic jets in the forward/backward directions.
- Higgs decays products in central rapidity region.
- Suppressed QCD radiation in central rapidity region.

Vector Boson Fusion





- Energetic jets in the forward/backward directions.
- Higgs decays products in central rapidity region.
- Suppressed QCD radiation in central rapidity region.

Vector Boson Fusion + Jet



Vector Boson Fusion + Jet




JHEP 05 (2004) 064

$$y_{\text{rel}} = y_j^{\text{veto}} - (y_j^{\text{tag } 1} + y_j^{\text{tag } 2})/2$$

H+3 Jets via VBF (only t-channels)

Total Cross Section




Scale Variations:


- LO: +26% to -19%
- NLO: less than 5%

JHEP 0802 (2008) 076 [arXiv:0710.5621]


H+3 Jets via VBF (only t-channels)



LO



NLO virt.





NLO Real


- No pentagon or hexagon diagrams included.
- Approximate as two deeply inelastic scattering processes that exchange a gauge boson.

JHEP 0802 (2008) 076 [arXiv:0710.5621]


Going for all of it: EW H+3 Jets




Going for all of it: EW H+3 Jets



box lines





pentagons



hexagons



Virtual Corrections

Going for all of it: EW H+3 Jets



Real Corrections

Going for all of it: EW H+3 Jets



EW H+3 Jets: Implementation Details

F. Campario, T. M. Figy, S. Platzer, and M. Sjodahl, PRL 111, 211802

- Matchbox [S. Platzer and S. Gieseke, arXiv:1109.6256]
 - Catani-Seymour Dipole subtraction [hep-ph/9605323]
 - Subtractive and POWHEG style matching to parton shower
 - ColorFull [M. Sjodahl, arXiv:1211.2099, <http://colorfull.hepforge.org>]
- Tensorial Reduction [F. Capanario, arXiv:1105.0920]
- Scalar Loop Integrals: OneLOop [A. van Hameren arXiv:1007.4716]

EW H+3 Jets: Publicly Available

- HJets++ (<https://hjets.hepforge.org>)
- Herwig 7 (<https://herwig.hepforge.org>)
 - [Herwig 7/Herwig++ 3.0 Release Note](#)

Input Parameters

- 14 TeV (proton - proton LHC)
- At least three anti-KT $D=0.4$ (E-scheme recombination) of 20 GeV and rapidity within -4.5 and 4.5 using FastJet [arXiv:0802.1189, arXiv:1111.6097]
- PDF choices: CT10 for NLO and CTEQ 6L1 for LO [arXiv:hep-ph/0201195, arXiv:1007.2241]
- Scales: W-boson mass (M_W) and sum of transverse momentum of reconstructed jets (HT)

Notation:

y_i : rapidity

ϕ_i : azimuthal angle


p_i : four momentum vector of i

$\Delta y_{ij} = |y_i - y_j|$: absolute rapidity difference between i and j

$\Delta\phi_{ij} = |\phi_i - \phi_j|$: absolute azimuthal angle difference between i and j

$m_{ij} = \sqrt{(p_i + p_j)^2}$: invariant mass of i and j

EW H+3 Jets: Scale Uncertainties




$$K = \sigma_{NLO}/\sigma_{LO}$$

$\mu_R = \mu_F = H_T/2$ ($M_W/2$):
 30% (24%) at LO and 2% (8%) at NLO

$$\mu_0 = H_T \quad (M_W) \quad H_T = \sum_j p_{T,j}$$


EW H+3 Jets: The Third Jet




$$z_3^* = (y_3 - \frac{1}{2}(y_1 + y_2))/(y_1 - y_2)$$

EW H+3 Jets: The Third Jet



Transverse momentum of third jet.



EW H+3Jets: Jet Masses



EW H+3 Jets: Higgs Boson



NLO+Parton Shower Results

- Compared HJETS++ with POWHEG BOX at the level of NLO+PS.
- Deviations between the results of HJETS++ and POWHEG BOX due the various approximations implemented in POWHEG BOX. (The core matrix elements in POWHEG BOX are essentially taken from VBFNLO).

NLO+Parton Shower Results

- Collider Energy and Cuts used: Anti-kt jet clustering with $R=0.4$


$$\sqrt{S} = 13 \text{ TeV}$$

$$|y_j| < 5.0 \quad p_{Tj} > 20 \text{ GeV}$$



$$m_{jj} > 130 \text{ GeV} \quad \Delta y_{jj} > 3.0$$

- PDF set: four flavor CT10
- Results included in the “Handbook of LHC Higgs Cross Section: 4”, LHC HXWG, arXiv:1610.07922.

NLO+Parton Shower Results



NLO+Parton Shower Results



Comparison to VBFNLO



- Collider Energy and Cuts used: Anti-kt jet clustering with $R=0.4$

$$\sqrt{S} = 13 \text{ TeV}$$



$$p_{Tj} > 30 \text{ GeV} \quad |y_j| < 4.4$$

- PDF set: MMHT2014
- Scales: HT(jets)

Comparison to VBFNLO: Inclusive Cuts




Comparison to VBFNLO: VBF cuts




$$m_{12} > 600 \text{ GeV} \quad \Delta y_{12} = |y_1 - y_2| > 3$$

LO Comparison to VBFNLO

Inclusive Cuts




VBF cuts




LO Comparison to VBFNLO

Inclusive Cuts




VBF cuts




NLO Comparison to VBFNLO

Inclusive Cuts




VBF Cuts




NLO Comparison to VBFNLO

Inclusive Cuts






VBF Cuts



Conclusions




- I have discussed the implementation of the full NLO QCD corrections for electroweak Higgs boson production in association with three jets at the LHC within the Matchbox framework of Herwig 7.
- Kinematic distributions have been presented at fixed order at NLO and at NLO+PS.
- Questions?

Fixed Order Results (VBF cuts)





- $m_{j_1 j_2} > 600$ GeV
- $\Delta y_{j_1 j_2} > 4.0$

Fixed Order Results (VBF cuts)



- $m_{j_1 j_2} > 600$ GeV
- $\Delta y_{j_1 j_2} > 4.0$

Fixed Order Results (VBF cuts)



- $m_{j_1 j_2} > 600$ GeV
- $\Delta y_{j_1 j_2} > 4.0$

