



Contribution ID: 268

Type: **Asynchronous Talk**

Physics Beyond SM With Kaons at NA62

The NA62 experiment reports the branching ratio measurement $BR(K^+ \rightarrow \pi^+ \nu \bar{\nu})$ at 68% CL, based on the observation of 20 signal candidates with an expected background of 7.0 events from the total data sample collected at the CERN SPS during 2016-2018. This provides evidence for the very rare $K^+ \rightarrow \pi^+ \nu \bar{\nu}$ decay, observed with a significance of 3.4σ . The experiment achieves a single event sensitivity of $(0.839 \pm 0.054) \times 10^{-11}$, corresponding to 10.0 events assuming the Standard Model branching ratio of $(8.4 \pm 1.0) \times 10^{-11}$.

Additionally, the NA62 experiment at CERN collected a large sample of charged kaon decays into final states with multiple charged particles in 2016-2018. This sample provides sensitivities to rare decays with branching ratios as low as 10^{-11} .

Searches for lepton flavour and lepton number violating decays of the charged kaon into final states containing a lepton pair based on this data set are presented.

Future prospects and plans for data taking from 2021 will also be presented.

Presenter: PINZINO, jacopo (University of Toronto)

Session Classification: Flavor and Precision Physics Session 2

Track Classification: Flavor and Precision Physics