The 28th International Workshop on Weak Interactions and Neutrinos (WIN2021)



Contribution ID: 68

Type: Poster session

Sterile neutrinos with non-standard interactions in beta decay and neutrinoless double beta decay experiments

Charged currents are probed in low-energy precision β -decay experiments and at high-energy colliders, both of which aim to measure or constrain signals of beyond-the-Standard-Model physics. In light of future β decay and LHC measurements that will further explore these non-standard interactions, we investigate what neutrinoless double- β decay ($0\nu\beta\beta$) experiments can tell us if a nonzero signal were to be found. Using a recently developed effective-field-theory framework, we consider the effects that interactions with righthanded neutrinos have on $0\nu\beta\beta$ and discuss the range of neutrino masses that current and future $0\nu\beta\beta$ measurements can probe, assuming neutrinos are Majorana particles. For non-standard interactions at the level suggested by recently observed hints in β decays, we show that next-generation $0\nu\beta\beta$ experiments can determine the Dirac or Majorana nature of neutrinos, for sterile neutrino masses larger than O(10) eV.

Primary authors: Mr DEKENS, Wouter (Department of Physics, University of California at San Diego); DE VRIES, Jordy (UMass); TONG, Tom (University of Amsterdam)

Presenter: TONG, Tom (University of Amsterdam)

Session Classification: Neutrino Physics Session 2

Track Classification: Neutrino Physics