

Snowmass Community Planning Meeting - Virtual

Monday 05 October 2020 - Thursday 08 October 2020

Virtual

Book of Abstracts

Contents

#108 - Accelerator Probes of Light Dark Matter (keV-GeV)	1
#115 - Neutrinos and underground facilities	1
#127 - Searches for Dark Sectors	1
#136 - Heavier particle dark matter >10 GeV	1
#137 - High and ultrahigh energy neutrino experiments	1
#72 - Cosmic Surveys and Fundamental Physics	1
#74 - Atomic to Cosmic: Wave Dark Matter and Beyond	1
#75 - Cosmic Probes of Dark Matter	2
#77 - Quantum Sensors	2
#97 - Neutrinos and Astrophysics	2
108: Accelerator Probes of Light Dark Matter (keV-GeV)	2
109: Determining the Masses and Nature of Neutrinos	2
110: Baryon and Lepton Number Violating processes	2
115: Neutrinos, dark matter, and underground facilities	3
119: HEP Workforce, Careers and Training	3
124: Lattice Gauge Theory for High Energy Physics	3
126: BSM: direct and indirect searches	3
126: EFT vs. Top-Down	3
126: Flavor Physics	3
126: Naturalness and EWSB	4
127: Searches for dark sectors	4
137: High and ultrahigh energy neutrino experiments	4
29: Low-energy precision experiments	4

3 minutes summaries of LOIs by topics	4
3D proton tomography at the EIC: TMD gluon distributions	5
51: Requirements for low background and underground detectors	5
61: Energy and Power and Time structure goals for Neutrino Frontier programs	6
72: Dark Energy, Origins (Inflation), and Light Relics	6
77: Quantum Sensors for Wave and Particle Detection	6
81: Neutrinos and Computing: Preservation, Machine Learning, Uncertainties	6
97: Neutrinos as Probes of Standard and BSM Particle Physics	6
A deci-Hz Gravitational-Wave Lunar Observatory for Cosmology	6
AF Points (#54, #187)	7
AF1 - Training & Education - Barletta (MIT), Recruitment & Retention - Fox (Stanford)	7
AF1 - Workforce & Diversity - Bai (GSI/U. Bonn) , Facility Summaries - Zimmermann (CERN) , Outreach with Industry - Bruhwiler (RadiaSoft)	7
AF2 Plans and Discussion	7
AF2 Plans and Discussion	8
AF2 Plans and Discussion	8
AF5 Overview and Plans	8
AF5 Overview and Plans	8
AF5 Plans and Discussion	8
AIFI: Bridging Artificial Intelligence and Fundamental Interactions	8
ANNIE and the Future of Hybrid Neutrino Detectors	9
About Snowmass and Snowmass Planning Meeting	9
Accelerator technology development at Russia	9
Accelerators & beam physics trends	9
Additional Time In Session	10
Additional Time In Session	10
Additional Time In Session	10
Advanced SRF R&D for Higgs Factory Luminosity (and Energy) Upgrades	10
Advanced acceleration concepts: DLA	10
Advanced beam cooling	10

Advances in Event Generation and Detector Simulation: Motivation and Ground Rules . . .	10
Advances in Event Generation and Detector Simulation: Open Discussion	10
Advances in triggering and data acquisition	11
Alpha: Measurement of the fine structure constant as test of the Standard Model	11
Any additional contributions	11
Applications emerging from unique plasma-enabled electron beam regimes	11
Applications of laser-accelerated protons and ions	12
Applications of plasma-based betatron radiation	12
Applications of quantum information to quantum gravity, black holes and QFT	12
Atomic/nuclear clocks and precision spectroscopy measurements for dark matter and dark sector searches	12
BSM with LGT brief	13
Beamdump Experiments Driven by a Plasma Wake-field Accelerator	13
Belle II/SuperKEKB Upgrades & Overview	13
Break and Chat	13
Break and Chat	13
Break and Chat	13
Breakout Discussion	13
Breakout Discussions	14
Breakout Report	14
CBETA (Georg Hoffstaetter, Cornell)	14
CEPC (already presented on Sep 30, 2020)	14
CEPC-SPPC Staging	14
CF Overview	14
CF Points (#69, #70, #71, #74, #137, #140)	14
CLIC	15
CPAD Introduction	15
Can we handle uncertainties better?	15
Canada	15
Challenges and opportunities for anomaly detection	15

Challenges and opportunities for trigger-level analyses	15
Challenges of ultimate high energy colliders	15
Charm production and IceCube backgrounds	16
Closeout	16
Closing Remarks	16
Collider Data Analysis Strategies: Open Discussion	16
Collider Data Analysis Strategies: Motivation and Ground Rules	16
Colliding beam elastic pp and pd scattering to test T - and P -violation	16
CommF and EC Points (#57, #118, #119)	17
Community Engagement Across the Frontiers	17
CompF Points (#123)	17
Compact binaries as probes of dense matter and QCD phase transitions	17
Computation and algorithm brief	18
Computational challenges for event generation in view of HL-LHC and beyond	18
Computational challenges for neutrino event generators	18
Computing Resources and Access	18
Computing roadmap overview	18
Connection with industry - accelerators	18
Connection with industry - semiconductors	19
Considerations on plasma lenses for linear colliders	19
Cosmic Origins	19
Cosmic Probes / Gravitational Wave (CF5/CF7/TF9) overview	19
Cosmology Intertwined	19
Culture change is necessary, and it requires strategic planning	20
Dark Energy	20
Dark Matter EFT	20
DarkQuest and LongQuest at the 120 GeV Fermilab Main Injector	20
Data Preservation	21
Data preservation and reinterpretation	21
Detecting keV-range super-light dark matter using graphene Josephson junction	21

Development and applications of a Compton X-ray light source driven by a laser-plasma electron accelerator	22
Differentiable programming	22
Direct Detection (CF1/TF9) overview	22
Direct searches for neutrino masses	22
Discovering quark-matter cores in massive neutron stars	22
Discussion	23
Discussion	23
Discussion	23
Discussion	23
Discussion	23
Discussion	24
Discussion	24
Discussion	24
Discussion	24
Discussion	24
Discussion	24
Discussion	24
Discussion	24
Discussion	24
Discussion	24
Discussion	24
Discussion	24
Discussion	24
Discussion	24
Discussion	25
Discussion	25
Discussion	25
Discussion	25
Discussion	25
Discussion	25
Discussion	25
Discussion	26
Discussion	26
Discussion (10')	26

Discussion and Next Steps	26
Discussion and plan	26
Discussion of Underground Facilities and Needs	26
Discussion on Higgs Potential	26
Discussion on Higgs Potential	26
Discussion on Higgs and Flavor	27
Discussion on Higgs and Flavor	27
Discussion session	27
Discussion session	27
Discussion/ Next Steps (slack channel #cpm_topic_119)	27
EF Activities and Focus Questions	27
EF Overview	27
EF Planning and Community Feedback	28
EF and RF Points (#26, #130 ,#131)	28
EF perspective	28
EF10 Light dark matter at high energies ($15' + 5'$)	28
ERL-based FCCee	28
ERL–Based Circular Higgs Factory	28
EW effects in parton showers at high energy	28
Early Career Perspective	29
Early Career activities in EF	29
Electroweak effects and/or multi-boson processes	29
Enabling technologies for low mass trackers	29
Enabling technologies for picosecond timing detectors	29
Energy Frontier Probes (EF9/AF5)	29
Energy and power limits of plasma accelerators	29
Engaging the Community to Define the Future (1)	30
Engaging the Community to Define the Future (2)	30
Entanglement, tensor networks and complexity	30
Event generators for NNLO/NLL and beyond	30

Exciting Physics Before Us	30
Experimental overview (10'+5')	30
Extending subtraction schemes to N3LO	30
FASER, FASERnu, and the Forward Physics Facility (FPF)	31
FCC MDI	31
FCC-ee	31
Field theory approach to the two-body problem	31
First HEP applications of plasma wakefield acceleration	31
Five-point QCD amplitudes at two loops	31
Fixed-Target Searches for New Physics with O(1 GeV) Proton Beams at Fermi National Accelerator Laboratory [+O(10 GeV) LoI]	32
Food for thought & discussion	32
From scattering amplitudes to relativistic two-body problem	32
Fundamental Symmetries brief	32
Future Information and Communications Technologies for HL-LHC Era: Beyond CMOS and Beyond the Shannon Limit	32
Future computer & programming trends	33
GARD test facilities (Vitaly Yakimenko, SLAC)	33
Gas TPCs with directional sensitivity to dark matter, neutrinos, and BSM physics	33
General discussion and closing remarks	35
General discussions	35
Goal of the session	35
Goals of the CPM and Snowmass Timeline	35
Grand challenges	35
Grand challenges	35
Gravitational View of the Early Universe	35
HEP - Career Pipeline & Development (CommF2)	35
HEP - Education (CommF4)	36
HEP - Workforce, Training and Education (CEF)	36
Hadron and lepton-hadron colliders with energies above 3 TeV	36

Hadron structure and spectroscopy brief	36
Hamiltonian simulation and sign problem	36
Heterodyne Detection of Axion Dark Matter via Superconducting Cavities	36
Higgs Factory, the next steps for EF/AF/TF	37
Higgs properties projections at future e+e- Colliders	37
Higgs properties projections for the HL-LHC	37
High-level Summary of IF LOIs	37
Higher Gradient Expectations for SRF for ILC Energy Upgrades	38
Higher-order corrections for HZ production and related techniques	38
IF Introduction	38
ILC	38
ILC MDI	38
Infiltration of AI/ML in Particle Physics	38
Initiative for Dark Matter in Europe and beyond	39
Interface of theory calculations with experimental methods	39
International test facilities (Ralph Assmann, DESY)	39
Intro	39
Intro Talk	40
Introduction	40
Introduction	40
Introduction	40
Introduction	40
Introduction	40
Introduction	40
Introduction	40
Introduction	41
Introduction	41
Introduction	41
Introduction (Zhirong Huang et al.)	41
Introduction to Superconducting Undulators	41
Introduction to the session	41

Introduction: Accelerator Frontier 1: Beam Physics, Accelerator Education, Outreach & Diversity	41
Introduction: EF05/06 Letters of Interest on nonperturbative effects in high-precision QCD predictions	42
Joint discussion	42
Joint discussion	42
Joint discussion	42
LANSCCE-PSR Short-Pulse Upgrade for Improved Dark Matter and Sterile Neutrino Searches	42
LHC EFT studies	42
LOI Discussion	43
LOI/Snowmass summary to date	43
LUXE experiment	43
Lattice QCD's role in precision measurements	43
Lepton and gg colliders with energies above 3 TeV	43
Leveraging new computational architectures and strategies	43
Light Relics	43
Light and heavy flavor physics brief	44
Local Organizing Committee Welcome and Meeting Logistics	44
Low-energy SMEFT	44
Low-energy test facilities (Edith Nissen, Jlab)	44
Machine learning for detector simulations	44
Machine options	44
Magnet R&D for Low-Mass Axion Searches	44
Measurement of the pp cross section at $\sqrt{s} \sim 100$ TeV	45
Measuring very forward hadrons at the LHC	45
Metastable Water: Breakthrough Technology for Dark Matter & Neutrinos	45
Monte Carlo Task Force activities and plans for Production	46
Muon Collider Higgs Factory	46
Muon Collider MDI	46
Muon Lifetime Enhancement	46

Muons from PSI and other Cyclotrons	46
NF Points (#51)	46
NF03 Light dark matter at accelerator neutrino facilities (15' + 5)	46
NF09 Plans and Discussion	47
Need and prospects for improved parton shower Monte Carlos	47
Neutrino Frontier Probes (NF/AF5)	47
Neutrino Minimal Standard Model - a unified theory of microscopic and cosmic scales	47
Neutrinoless double beta decay	47
Neutrinoless double beta decay experiments	47
Neutrinos in cosmology	48
New frontiers in the PDF analysis in the HL-LHC era	48
Nonperturbative aspects of the measurements of the QCD coupling	48
Object identification and event classification	48
One-sliders	48
Open discussion	48
Open discussion	48
Open discussion (comments, missing topics, ...)	49
Operator series and theory errors	49
Opportunities for Muon Research at PIP-II	49
Overview of Facilities	49
Overview of Neutrino Masses and the Nature of Neutrinos	49
Overview of future multi-TeV collider LoIs	49
Overview on light dark matter cosmology (15' + 5')	49
Overview: beyond the BRN report	50
Panel 1: Detection Techniques	50
Panel 2: Future Observations and Science Discoveries	50
Panel Discussion on Future Accelerator Facilities	50
Panel discussion	50
Panel discussion	51
Panel discussion	51

Panel discussion of the future of AI/ML	51
Panel on MeV to EeV Gamma-ray Detectors	51
Panel: Neutrinos as Probes of BSM Physics	52
Panel: Neutrinos as Probes of Standard Particle Physics	52
Particle Dark Matter and Neutrino Needs	52
Particle Physics with Quantum Sensors	52
Path Forward	52
Perspective on a Unified U.S. Particle Physics Program	52
Physics opportunities in neutrino event generation	53
Physics potential of hadron and hadron-lepton colliders with energies above 3 TeV	53
Physics potential of lepton and gg colliders with energies above 3 TeV	53
Physics potential.	54
Planning next steps	54
Precision Electroweak Physics with Polarized Beams at SuperKEKB/Belle II	54
Precision PDF at the Electron-Ion Collider	54
Precision calculations for EW/Higgs precision physics at lepton colliders	54
Probing nuclear astrophysics and gravitation with neutron stars	54
Programmable Storage	55
Proton Decay experiments	55
Q/A w/ Plenary Speakers	55
Q/A w/ Plenary Speakers	55
QCD at the Forward Physics Facility at CERN	55
QIS Points (#77, #102)	55
Quantum Computing	56
RF perspective	56
RF6 Light dark matter studies at high intensities (15' + 5')	56
Rare Process Frontier Probes (RF6/AF5)	56
Remarks from Funding Agencies to the Snowmass Process: DOE	56
Remarks from Funding Agencies to the Snowmass Process: NSF	56

Removing Flat Directions in SMEFT Fits: Complementing the LHC with polarized EIC data	57
Report from Accelerator Frontier	57
Report from BRN on Instrumentation	57
Report from Computing Frontier	57
Report from Cosmic Frontier	57
Report from Early Careers	57
Report from Energy Frontier	57
Report from Instrumentation Frontier	58
Report from Neutrino Frontier	58
Report from Rare Processes and Precision Measurements Frontier	58
Report from Theory Frontier	58
Report from Underground Facilities and Infrastructure Frontier	58
Reports from Ethics and Community Engagement Frontier	58
Requirements from LLP searches	59
Requirements from substructure and jet reconstruction	59
SLAC E-320 experiment	59
SMEFT global fits	59
SRF for FCCee	59
SRF for Linear Collider Higgs Factories	60
Schwinger field physics	60
Searches for Long-Lived Particles at the FCC-ee	60
Searching for millicharged particles with scintillator based detectors	60
Session Intro	61
Session introduction	61
Snowmass as a path towards cultural change, and the role of collaborations	61
Staging Aspects for FCC	62
Staging of Muon Collider	62
Standard Siren Cosmology	62
State-of-the-art event generators via new techniques and technologies	63

Statistics-limited targets for measurements/searches	63
Storage Rings for the Search of Charged-Particle Electric Dipole Moments	63
Strategic considerations	63
Strategies and Plans in Other Regions: Africa and Middle East	63
Strategies and Plans in Other Regions: Asia and Pacific	63
Strategies and Plans in Other Regions: Canada	64
Strategies and Plans in Other Regions: Europe and Russia	64
Strategies and Plans in Other Regions: Latin America	64
Strategies and Plans in Related Fields: Astrophysics	64
Strategies and Plans in Related Fields: Nuclear Physics	64
Structural changes in support of public engagement with science in South Africa	64
Summary	64
Summary Discussion	65
Summary and plans for 2021 Snowmass meeting	65
Summary of needs in Conformal Bootstrap	65
Summary of needs in Perturbative Amplitudes	65
Summary of needs in lattice	65
Superconducting Qubit Advantage for Dark Matter (SQuAD)	65
Synergy with Muon Collider R&D	66
Systematic effects in detector simulations	66
Systematics-limited targets for measurements/searches	66
Targets and Sources Plan Discussion	66
Targets and Sources Plan Presentations	66
Targets and Sources Plan Presentations	67
Targets and Sources Plan discussion	67
Testing Lepton Flavor Universality and CKM Unitarity with Rare Pion Decays	67
Testing SIDM with Realistic Galaxy Formation Simulations	67
The C ³ Linear Accelerator Concept and its application to e ⁺ /e ⁻ colliders and novel g-g colliders	68
The International Axion Observatory (IAXO) and BabyIAXO	68

Theories for B and L Violation	68
Theory challenges in heavy flavor decays	69
Theory motivation and benchmarks	69
Theory overview (15'+5')	69
Towards Future Discoveries at the Energy Frontier	69
Town Hall Presentations	70
Transduction for New Regimes in Quantum Sensing	70
UF Points (#122)	70
UHECRs and the muon problem	71
Underground Facility Needs of Biology	71
Underground Facility Needs of Geology/Geological Engineering	71
Underground Facility Needs of Laser-Interferometry Gravity Experiments	71
Underground Facility Needs of Quantum Information Science	71
Underground Facility Needs of other Gravity Experiments	71
Universities (Ritchie Patterson, Cornell)	72
Wave-like Dark Matter Needs	72
Welcome	72
Welcome and overview of LoIs in 176 (A10)	72
What do we need from theory?	72
advanced acceleration concepts: PWA	72
advanced acceleration concepts: SWA	72
discussion and future plans	73
n-nbar oscillation experiments	73
v-Nucleus scattering brief	73

150. Dark matter complementarity - #cpm_topic_150 / 213

#108 - Accelerator Probes of Light Dark Matter (keV-GeV)

Corresponding Author: batell@pitt.edu

150. Dark matter complementarity - #cpm_topic_150 / 214

#115 - Neutrinos and underground facilities

150. Dark matter complementarity - #cpm_topic_150 / 215

#127 - Searches for Dark Sectors

Corresponding Author: ntoro@slac.stanford.edu

150. Dark matter complementarity - #cpm_topic_150 / 217

#136 - Heavier particle dark matter >10 GeV

Corresponding Author: caterina.doglioni@hep.lu.se

150. Dark matter complementarity - #cpm_topic_150 / 216

#137 - High and ultrahigh energy neutrino experiments

Corresponding Author: erin.osullivan@physics.uu.se

Primary frontier topic:

150. Dark matter complementarity - #cpm_topic_150 / 208

#72 - Cosmic Surveys and Fundamental Physics

Corresponding Author: kadrlica@fnal.gov

150. Dark matter complementarity - #cpm_topic_150 / 209

#74 - Atomic to Cosmic: Wave Dark Matter and Beyond

Corresponding Author: grybka@u.washington.edu

150. Dark matter complementarity - #cpm_topic_150 / 210

#75 - Cosmic Probes of Dark Matter

Corresponding Author: kadrlica@fnal.gov

150. Dark matter complementarity - #cpm_topic_150 / 211

#77 - Quantum Sensors

Corresponding Author: lwinslow@mit.edu

150. Dark matter complementarity - #cpm_topic_150 / 212

#97 - Neutrinos and Astrophysics

Corresponding Author: baha@physics.wisc.edu

202. NF Planning / 430

108: Accelerator Probes of Light Dark Matter (keV-GeV)

Corresponding Authors: jaehoonyu@uta.edu, alex.sousa@uc.edu

Primary frontier topic:

202. NF Planning / 431

109: Determining the Masses and Nature of Neutrinos

Corresponding Author: giunti@to.infn.it

Primary frontier topic:

202. NF Planning / 443

110: Baryon and Lepton Number Violating processes

Corresponding Author: lkoerner@central.uh.edu

Primary frontier topic:

202. NF Planning / 442

115: Neutrinos, dark matter, and underground facilities

Corresponding Author: gorebigann@lbl.gov

Primary frontier topic:

202. NF Planning / 445

119: HEP Workforce, Careers and Training

202. NF Planning / 434

124: Lattice Gauge Theory for High Energy Physics

Corresponding Author: baha@physics.wisc.edu

Primary frontier topic:

202. NF Planning / 435

126: BSM: direct and indirect searches

Corresponding Author: shoemaker@vt.edu

Primary frontier topic:

126. BSM: direct and indirect searches / 382

126: EFT vs. Top-Down

Corresponding Authors: brivio@thphys.uni-heidelberg.de, danhayden0@googlemail.com

Primary frontier topic:

126. BSM: direct and indirect searches / 380

126: Flavor Physics

Corresponding Authors: sarah.demers@yale.edu, zupanje@ucmail.uc.edu

Primary frontier topic:

126. BSM: direct and indirect searches / 381

126: Naturalness and EWSB

Corresponding Authors: vcavaliere@bnl.gov, mreece@g.harvard.edu

Primary frontier topic:

202. NF Planning / 438

127: Searches for dark sectors

Corresponding Authors: shoemaker@vt.edu, blittlej@iit.edu

Primary frontier topic:

202. NF Planning / 444

137: High and ultrahigh energy neutrino experiments

Corresponding Authors: erin.osullivan@physics.uu.se, dwschmitz@uchicago.edu

Primary frontier topic:

202. NF Planning / 439

29: Low-energy precision experiments

Corresponding Author: newbyrj@ornl.gov

Primary frontier topic:

64. Computing Needs of the Accelerator Frontier / 131

3 minutes summaries of LOIs by topics

Corresponding Authors: hezhang@jlab.org, jlvey@lbl.gov, cho@slac.stanford.edu, bruhwiler@radiasoft.net, axelhuebl@lbl.gov, ncook@radiasoft.net, edelen@slac.stanford.edu

- AI/ML (4 LOIs): Auralee Edelen
- Physics for Conventional Accelerators (5 LOIs) - Cho Ng
- Physics for Advanced Accelerator Concepts (3 LOIs) - Nathan Cook
- Shared Simulation Tools (6 LOIs) - Jean-Luc Vay
- Cross-Cutting Standardization and Practice (3 LOIs) - Axel Huebl

- Community organization (3 LOIs) - David Bruhwiler
- Quantum Computing (1 LOI) - He Zhang

Primary frontier topic:

Community Town Hall / 85

3D proton tomography at the EIC: TMD gluon distributions

Authors: Alessandro Bacchetta¹ ; Francesco Giovanni Celiberto¹ ; Marco Radici² ; Pieter Tael³

¹ *University of Pavia and INFN*

² *INFN Pavia*

³ *CPT, Ecole Polytechnique, CNRS, Paris*

Corresponding Authors: pieter.taels@polytechnique.edu, marco.radici@pv.infn.it, francescogiovanni.celiberto@unipv.it, alessandro.bacchetta@unipv.it

The search for evidence of New Physics is in the viewfinder of current and forthcoming analyses at the Large Hadron Collider (LHC) and at new-generation hadron, lepton and lepton-hadron colliders. This is the best time to shore up our knowledge of strong interactions though and, more in particular, of the hadron structure in terms of parton distributions.

Although significant steps toward the formal definition of quark transverse-momentum dependent distribution functions (TMDs) and their extraction from experimental data through global fits has been made in the last years, the gluon-TMD field represents an almost unknown territory.

With the advent of the Electron-Ion Collider (EIC), a systematic study of observables very sensitive to gluon dynamics will become feasible, thus offering us a unique chance of deepening our knowledge of gluon TMDs, a largely unexplored territory particularly at low- x .

With the aim of fulfilling the need for a flexible model suited to phenomenology, we present a common framework for all T -even and gluon TMDs at twist-2, calculated in a spectator model for the parent nucleon and encoding effective small- x effects from the BFKL resummation. At variance with respect to previous works, our approach encodes a flexible parametrization for the spectator-mass spectral density, allowing us to improve the description in the small- x region.

An extension of our model to include twist-2 T -odd gluon TMDs is underway.

All these prospective developments are relevant in the exploration of the gluon dynamics inside nucleons and nuclei, which constitutes one of the major goals of the EIC project.

We believe that the inclusion of these topics in the SnowMass 2021 scientific program would accelerate progress of our understanding of both formal and phenomenological aspects of the hadron structure in wider kinematic ranges.

Primary frontier topic:

Energy Frontier

202. NF Planning / 440

51: Requirements for low background and underground detectors

Corresponding Author: ben.jones@uta.edu

Primary frontier topic:

202. NF Planning / 436

61: Energy and Power and Time structure goals for Neutrino Frontier programs

Corresponding Author: ljf26@fnal.gov

Primary frontier topic:

202. NF Planning / 432

72: Dark Energy, Origins (Inflation), and Light Relics

202. NF Planning / 433

77: Quantum Sensors for Wave and Particle Detection

Corresponding Author: enectali@northwestern.edu

Primary frontier topic:

202. NF Planning / 437

81: Neutrinos and Computing: Preservation, Machine Learning, Uncertainties

Corresponding Author: ahimmel@fnal.gov

Primary frontier topic:

202. NF Planning / 441

97: Neutrinos as Probes of Standard and BSM Particle Physics

Corresponding Authors: erin.osullivan@physics.uu.se, jaehoonyu@uta.edu, giunti@to.infn.it, baha@physics.wisc.edu

Primary frontier topic:

Community Town Hall / 33

A deci-Hz Gravitational-Wave Lunar Observatory for Cosmology

Author: Karan Jani¹

¹ *Vanderbilt University*

Corresponding Author: karan.jani@vanderbilt.edu

We are proposing Gravitational-Wave Lunar Observatory for Cosmology (GLOC) – a first of its kind fundamental physics experiment on the surface of the Moon. The experiment would access gravitational waves in the frequency range of deci-Hz to 5 Hz, a challenging regime for all Earth-based detectors and space missions. We find that such a lunar-based experiment can survey over 70% of the observable volume of our universe without significant background contamination. This unprecedented sensitivity makes GLOC a powerful cosmic probe for Dark Energy, Dark Matter and physics beyond the Standard Model. In particular, it will independently trace the Hubble expansion rate up to redshift $z \sim 3$, provide the strongest limits on the sub-solar Dark Matter candidates and test Λ CDM cosmology up to $z \sim 100$. Furthermore, it will have a unique access to gravitational waves from Type Ia supernovae, thus aiding calibration of the standard candles.

Primary frontier topic:

Cosmic Frontier

209. IF Planning / 424

AF Points (#54, #187)

119. HEP and Accelerator Workforce, Careers, and Training / 395

AF1 - Training & Education - Barletta (MIT), Recruitment & Retention - Fox (Stanford)

Corresponding Authors: barletta@mit.edu, jdfox@stanford.edu

119. HEP and Accelerator Workforce, Careers, and Training / 396

AF1 - Workforce & Diversity - Bai (GSI/U. Bonn) , Facility Summaries - Zimmermann (CERN) , Outreach with Industry - Bruhwiler (RadiaSoft)

Corresponding Authors: frank.zimmermann@cern.ch, bruhwiler@radiasoft.net, m.bai@gsi.de

61. Energy and Power and Time structure goals for Neutrino Frontier programs / 324

AF2 Plans and Discussion

Corresponding Authors: galambosjd@ornl.gov, zwaska@fnal.gov, gianluigi.arduini@cern.ch

185. High power proton beams for rare searches / 321

AF2 Plans and Discussion

Corresponding Authors: gianluigi.arduini@cern.ch, zwaska@fnal.gov, galambosjd@ornl.gov

171. AF2 organization with contributors / 314

AF2 Plans and Discussion

Author: John Galambos^{None}

Co-authors: Bob Zwaska¹ ; Gianluigi Arduini²

¹ *Fermilab*

² *CERN*

Corresponding Authors: gianluigi.arduini@cern.ch, zwaska@fnal.gov, galambosjd@ornl.gov

185. High power proton beams for rare searches / 320

AF5 Overview and Plans

Corresponding Authors: milner@mit.edu, mike.lamont@cern.ch, eprebys@ucdavis.edu

Primary frontier topic:

173. AF5 organization with contributors / 296

AF5 Overview and Plans

Corresponding Author: eprebys@ucdavis.edu

61. Energy and Power and Time structure goals for Neutrino Frontier programs / 323

AF5 Plans and Discussion

Corresponding Authors: fpellemo@fnal.gov, barbiercn@ornl.gov, yinesun@anl.gov

80. Computing Requirements & Opportunities for the Energy Frontier / 364

AIFI: Bridging Artificial Intelligence and Fundamental Interactions

Corresponding Author: pcharris@mit.edu

Community Town Hall / 60

ANNIE and the Future of Hybrid Neutrino Detectors

Author: Mayly Sanchez¹

¹ *Iowa State University*

Corresponding Author: mayly@iastate.edu

The Accelerator Neutrino Neutron Interaction Experiment (ANNIE) will continue to develop advanced neutrino detector technology in addition to pursuing an ambitious physics program in the Fermilab Booster Neutrino Beam. The current gadolinium-loaded water detector will develop new techniques using Large Area Picosecond PhotoDetectors (LAPPDs) to reconstruct muons from neutrino interactions in the forward direction. This talk describes using ANNIE to take the next step in the development of hybrid (Cherenkov plus Scintillation) optical detectors by replacing the current gadolinium-water target with Water-based Liquid Scintillator (WbLS) to allow reconstruction of neutron capture vertices, and increasing the coverage of LAPPDs to allow multi-track fitting in all directions using fast timing and precision photon location. This is a critical step towards demonstrating the power of hybrid detectors for a new generation of far detectors in long-baseline neutrino oscillation experiments and observatories for low-energy neutrinos.

Primary frontier topic:

Neutrino Physics Frontier

Plenary / 1

About Snowmass and Snowmass Planning Meeting

176. Grand challenges of ultimate beams and ultimate high energy colliders / 369

Accelerator technology development at Russia

Corresponding Author: trubnikov@jinr.ru

64. Computing Needs of the Accelerator Frontier / 129

Accelerators & beam physics trends

Corresponding Author: nsergei@fnal.gov

102. The Roles of QIS in HEP / 336

Additional Time In Session

171. AF2 organization with contributors / 338

Additional Time In Session

109. Determining the Masses and Nature of Neutrinos / 335

Additional Time In Session

180. SRF and magnets for Higgs factories / 358

Advanced SRF R&D for Higgs Factory Luminosity (and Energy) Upgrades

Corresponding Author: hsp3@cornell.edu

176. Grand challenges of ultimate beams and ultimate high energy colliders / 376

Advanced acceleration concepts: DLA

Corresponding Author: giuseppe.torrisi@lns.infn.it

176. Grand challenges of ultimate beams and ultimate high energy colliders / 368

Advanced beam cooling

Corresponding Author: stupakov@slac.stanford.edu

99. Advances in Event Generation and Detector Simulation / 280

Advances in Event Generation and Detector Simulation: Motivation and Ground Rules

Corresponding Author: jthaler@jthaler.net

99. Advances in Event Generation and Detector Simulation / 290**Advances in Event Generation and Detector Simulation: Open Discussion****132. Collider Data Analysis Strategies / 267****Advances in triggering and data acquisition**

Corresponding Author: jennifer.ngadiuba@cern.ch

Primary frontier topic:

Community Town Hall / 32**Alpha: Measurement of the fine structure constant as test of the Standard Model**

Authors: Holger Mueller¹ ; David Brown²

¹ *UC Berkeley*

² *LBNL*

Corresponding Authors: dave_brown@lbl.gov, hm@berkeley.edu

Comparison of direct measurements of the fine structure constant via measuring the recoil velocity of an atom that scattered a photon from a laser beam, and those obtained from the electron's $g-2$, are some of the most comprehensive tests of the Standard Model. Based on our 2018 measurement (Parker et al., Science 360, 191), that is currently the most accurate, we report on a project to make a 10-20 fold improvement by taking the control over the spatial structure of the laser beam to the extreme.

Primary frontier topic:

Rare Processes and Precision Measurements Frontier

175. Accelerator research centers and test facilities for future accelerators / 200**Any additional contributions****172. Near-term applications of plasma accelerators / 310****Applications emerging from unique plasma-enabled electron beam regimes**

Corresponding Author: bernhard.hidding@strath.ac.uk

172. Near-term applications of plasma accelerators / 309**Applications of laser-accelerated protons and ions****Corresponding Author:** lobsthuebl@lbl.gov**172. Near-term applications of plasma accelerators / 308****Applications of plasma-based betatron radiation****Corresponding Author:** aehussei@ualberta.ca**102. The Roles of QIS in HEP / 243****Applications of quantum information to quantum gravity, black holes and QFT****Community Town Hall / 107****Atomic/nuclear clocks and precision spectroscopy measurements for dark matter and dark sector searches****Author:** Marianna Safronova¹¹ *University of Delaware***Corresponding Author:** msafro@udel.edu

Rapid developments of atomic clocks and other precision spectroscopy techniques are making possible phenomenologically interesting searches for bosonic dark matter and new force carriers. Furthermore, it is realistic to expect in the next decade many orders of magnitude improvements in the sensitivity of these experiments. To take full advantage of new opportunities presented by these advances will require experimental and theoretical engagements from both atomic and particle physics communities.

Several directions are being pursued to drastically improve the reach of the clock and other precision spectroscopy experiments for DM detection:

- (i) significant improvement of the current clocks, that is expected to rapidly evolve in the next decade;
- (ii) development of clock networks at the new level of precision;
- (iii) development of new atomic clocks based on highly charged ions (HCI) that have much higher sensitivities to the variation of α ;
- (iv) development of a nuclear clock that is based on a nuclear rather than atomic transition;
- (v) dedicated precision spectroscopy experiments sensitive to higher DM masses than clocks;
- (vi) development and implementation of new clock-comparison schemes specifically designed to improve reach of oscillatory and transient dark matter searches;
- and (vii) development of molecular clocks

The experimental effort is strongly complemented by the development of high-precision atomic theory and particle physics model building.

Primary frontier topic:

Cosmic Frontier

124. Lattice Gauge Theory for High Energy Physics / 259

BSM with LGT brief

Corresponding Author: ethan.neil@colorado.edu

173. AF5 organization with contributors / 300

Beamdump Experiments Driven by a Plasma Wake-field Accelerator

Corresponding Author: sguess@slac.stanford.edu

173. AF5 organization with contributors / 299

Belle II/SuperKEKB Upgrades & Overview

Corresponding Author: teb@phys.hawaii.edu

75. Cosmic Probes of Dark Matter Physics - #cpm_topic_75 / 43

Break and Chat

115. Neutrinos, dark matter, and underground facilities / 41

Break and Chat

Plenary One / 5

Break and Chat

74. Atomic to Cosmic: Wave Dark Matter and Beyond / 415

Breakout Discussion

75. Cosmic Probes of Dark Matter Physics - #cpm_topic_75 / 152

Breakout Discussions

74. Atomic to Cosmic: Wave Dark Matter and Beyond / 416

Breakout Report

175. Accelerator research centers and test facilities for future accelerators / 198

CBETA (Georg Hoffstaetter, Cornell)

129. Higgs Factories / 154

CEPC (already presented on Sep 30, 2020)

Corresponding Author: gaoj@ihep.ac.cn

178. Common accelerator goals/technology at the energy frontier / 403

CEPC-SPPC Staging

Corresponding Author: gaoj@ihep.ac.cn

Primary frontier topic:

136. Heavier particle dark matter $> \sim 10$ GeV / 89

CF Overview

Corresponding Authors: hlippincott@ucsb.edu, tslatyer@gmail.com

Primary frontier topic:

209. IF Planning / 423

CF Points (#69, #70, #71, #74, #137, #140)

129. Higgs Factories / 157

CLIC

Corresponding Author: steinar.stapnes@cern.ch

9. IF Intro and LOIs / 239

CPAD Introduction

Corresponding Author: karsten.heeger@yale.edu

81. Computing Requirements/Opportunities NF / 220

Can we handle uncertainties better?

Corresponding Author: kterao@slac.stanford.edu

Plenary One / 38

Canada

Corresponding Author: brigitte.vachon@mcgill.ca

132. Collider Data Analysis Strategies / 271

Challenges and opportunities for anomaly detection

Corresponding Author: dshih@physics.rutgers.edu

132. Collider Data Analysis Strategies / 268

Challenges and opportunities for trigger-level analyses

Corresponding Author: antonio.boveia@cern.ch

176. Grand challenges of ultimate beams and ultimate high energy colliders / 372

Challenges of ultimate high energy colliders

Corresponding Author: frank.zimmermann@cern.ch

138. Synergy of astro-particle physics and collider physics / 117

Charm production and IceCube backgrounds

Corresponding Author: mary-hall-reno@uiowa.edu

29. Low-energy precision experiments / 420

Closeout

Plenary / 26

Closing Remarks

Corresponding Authors: kiburg@fnal.gov, than@pitt.edu

132. Collider Data Analysis Strategies / 274

Collider Data Analysis Strategies: Open Discussion

132. Collider Data Analysis Strategies / 264

Collider Data Analysis Strategies: Motivation and Ground Rules

Corresponding Author: indara.suarez@gmail.com

Community Town Hall / 86

Colliding beam elastic pp and pd scattering to test T - and P -violation

Author: Richard Talman¹

¹ Laboratory for Elementary-Particle Physics, Cornell University, Ithaca NY, 14850, USA

Corresponding Author: richard.talman@cornell.edu

To test T - and P -violation by proton EDM requires an electric storage ring (SR) with simultaneously counter-circulating, frozen-spin proton beams. The CPEDM feasibility study proposes a low-energy prototype ring with superimposed electric and magnetic bending storing frozen-spin 49.65 MeV (clock-wise) protons and pseudo-frozen spin 24.73 MeV (counter-clockwise) protons; pd combinations are also practical and interesting.

Such a SR in the collider mode can be used to search for beyond Standard Model semi-strong T -violation in elastic pp or pd scattering. Suggested by Lee & Wolfenstein, Prentki & Veltman and Okun, as a source of CP-violation, it still awaits the experimentum crucis.

Initial spin states are guaranteed by phase-lock technique developed by JEDI; a comparison of polarization effects in the direct and time-reversed reactions requires matching polarimetry of final-state particles. The notable exception is T -violation in collisions of vector polarized protons and tensor polarized deuterons.

Full final state polarimetry stops the scattered particles in azimuthally symmetric full acceptance tracking chambers of the polarimeter, totaling 3π sr. This high-efficiency polarimetry is feasible only because the scattered particles are soft enough to be stopped in the polarimeter, making collider experiments much superior to fixed target experiments.

Besides a comparison of the analyzing powers to final-state single-particle polarizations, an access to T -violation in double-spin observables will be possible. With a pp luminosity of $0.6 \text{ mb}^{-1}\text{s}^{-1}$, producing 10^8 elastic scatters per year, the time-reversal violation upper limits, currently at the level of a few 1%, could be lowered by more than one order in magnitude.

Primary frontier topic:

Rare Processes and Precision Measurements Frontier

209. IF Planning / 427

CommF and EC Points (#57, #118, #119)

Corresponding Author: katherine.dunne@fysik.su.se

Primary frontier topic:

Plenary / 28

Community Engagement Across the Frontiers

Discussion with CEF and Other Frontier Liaisons

Primary frontier topic:

209. IF Planning / 426

CompF Points (#123)

145. QCD phase transitions and ultra-high density matter / 350

Compact binaries as probes of dense matter and QCD phase transitions

Corresponding Author: pgjlandry@gmail.com

124. Lattice Gauge Theory for High Energy Physics / 260

Computation and algorithm brief

Corresponding Author: pboyle@bnl.gov

99. Advances in Event Generation and Detector Simulation / 281

Computational challenges for event generation in view of HL-LHC and beyond

Corresponding Author: joshua.angus.mcfayden@cern.ch

99. Advances in Event Generation and Detector Simulation / 288

Computational challenges for neutrino event generators

Corresponding Author: gardiner@fnal.gov

Primary frontier topic:

81. Computing Requirements/Opportunities NF / 218

Computing Resources and Access

Corresponding Author: fkw@ucsd.edu

84. Computing Requirements & Opportunities in Theory / 359

Computing roadmap overview

Corresponding Author: pboyle@bnl.gov

Survey of DOE HPC roadmap and programming models

57. Connection with industry / 387

Connection with industry - accelerators

This session invites speakers from industry to present their experience in terms of working with national laboratories and academia, what the strengths in the partnership are, and where improvements can be made. The session is split into two sections, one on accelerator technologies and one on semiconductors.

First section: Flash talks and discussion with Manoj Kanskar (nLIGHT), Antoine Courjaud (Amplitude Laser), Salime Boucher (RadiaBeam), and Alexei Kanareykin (Euclid).

Primary frontier topic:

57. Connection with industry / 388

Connection with industry - semiconductors

This session invites speakers from industry to present their experience in terms of working with national laboratories and academia, what the strengths in the partnership are, and where improvements can be made. The session is split into two sections, one on accelerator technologies and one on semiconductors.

Second section: Flash talks and panel discussion with Bob Patti (NHanced Semiconductors), Brian Tyrell (MITLL), Farah Fahim (FNAL), and Gabriella Carini (BNL).

Primary frontier topic:

187. Machine Detector Interface with plasma lens and plasma accelerators / 389

Considerations on plasma lenses for linear colliders

Corresponding Author: sgess@slac.stanford.edu

Primary frontier topic:

72. Dark Energy, Origins (Inflation), and Light Relics - #cpm_topic_72 / 143

Cosmic Origins

127. Searches for dark sectors / 194

Cosmic Probes / Gravitational Wave (CF5/CF7/TF9) overview

Corresponding Authors: robert.r.caldwell@dartmouth.edu, bss25@psu.edu

139. Testing LambdaCDM cosmology at low and high redshifts / 120

Cosmology Intertwined

Corresponding Author: eleonora.divalentino@manchester.ac.uk

Community Town Hall / 103

Culture change is necessary, and it requires strategic planning

Author: Brian Nord^{None}

Corresponding Author: nord@fnal.gov

Racism and other forms of bigotry oppress, disenfranchise, and marginalize scientists of color in high-energy physics (HEP). Actions and patterns of behavior by individuals and groups, as well as policies and procedures of institutions are among the vectors of oppression. The evidence includes the underrepresentation of Black scientists and other scientists of color, regular acts of harassment against scientists of color (including women and people of minoritized genders), and systematic disenfranchisement of marginalized and minoritized people throughout pathways and systems of education.

Research communities have traditionally responded to this problem in a variety of ways, which have often fallen short of creating real change — i.e., when they don't address the deeply rooted source of the problem, and when strategic planning is not engaged. Moreover, these approaches place the purported beneficiaries in harm's way. To achieve a new community through real and sustained change, we therefore recommend 1) long-term strategic planning, 2) new modes of community organizing and decision-making, and 3) partnership with experts and professionals in anti-racism and related areas.

Energy, creativity, and well-understood protocols are used for planning and executing long-term scientific programs and experiments to make discoveries. Therefore, we also call on the HEP community to engage in the effort to drive change with similar imagination and discipline.

Primary frontier topic:

Community Engagement Frontier

72. Dark Energy, Origins (Inflation), and Light Relics - #cpm_topic_72 / 146

Dark Energy

125. EFTs for new physics sensitivity studies / 185

Dark Matter EFT

Corresponding Author: solon@physics.ucla.edu

Community Town Hall / 76

DarkQuest and LongQuest at the 120 GeV Fermilab Main Injector

Author: Nhan Tran¹

¹ *FNAL*

Corresponding Author: ntran@fnal.gov

Expanding the mass range and techniques by which we search for dark matter is an important part of the worldwide particle physics program which has been specifically emphasized in the DOE Basic Research Needs for Dark Matter New Initiatives report. Accelerator-based searches for dark matter are a uniquely compelling part of this program as a way to both create and detect dark matter in the laboratory and explore the dark sector by searching for mediators and excited dark matter particles. Our proposal focuses on developing the DarkQuest experimental concept and related enhancements collectively referred to as LongQuest. DarkQuest is a proton fixed-target experiment with particular sensitivity to an array of visible dark sector signatures in the MeV-GeV mass range. Because it builds off of existing accelerator and detector infrastructure, it offers a powerful but low-cost experimental initiative that can be realized on a short timescale.

Primary frontier topic:

Rare Processes and Precision Measurements Frontier

81. Computing Requirements/Opportunities NF / 219

Data Preservation

Corresponding Author: jonathan.asaadi@uta.edu

132. Collider Data Analysis Strategies / 273

Data preservation and reinterpretation

Corresponding Author: anatrišovic@g.harvard.edu

Community Town Hall / 44

Detecting keV-range super-light dark matter using graphene Josephson junction

Authors: Doojin Kim¹ ; Doojin Kim²

Co-author: Jong-Chul Park³

¹ *Texas A&M University*

² *University of Arizona*

³ *University of Kansas*

Corresponding Authors: immworry@fnal.gov, doojin.kim@tamu.edu, log1079@gmail.com

Understanding the nature of dark matter has been a long-standing conundrum in particle physics. While most theoretical and experimental efforts in the search for dark matter have been focused on the weakly interacting massive particles, the fact that there have been no conclusive signal observations increasingly motivates searches for other dark-matter candidates. Of them, keV-scale super-light dark matter is receiving particular attention, as its existence is a crucial criterion to determine the “coldness” of dark matter in cosmological history. However, the direct probe of such super-light dark matter has been an experimentally challenging task primarily due to the difficulty in achieving an extremely small energy threshold (E_{th}) as low as $\mathcal{O}(\text{meV})$. Very recently, a technological breakthrough for this experimental challenge has been reported in condensed matter physics, the graphene-based Josephson junction (GJJ) bolometer technology (arXiv:1909.05413, Nature accepted). The device using this “state-of-the-art” technology has shown the highest sensitivity to $E_{\text{th}} \sim 0.1 \text{ meV}$. We demonstrate that the adoption of this GJJ-based bolometer can lead to an immediate and unprecedented sensitivity in exploring keV-range super-light dark matter, improving the minimum detectable mass by more than three orders of magnitude over the ongoing experiments (arXiv:2002.07821). We then report the current status of doing the first experiment with existing devices fabricated for the study in arXiv:1909.05413, and briefly mention other high energy physics applications, e.g., detection of cosmic neutrino background and search for other well-motivated super-light particles such as axion, sterile neutrino, and dark photon.

Primary frontier topic:

Cosmic Frontier

172. Near-term applications of plasma accelerators / 307

Development and applications of a Compton X-ray light source driven by a laser-plasma electron accelerator

Corresponding Author: donald.umstadter@unl.edu

132. Collider Data Analysis Strategies / 270

Differentiable programming

Corresponding Author: matthew.feickert@cern.ch

127. Searches for dark sectors / 192

Direct Detection (CF1/TF9) overview

Corresponding Author: rouven.essig@stonybrook.edu

109. Determining the Masses and Nature of Neutrinos / 178

Direct searches for neutrino masses

145. QCD phase transitions and ultra-high density matter / 352**Discovering quark-matter cores in massive neutron stars****209. IF Planning / 429****Discussion****140. Future medium to ultrahigh energy gamma-ray detectors - #cpm_session_140 / 412****Discussion**

Input from community

1. EF Intro (#cpm_ef_intro) / 139**Discussion****182. Energy and power limits for plasma accelerators / 393****Discussion**

A overview presentation will be followed by community discussion on potential energy reach of plasma based colliders at scales to and beyond 10 TeV. Comments from the community, both based on LOI's discussed at the AF6 September workshop (<https://indico.fnal.gov/event/45651/>) and new comments, are encouraged.

This session will be in addition to a more general session, A10 Physics limits of Ultimate Beams (colliders: e^+e^- , μ/μ , p/p , p drivers, etc) which will address overall considerations. As such, A26 will be aimed at specific plasma based collider issues.

Energy reach considerations include scattering, hosing, radiation, focusing and interaction point physics. Efficiency considerations include structure efficiency, interaction point geometry to maximize interaction, and energy recovery. The extent to which plasma based concepts (both established and new) may have properties that either improve on conventional machines or present limits will be discussed. The goal is outline the status of issues that have been analyzed and discuss needs for further research that should be addressed to move forward collider designs based on these concepts.

110. Baryon and Lepton Number Violating processes / 279**Discussion**

102. The Roles of QIS in HEP / 246

Discussion

127. Searches for dark sectors / 232

Discussion

127. Searches for dark sectors / 231

Discussion

127. Searches for dark sectors / 230

Discussion

127. Searches for dark sectors / 229

Discussion

127. Searches for dark sectors / 228

Discussion

127. Searches for dark sectors / 227

Discussion

41. Anomalies in Flavor Physics / 221

Discussion

77. Quantum Sensors for Wave and Particle Detection / 205

Discussion

125. EFTs for new physics sensitivity studies / 187

Discussion

Extended discussion after 1:30pm CDT in separate Zoom room:
<https://pitt.zoom.us/j/98818754052>
Meeting ID: 988 1875 4052
Passcode: 125

128. From Amplitudes to Precision Theory for Future Colliders / 172

Discussion

128. From Amplitudes to Precision Theory for Future Colliders / 170

Discussion

128. From Amplitudes to Precision Theory for Future Colliders / 168

Discussion

128. From Amplitudes to Precision Theory for Future Colliders / 166

Discussion

69. Instrumentation for Future Optical Surveys - #cpm_topic_69 / 161

Discussion

72. Dark Energy, Origins (Inflation), and Light Relics - #cpm_topic_72 / 147

Discussion

44. New accelerator concepts for high intensity muon beams / 127

Discussion

136. Heavier particle dark matter $> \sim 10$ GeV / 90

Discussion

108. Accelerator Probes of Light Dark Matter (keV-GeV) / 237

Discussion (10')

84. Computing Requirements & Opportunities in Theory / 363

Discussion and Next Steps

54. Machine Detector Interface for Future Colliders / 344

Discussion and plan

122. Capabilities needed to execute underground experiments in a broad range of research categories / 340

Discussion of Underground Facilities and Needs

101. Higgs as a probe of new physics / 112

Discussion on Higgs Potential

Corresponding Author: dmorri@triumf.ca

101. Higgs as a probe of new physics / 110

Discussion on Higgs Potential

Corresponding Author: michele.selvaggi@cern.ch

101. Higgs as a probe of new physics / 111

Discussion on Higgs and Flavor

Corresponding Author: yg73@cornell.edu

101. Higgs as a probe of new physics / 109

Discussion on Higgs and Flavor

Corresponding Author: valentina.maria.cairo@cern.ch

145. QCD phase transitions and ultra-high density matter / 353

Discussion session

Corresponding Author: jacquelyn.noronhahostler@rutgers.edu

141. Gravitational wave source modelling / 347

Discussion session

119. HEP and Accelerator Workforce, Careers, and Training / 401

Discussion/ Next Steps (slack channel #cpm_topic_119)

Primary frontier topic:

1. EF Intro (#cpm_ef_intro) / 138

EF Activities and Focus Questions

Corresponding Author: atricoli@bnl.gov

136. Heavier particle dark matter $> \sim 10$ GeV / 88

EF Overview

Corresponding Authors: liantaow@uchicago.edu, caterina.doglioni@hep.lu.se

Primary frontier topic:

201. EF Planning (#cpm_ef_planning) / 142

EF Planning and Community Feedback

Corresponding Author: meenakshi_narain@brown.edu

209. IF Planning / 421

EF and RF Points (#26, #130, #131)

130. Enabling technologies for low mass and ps timing detectors / 249

EF perspective

Corresponding Author: maxim.titov@cea.fr

108. Accelerator Probes of Light Dark Matter (keV-GeV) / 236

EF10 Light dark matter at high energies (15' + 5')

Corresponding Author: suchita.kulkarni@gmail.com

129. Higgs Factories / 160

ERL-based FCCee

Corresponding Author: vl@bnl.gov

Primary frontier topic:

178. Common accelerator goals/technology at the energy frontier / 404

ERL-Based Circular Higgs Factory

Corresponding Author: roser@bnl.gov

Primary frontier topic:

128. From Amplitudes to Precision Theory for Future Colliders / 167

EW effects in parton showers at high energy

Corresponding Author: webber@hep.phy.cam.ac.uk

119. HEP and Accelerator Workforce, Careers, and Training / 400

Early Career Perspective

Corresponding Author: vvellan@berkeley.edu

201. EF Planning (#cpm_ef_planning) / 140

Early Career activities in EF

Corresponding Authors: gec8mf@virginia.edu, aroepe@fnal.gov

99. Advances in Event Generation and Detector Simulation / 284

Electroweak effects and/or multi-boson processes

Corresponding Author: stefan.prestel@thep.lu.se

130. Enabling technologies for low mass and ps timing detectors / 252

Enabling technologies for low mass trackers

Corresponding Author: affolder@ucsc.edu

130. Enabling technologies for low mass and ps timing detectors / 251

Enabling technologies for picosecond timing detectors

Corresponding Authors: aseiden@ucsc.edu, abs@scipp.ucsc.edu

127. Searches for dark sectors / 195

Energy Frontier Probes (EF9/AF5)

Corresponding Author: j.beacham@cern.ch

182. Energy and power limits for plasma accelerators / 392

Energy and power limits of plasma accelerators

Corresponding Author: cbschroeder@lbl.gov

Plenary / 24

Engaging the Community to Define the Future (1)

Corresponding Author: ritz@scipp.ucsc.edu

Plenary / 25

Engaging the Community to Define the Future (2)

Corresponding Author: sylvester_gates@brown.edu

102. The Roles of QIS in HEP / 244

Entanglement, tensor networks and complexity

99. Advances in Event Generation and Detector Simulation / 283

Event generators for NNLO/NLL and beyond

Corresponding Author: zanderi@mpp.mpg.de

Plenary / 2

Exciting Physics Before Us

Corresponding Author: hewett@slac.stanford.edu

41. Anomalies in Flavor Physics / 175

Experimental overview (10'+5')

128. From Amplitudes to Precision Theory for Future Colliders / 165

Extending subtraction schemes to N3LO

Corresponding Author: caola@pha.jhu.edu

138. Synergy of astro-particle physics and collider physics / 118

FASER, FASERnu, and the Forward Physics Facility (FPF)

Corresponding Author: jlf@uci.edu

54. Machine Detector Interface for Future Colliders / 343

FCC MDI

Corresponding Author: manuela.boscolo@lnf.infn.it

129. Higgs Factories / 156

FCC-ee

Corresponding Author: frank.zimmermann@cern.ch

Primary frontier topic:

141. Gravitational wave source modelling / 346

Field theory approach to the two-body problem

Corresponding Author: walter.goldberger@yale.edu

Primary frontier topic:

188. Plasma Acceleration for fixed target experiments / 391

First HEP applications of plasma wakefield acceleration

Primary frontier topic:

128. From Amplitudes to Precision Theory for Future Colliders / 169

Five-point QCD amplitudes at two loops

Corresponding Author: harald.ita@physik.uni-freiburg.de

173. AF5 organization with contributors / 301

Fixed-Target Searches for New Physics with O(1 GeV) Proton Beams at Fermi National Accelerator Laboratory [+O(10 GeV) LoI]

Corresponding Author: toups@fnal.gov

187. Machine Detector Interface with plasma lens and plasma accelerators / 390

Food for thought & discussion

Primary frontier topic:

141. Gravitational wave source modelling / 345

From scattering amplitudes to relativistic two-body problem

Corresponding Author: alessandra.buonanno@aei.mpg.de

Primary frontier topic:

124. Lattice Gauge Theory for High Energy Physics / 257

Fundamental Symmetries brief

Corresponding Author: tanmoy@lanl.gov

Community Town Hall / 36

Future Information and Communications Technologies for HL-LHC Era: Beyond CMOS and Beyond the Shannon Limit

Author: Harvey Newman¹

¹ *Caltech*

Corresponding Author: newman@hep.caltech.edu

The revolutionary developments underway to overcome the looming barriers in electronic and photonic systems, and hence in computing and communications systems, to maintain progress and economies, offer unprecedented opportunities for our field. These include

- o Nanophotonics, plasmonics, and/or spintronics for ultrafast low energy signaling
- o Beyond CMOS: memory, logic devices, integrated electronic/photonic systems
- o Beyond Shannon long haul optical communications systems and methods: multicore fibers, spatial division multiplexing, orbital angular momentum and other degrees of freedom
- o Metamaterials and devices: To shape and direct light, form wavefronts and frequency dependent beams; + programmably, on several time + distance scales

HEP, and community planning have until now taken only limited account of these Revolutions which will which affect more than computing: TriDAS, all communications, intelligent “coherent” systems; as well as our working + home environments

There will be great design and physics opportunities at the HL-LHC in 2030-38, and beyond for future experiments and accelerators.

The conclusion that follows from the above is that as a community we need to follow, join and lead some of these forefront developments, as part of our longterm experimental roadmap and our “frontiers”. The above technologies and new directions will have an increasing role in the 2020s, and dominate the 2030s.

The issues, barriers, next generation technologies and opportunities are introduced and discussed further in this presentation, a short version of which was presented at the Snowmass Computational Frontier Kickoff Meeting on August 11 2020:

https://www.dropbox.com/s/61ym4u4gl3oay17/FutureICTfor%20theHLLHC_2020to2030andBeyond_LongVersionhbn081020.pdf

Primary frontier topic:

Computational Frontier

64. Computing Needs of the Accelerator Frontier / 130

Future computer & programming trends

Corresponding Author: axelhuebl@lbl.gov

175. Accelerator research centers and test facilities for future accelerators / 190

GARD test facilities (Vitaly Yakimenko, SLAC)

Community Town Hall / 102

Gas TPCs with directional sensitivity to dark matter, neutrinos, and BSM physics

Authors: Diego Aristizabal Sierra¹ ; Connor Awe² ; Elisabetta Baracchini³ ; Phillip Barbeau² ; Bhaskar Dutta⁴ ; Warren Lynch⁵ ; Neil Spooner⁵ ; James Battat⁶ ; Cosmin Deaconu⁷ ; Callum Eldridge⁵ ; Majd Ghreer⁸ ; Peter Lewis⁹ ; Dinesh Loomba¹⁰ ; Katie J. Mack¹¹ ; Diane Markoff Markoff¹² ; Hans Muller⁹ ; Kentaro Miuchi¹³ ; Ciaran

O'Hare¹⁴ ; Nguyen Phan¹⁵ ; Kate Scholberg² ; Daniel Snowden-Ifft¹⁶ ; Louis Strigari¹⁷ ; Thomas Thorpe¹⁸ ; Sven Vahsen¹⁹

¹ *Universidad Tecnica Federico Santa Mar\`ija*

² *Duke University*

³ *INFN, GSSI*

⁴ *Texas A&M University*

⁵ *University of Sheffield*

⁶ *Wellesley College*

⁷ *UChicago / KICP*

⁸ *University of Haawaii*

⁹ *University of Bonn*

¹⁰ *University of New Mexico*

¹¹ *North Carolina State University*

¹² *North Carolina Central University*

¹³ *Kobe University*

¹⁴ *University of Sydney*

¹⁵ *Los Alamos National Laboratory*

¹⁶ *Occidental College*

¹⁷ *Texas A&M University*

¹⁸ *GSSI*

¹⁹ *University of Hawaii*

Corresponding Authors: ciaran.aj.ohare@gmail.com, schol@phy.duke.edu, dloomba@unm.edu, jbattat@wellesley.edu, strigari@tamu.edu, iffit@oxy.edu, psbarbeau@phy.duke.edu, dmarkoff@nccu.edu, dutta@physics.tamu.edu, sevahsen@hawaii.edu, cozzyd@kicp.uchicago.edu

There is an opportunity to develop a long-term, diverse, and cost-effective US experimental program based on directional detection of nuclear recoils in gas TPCs.

Smaller, 1 m³ scale detectors could detect and demonstrate directional sensitivity to Coherent Elastic Neutrino-Nucleus Scattering (CEvNS) at either NuMI or DUNE. This technology is also sensitive to beyond the Standard Model (BSM) physics in the form of low-mass dark matter, heavy sterile neutrinos, and axion-like particles. For every factor ten increase in exposure, new measurements are possible. A 10 m³ detector could produce the strongest SD WIMP-proton cross section limits of any experiment across all WIMP masses. A 1000 m³ detector would detect between 13 and 37 solar CEvNS events over six years. Larger volumes would bring sensitivity to neutrinos from an even wider range of sources, including galactic supernovae, nuclear reactors, and geological processes. An ambitious DUNE-scale detector, but operating at room temperature and atmospheric pressure, would have non-directional WIMP sensitivity comparable to any proposed experiment, and would, in addition, allow us to utilize directionality to penetrate deep into the neutrino floor.

If a dark matter signal is observed, this would mark the beginning of a new era in physics. A large directional detector would then hold the key to first establishing the galactic origin of the signal, and to subsequently map the local WIMP velocity distribution and explore the particle phenomenology of dark matter.

To understand and fully maximize the physics reach of gas TPCs as envisioned here, further phenomenological work on dark matter and neutrinos, improved micro-pattern gaseous detectors (MPGDs), customized front end electronics and novel region-of-interest triggers are needed. We encourage the wider dark matter, neutrino, and instrumentation communities participating in Snowmass to come together and help evaluate and improve this proposal.

Primary frontier topic:

Cosmic Frontier

128. From Amplitudes to Precision Theory for Future Colliders / 173

General discussion and closing remarks

175. Accelerator research centers and test facilities for future accelerators / 201

General discussions

54. Machine Detector Interface for Future Colliders / 339

Goal of the session

Plenary / 52

Goals of the CPM and Snowmass Timeline

Corresponding Author: ykkim@hep.uchicago.edu

176. Grand challenges of ultimate beams and ultimate high energy colliders / 367

Grand challenges

Corresponding Author: nsergei@fnal.gov

176. Grand challenges of ultimate beams and ultimate high energy colliders / 327

Grand challenges

72. Dark Energy, Origins (Inflation), and Light Relics - #cpm_topic_72 / 144

Gravitational View of the Early Universe

119. HEP and Accelerator Workforce, Careers, and Training / 398

HEP - Career Pipeline & Development (CommF2)

Corresponding Authors: jmhogan@fnal.gov, jmhogan806@gmail.com

Primary frontier topic:

119. HEP and Accelerator Workforce, Careers, and Training / 399

HEP - Education (CommF4)

Corresponding Author: rruchti@nd.edu

119. HEP and Accelerator Workforce, Careers, and Training / 397

HEP - Workforce, Training and Education (CEF)

Corresponding Author: malik@fnal.gov

Primary frontier topic:

26. Energy Frontier discovery machines / 330

Hadron and lepton-hadron colliders with energies above 3 TeV

Corresponding Author: frank.zimmermann@cern.ch

Primary frontier topic:

124. Lattice Gauge Theory for High Energy Physics / 255

Hadron structure and spectroscopy brief

Corresponding Author: hueywen@msu.edu

124. Lattice Gauge Theory for High Energy Physics / 261

Hamiltonian simulation and sign problem

Corresponding Author: davoudi@umd.edu

Community Town Hall / 65

Heterodyne Detection of Axion Dark Matter via Superconducting Cavities

Authors: Asher Berlin¹ ; Christopher Nantista² ; Jeffery Neilson² ; Kevin Zhou³ ; Natalia Toro² ; Philip Schuster⁴ ; Raffaele D'Agnolo⁵ ; Sami Tantawi² ; Sebastian Ellis²

¹ NYU

² SLAC National Accelerator Laboratory

³ Stanford

⁴ SLAC

⁵ CEA Saclay

Corresponding Authors: schuster@slac.stanford.edu, knzhou@stanford.edu, asherberlin@gmail.com, ntoro@slac.stanford.edu, sarellis@slac.stanford.edu

We will present a novel approach to detecting dark matter axions in a Superconducting RF cavity. The approach relies on axion-mediated transitions between nearly-degenerate resonant modes, leading to parametrically enhanced signal power for light axions. This approach could probe axion masses across fifteen orders of magnitude, all in a metre-scale cavity.

Primary frontier topic:

Cosmic Frontier

129. Higgs Factories / 150

Higgs Factory, the next steps for EF/AF/TF

Corresponding Authors: sguess@slac.stanford.edu, sceno@fnal.gov, patrizia.azzi@cern.ch, christophe.grojean@cern.ch

Primary frontier topic:

129. Higgs Factories / 149

Higgs properties projections at future e+e- Colliders

Corresponding Author: tian@icepp.s.u-tokyo.ac.jp

129. Higgs Factories / 148

Higgs properties projections for the HL-LHC

Corresponding Author: andrew.gilbert@cern.ch

9. IF Intro and LOIs / 240

High-level Summary of IF LOIs

Corresponding Author: psbarbeau@phy.duke.edu

178. Common accelerator goals/technology at the energy frontier / 408

Higher Gradient Expectations for SRF for ILC Energy Upgrades

Co-author: Hasan Padamsee ¹

¹ *Fermi National Accelerator Lab*

Corresponding Author: hsp3@cornell.edu

Primary frontier topic:

128. From Amplitudes to Precision Theory for Future Colliders / 171

Higher-order corrections for HZ production and related techniques

Corresponding Author: zhaoli@ihep.ac.cn

9. IF Intro and LOIs / 238

IF Introduction

Corresponding Author: zhangjl@anl.gov

129. Higgs Factories / 155

ILC

Corresponding Authors: shinichiro.michizono@kek.jp, mcrec@slac.stanford.edu

54. Machine Detector Interface for Future Colliders / 341

ILC MDI

Corresponding Author: twmark@slac.stanford.edu

123. Data Handling and AI/ML / 114

Infiltration of AI/ML in Particle Physics

Corresponding Authors: vlimant@cern.ch, jvlimant@caltech.edu

Primary frontier topic:

Community Town Hall / 91**Initiative for Dark Matter in Europe and beyond****Authors:** Caterina Doglioni¹ ; iDMEu EoI Proponents^{None}¹ *Lund University***Corresponding Authors:** jenas-eoi-idmeu-proponents@cern.ch, caterina.doglioni@hep.lu.se

The European committee for Future Accelerators (ECFA), the Nuclear Physics European Collaboration Committee (NuPECC) and the Astroparticle Physics European Consortium (APPEC) have established a seminar to allow astroparticle, nuclear and particle physics researchers to peek into each other's activities, called the Joint ECFA-NuPECC-APPEC Seminar (JENAS) at Orsay, in October 2019. The identified overlapping challenges might transform via joint programs into stronger opportunities to further our understanding of nature.

In the spirit of further exploring topical synergies between these disciplines, APPEC, ECFA and NuPECC have issued a call for novel Expressions-of-Interest (EoI), seeking bottom-up and community thoughts expressed in a non-binding EoI for further discussion within the APPEC, ECFA and NuPECC committees or consortia. These thoughts can revolve around potential synergies in technology, physics, organization and/or applications. The submitted Expressions of Interest can be found here: <http://nupecc.org/jenaa/?display=eois>.

The initiative for Dark Matter in Europe and beyond (iDMEu) is such an expression of interest, which collects more than 300 signatories to date, including Snowmass participants. It aims to create a permanent and common platform to exploit synergies and complementarities in dark matter searches across different communities, as a broad and common approach to dark matter research is necessary given the nature of this challenge. We will discuss the origin of this initiative and its possible future evolution, as well as its plans to build an online meta-repository for dark matter resources.

Primary frontier topic:

General

132. Collider Data Analysis Strategies / 272**Interface of theory calculations with experimental methods****Corresponding Author:** simone.marzani@ge.infn.it**175. Accelerator research centers and test facilities for future accelerators / 191****International test facilities (Ralph Assmann, DESY)****140. Future medium to ultrahigh energy gamma-ray detectors - #cpm_session_140 / 410****Intro**

Jim Beatty, Ke Fang, Kirsten Tollefson

26. Energy Frontier discovery machines / 42

Intro Talk

Primary frontier topic:

74. Atomic to Cosmic: Wave Dark Matter and Beyond / 414

Introduction

26. Energy Frontier discovery machines / 329

Introduction

Corresponding Author: denisovd@fnal.gov

Plans for the session

Plenary / 312

Introduction

Corresponding Author: quinn@phy.olemiss.edu

97. Neutrinos as Probes of Standard and BSM Particle Physics / 254

Introduction

Corresponding Author: ium4@psu.edu

127. Searches for dark sectors / 188

Introduction

by all the convenors of this session

75. Cosmic Probes of Dark Matter Physics - #cpm_topic_75 / 151

Introduction

64. Computing Needs of the Accelerator Frontier / 128

Introduction

Corresponding Authors: jlvay@lbl.gov, cho@slac.stanford.edu

Primary frontier topic:

115. Neutrinos, dark matter, and underground facilities / 122

Introduction

Corresponding Authors: gorebigann@lbl.gov, tbolton@ksu.edu, hlippincott@ucsb.edu, dspelle1@jhu.edu

123. Data Handling and AI/ML / 113

Introduction

Corresponding Authors: acostad@ufl.edu, daniel@uci.edu

175. Accelerator research centers and test facilities for future accelerators / 189

Introduction (Zhirong Huang et al.)

180. SRF and magnets for Higgs factories / 354

Introduction to Superconducting Undulators

Corresponding Author: crboffo@fnal.gov

124. Lattice Gauge Theory for High Energy Physics / 263

Introduction to the session

Corresponding Author: davoudi@umd.edu

119. HEP and Accelerator Workforce, Careers, and Training / 394

Introduction: Accelerator Frontier 1: Beam Physics, Accelerator Education, Outreach & Diversity

Corresponding Author: lund@frib.msu.edu

92. Non-perturbative QCD dynamics at colliders / 292

Introduction: EF05/06 Letters of Interest on nonperturbative effects in high-precision QCD predictions

Corresponding Authors: shoeche@fnal.gov, nadolsky@smu.edu

We introduce Letters of Interest submitted to the EF05 and EF06 topical groups and dedicated to the treatment of nonperturbative effects in high-precision QCD computations and parton showering programs.

Primary frontier topic:

176. Grand challenges of ultimate beams and ultimate high energy colliders / 377

Joint discussion

176. Grand challenges of ultimate beams and ultimate high energy colliders / 373

Joint discussion

176. Grand challenges of ultimate beams and ultimate high energy colliders / 370

Joint discussion

173. AF5 organization with contributors / 298

LANSCE-PSR Short-Pulse Upgrade for Improved Dark Matter and Sterile Neutrino Searches

Corresponding Author: vdwater@lanl.gov

125. EFTs for new physics sensitivity studies / 181

LHC EFT studies

Corresponding Author: kristin.lohwasser@cern.ch

147. Novel Ideas in Astronomical Observations / 337

LOI Discussion

51. Requirements for low background and underground detectors / 135

LOI/Snowmass summary to date

Corresponding Authors: dspelle1@jhu.edu, ben.jones@uta.edu, mayly@iastate.edu, pocar@umass.edu, hlippincott@ucsb.edu

186. High field (Schwinger limit) physics with intense electron and laser beams / 448

LUXE experiment

Corresponding Author: beate.heinemann@desy.de

28. Theory Challenges in Precision Measurements / 318

Lattice QCD's role in precision measurements

Corresponding Author: ruthv@fnal.gov

26. Energy Frontier discovery machines / 332

Lepton and gg colliders with energies above 3 TeV

Corresponding Author: daniel.schulte@cern.ch

Primary frontier topic:

99. Advances in Event Generation and Detector Simulation / 289

Leveraging new computational architectures and strategies

Corresponding Author: cgleggett@lbl.gov

72. Dark Energy, Origins (Inflation), and Light Relics - #cpm_topic_72 / 145

Light Relics

Corresponding Author: bwallisch@ias.edu

Light Relics and Dark sectors

124. Lattice Gauge Theory for High Energy Physics / 256

Light and heavy flavor physics brief

Corresponding Author: smeinel@email.arizona.edu

Plenary / 53

Local Organizing Committee Welcome and Meeting Logistics

Corresponding Author: boj@fnal.gov

125. EFTs for new physics sensitivity studies / 183

Low-energy SMEFT

Corresponding Author: jdevries@umass.edu

175. Accelerator research centers and test facilities for future accelerators / 196

Low-energy test facilities (Edith Nissen, Jlab)

99. Advances in Event Generation and Detector Simulation / 285

Machine learning for detector simulations

Corresponding Author: pedrok@fnal.gov

183. Intermediate lepton collision energies between 500 GeV and 3 TeV / 223

Machine options

Corresponding Author: sgress@slac.stanford.edu

173. AF5 organization with contributors / 297

Magnet R&D for Low-Mass Axion Searches

Corresponding Author: aleder@mit.edu

138. Synergy of astro-particle physics and collider physics / 242

Measurement of the pp cross section at $\sqrt{s} \sim 100$ TeV

Corresponding Author: mary-hall-reno@uiowa.edu

138. Synergy of astro-particle physics and collider physics / 119

Measuring very forward hadrons at the LHC

Corresponding Author: albrow@fnal.gov

Community Town Hall / 59

Metastable Water: Breakthrough Technology for Dark Matter & Neutrinos

Author: Matthew Szydagis¹

¹ *UAlbany SUNY*

Corresponding Author: mszydagis@albany.edu

We will present a discussion of a new detector technology, the “Snowball Chamber,” which is based on the phase transition (of liquid to solid) for metastable fluids. A water-based supercooled detector has the potential to move past the Neutrino Floor, and extend the reach of direct detection dark matter (DM) experiments to low-mass WIMP candidates for both spin-dependent (on the proton) and spin-independent interactions. The detector concept also has applications within coherent elastic neutrino-nucleus scattering experiments. Some of the foreseeable, potential pitfalls will be presented, alongside a brief vision of an R&D program toward the maturation of this technology.

In general, the marquee DM experiments are each mature, reliable, and expected to reach their sensitivity objectives; however, looking beyond the current generation, the parameter space of DM candidates accessible with current technology is limited. Instrumentation thresholds and the kinematics of elastic scattering constrain the lowest mass dark matter candidates that can be studied. The CEvNS of solar, atmospheric, and diffuse galactic supernova ν 's will soon become a background (neutrino floor) that challenges the reach to lower cross-sections, made even more difficult by the required scale of future experiments. Without a new approach for detection technology, experimental searches will remain blind to important regions of parameter space. A new tech which pushes past the neutrino floor, extends sensitivities to low-mass dark matter candidate particles, and is insensitive to the conventional BGs could open up these new horizons. The path forward envisioned here builds on the transformative “Snowball Chamber” technology, a p-rich, supercooled liquid H₂O detector. A host of related measurements within neutrino physics, utilizing the CEvNS interaction on O nuclei, and/or the potential of these detectors to track e⁻ interactions, is likewise open to such a technology.

Primary frontier topic:

Instrumentation Frontier

201. EF Planning (#cpm_ef_planning) / 141

Monte Carlo Task Force activities and plans for Production

Corresponding Author: john.stupak@ou.edu

129. Higgs Factories / 158

Muon Collider Higgs Factory

Corresponding Author: mpalmer@bnl.gov

54. Machine Detector Interface for Future Colliders / 342

Muon Collider MDI

Corresponding Author: mokhov@fnal.gov

44. New accelerator concepts for high intensity muon beams / 295

Muon Lifetime Enhancement

Corresponding Author: electrongaugegroup@gmail.com

44. New accelerator concepts for high intensity muon beams / 126

Muons from PSI and other Cyclotrons

Corresponding Author: angela.papa@psi.ch

209. IF Planning / 422

NF Points (#51)

Corresponding Author: mayly@iastate.edu

108. Accelerator Probes of Light Dark Matter (keV-GeV) / 235

NF03 Light dark matter at accelerator neutrino facilities (15' + 5)

Corresponding Author: wyjang@fnal.gov

61. Energy and Power and Time structure goals for Neutrino Frontier programs / 322

NF09 Plans and Discussion

Corresponding Authors: jpochoa@uci.edu, spitzj@umich.edu, ljf26@fnal.gov, alysia.marino@colorado.edu

28. Theory Challenges in Precision Measurements / 315

Need and prospects for improved parton shower Monte Carlos

Corresponding Author: frank.krauss@durham.ac.uk

127. Searches for dark sectors / 197

Neutrino Frontier Probes (NF/AF5)

Corresponding Author: kkelly12@fnal.gov

173. AF5 organization with contributors / 303

Neutrino Minimal Standard Model - a unified theory of microscopic and cosmic scales

Corresponding Author: inar.timiryasov@epfl.ch

109. Determining the Masses and Nature of Neutrinos / 180

Neutrinoless double beta decay

Primary frontier topic:

110. Baryon and Lepton Number Violating processes / 276

Neutrinoless double beta decay experiments

Corresponding Author: jgruszko@unc.edu

109. Determining the Masses and Nature of Neutrinos / 179

Neutrinos in cosmology

Primary frontier topic:

92. Non-perturbative QCD dynamics at colliders / 291

New frontiers in the PDF analysis in the HL-LHC era

Corresponding Author: m.ubiali@damtp.cam.ac.uk

Primary frontier topic:

92. Non-perturbative QCD dynamics at colliders / 378

Nonperturbative aspects of the measurements of the QCD coupling

Corresponding Author: huston@msu.edu

132. Collider Data Analysis Strategies / 269

Object identification and event classification

Corresponding Author: loukas.gouskos@cern.ch

186. High field (Schwinger limit) physics with intense electron and laser beams / 449

One-sliders

29. Low-energy precision experiments / 419

Open discussion

41. Anomalies in Flavor Physics / 176

Open discussion

Primary frontier topic:

64. Computing Needs of the Accelerator Frontier / 132

Open discussion (comments, missing topics, ...)

125. EFTs for new physics sensitivity studies / 184

Operator series and theory errors

Corresponding Authors: amarti41@nd.edu, aomartin@fnal.gov

44. New accelerator concepts for high intensity muon beams / 124

Opportunities for Muon Research at PIP-II

Corresponding Author: eprebys@ucdavis.edu

173. AF5 organization with contributors / 311

Overview of Facilities

Corresponding Author: mike.lamont@cern.ch

109. Determining the Masses and Nature of Neutrinos / 177

Overview of Neutrino Masses and the Nature of Neutrinos

176. Grand challenges of ultimate beams and ultimate high energy colliders / 371

Overview of future multi-TeV collider LoIs

Corresponding Author: mpalmer@bnl.gov

108. Accelerator Probes of Light Dark Matter (keV-GeV) / 233**Overview on light dark matter cosmology (15' + 5')**

Corresponding Authors: nblinov@slac.stanford.edu, nblinov@fnal.gov

131. Physics requirements for HEP colliders / 224**Overview: beyond the BRN report**

Corresponding Authors: lucie.linssen@cern.ch, martuso@syr.edu, ryohay@fsu.edu, caterina@slac.stanford.edu, maxim.titov@cea.fr

137. High and ultrahigh energy neutrino experiments - #cpm_session_137 / 247**Panel 1: Detection Techniques**

Panelists:

Olga Botner, Albrecht Karle, Abigail Viereg, Angela Olinto, Stephanie Wissel

137. High and ultrahigh energy neutrino experiments - #cpm_session_137 / 248**Panel 2: Future Observations and Science Discoveries**

Panelists:

Hallsie Reno, Carlos Arguelles, Mauricio Bustamante, Tonia Venters

Plenary / 55**Panel Discussion on Future Accelerator Facilities**

Corresponding Authors: yamauchi@post.kek.jp, yfwang@ihep.ac.cn, dg.office@cern.ch, lockyer@fnal.gov

Global Accelerator Facilities for Future Particle Physics - Panel members include Fabiola Gianotti (CERN), Masa Yamauchi (KEK), Yifang Wang (IHEP-China), Nigel Lockyer (FNAL), Doon Gibbs (BNL)

124. Lattice Gauge Theory for High Energy Physics / 262**Panel discussion**

Corresponding Authors: izubuchi@quark.phy.bnl.gov, ruthv@fnal.gov, chulwoo@quark.phy.bnl.gov, rajan@lanl.gov, detar@physics.utah.edu, anna.hasenfratz@colorado.edu, ask@fnal.gov, sasa.prelovsek@ijs.si, nhc@phys.columbia.edu

Discussions will be organized around the following questions:

1) What areas of the LGT program in general, and the topic you are representing in particular, require a comprehensive study to be conducted as part of the Snowmass process in order to quantify the impact of the LGT results on improving phenomenological constraints and the overall experimental programs. i.e., are there areas for which we need to go beyond the USQCD whitepapers and do a more thorough study?

2) What are the computational, algorithmic, and human resource requirements of the program to achieve the impact identified and quantified in the previous question? What is the best HPC model that facilitates scientific progress in our community? If we were to have an input in the development of the upcoming machines and technologies, what would we propose? What is the significance of new classical algorithms, and how can they be combined with developing paradigms based on Machine Learning and Quantum Computing to expedite our scientific output already in the next decade?

51. Requirements for low background and underground detectors / 137

Panel discussion

115. Neutrinos, dark matter, and underground facilities / 123

Panel discussion

Panel discussion among:

Mary Bishai
Laura Marini
Elaine McCluskey
Sean Paling
Kim Palladino
Nigel Smith
Bob Svoboda

123. Data Handling and AI/ML / 115

Panel discussion of the future of AI/ML

Corresponding Authors: david.w.miller@uchicago.edu, savvy379@gmail.com, xiangyang.ju@cern.ch, heitmann@anl.gov, zhangr60@msu.edu, ntran@fnal.gov

140. Future medium to ultrahigh energy gamma-ray detectors - #cpm_session_140 / 411

Panel on MeV to EeV Gamma-ray Detectors

Panelists are Carolyn Kierans, Tom Shutt, Jamie Holder, Andrea Albert, Marcus Niechciol

97. Neutrinos as Probes of Standard and BSM Particle Physics / 207

Panel: Neutrinos as Probes of BSM Physics

Marco Drewes, Darren Grant, Doojin Kim, Elisa Resconi

97. Neutrinos as Probes of Standard and BSM Particle Physics / 206

Panel: Neutrinos as Probes of Standard Particle Physics

Panel Members: George Fuller, Rajan Gupta, Alec Habig, Kendall Mahn, Ulrich Mosel, Hallsie Reno

77. Quantum Sensors for Wave and Particle Detection / 203

Particle Dark Matter and Neutrino Needs

Corresponding Author: enectali@northwestern.edu

102. The Roles of QIS in HEP / 357

Particle Physics with Quantum Sensors

75. Cosmic Probes of Dark Matter Physics - #cpm_topic_75 / 153

Path Forward

Community Town Hall / 98

Perspective on a Unified U.S. Particle Physics Program

Author: Marcel Demarteau¹

¹ *Oak Ridge National Laboratory*

Corresponding Author: demarteau@ornl.gov

HEP finds itself at a most interesting time exploring energy and matter at its deepest level. There is more today that we do not understand about the universe than before and the community is bubbling with new ideas that have the potential to drive a new revolution. Currently, however, the field is dominated by mega-projects that leave little room for a broad spectrum of experimental research. The scientific merit of these large projects is unquestioned. HEP, however, stands to gain tremendously by exploiting non-traditional high-energy facilities to complement and expand its research portfolio. For example, ORNL has been developing the utilization of its neutron facilities for fundamental neutrino science. PROSPECT at HFIR and COHERENT at the SNS have demonstrated that these facilities can deliver world-class neutrino science. Searches for free neutron oscillations at these facilities provide unique opportunities to study other symmetry breaking mechanisms that are complementary and necessary to complete the picture of the fundamental interactions.

An inclusive approach both to the science program and to the development of facilities will allow for significant benefits. Two non-HEP accelerator projects, the proton power upgrade at ORNL, delivering a 2.8MW proton driver in 2025, and the EIC, are projects that can inform the future HEP research program. At ORNL a muon storage facility is being considered as a probe for materials studies and could provide a new source of muons for fundamental physics studies. The Material Plasma Exposure experiment will study materials in extreme radiation environments that could inform targetry for multi-megawatt neutrino sources.

A balanced program consisting of a mix of small and large projects is required for a healthy, broad-band high energy physics program. Various opportunities will be identified to complement and strengthen a future high energy physics program for the community to embrace in its upcoming planning exercise.

Primary frontier topic:

General

99. Advances in Event Generation and Detector Simulation / 287

Physics opportunities in neutrino event generation

Corresponding Author: nrocco@anl.gov

Primary frontier topic:

26. Energy Frontier discovery machines / 331

Physics potential of hadron and hadron-lepton colliders with energies above 3 TeV

Corresponding Author: liantaow@uchicago.edu

Primary frontier topic:

26. Energy Frontier discovery machines / 333

Physics potential of lepton and gg colliders with energies above 3 TeV

Corresponding Author: patrick.meade@stonybrook.edu

Primary frontier topic:

183. Intermediate lepton collision energies between 500 GeV and 3 TeV / 222

Physics potential.

Corresponding Author: mpeskin@slac.stanford.edu

64. Computing Needs of the Accelerator Frontier / 133

Planning next steps

- Beam and Accelerator Modeling Interest Group meetings
- Workshops?
- White papers: how many? Topics?
- ...

173. AF5 organization with contributors / 305

Precision Electroweak Physics with Polarized Beams at SuperKEKB/Belle II

Corresponding Author: mroney@uvic.ca

92. Non-perturbative QCD dynamics at colliders / 294

Precision PDF at the Electron-Ion Collider

Corresponding Author: timojhobbs@gmail.com

Primary frontier topic:

28. Theory Challenges in Precision Measurements / 316

Precision calculations for EW/Higgs precision physics at lepton colliders

Corresponding Author: juergen.reuter@desy.de

145. QCD phase transitions and ultra-high density matter / 351

Probing nuclear astrophysics and gravitation with neutron stars

80. Computing Requirements & Opportunities for the Energy Frontier / 365

Programmable Storage

Corresponding Author: carlosm@ucsc.edu

110. Baryon and Lepton Number Violating processes / 277

Proton Decay experiments

Corresponding Author: kearns@fnal.gov

Primary frontier topic:

Plenary / 40

Q/A w/ Plenary Speakers

Plenary / 39

Q/A w/ Plenary Speakers

92. Non-perturbative QCD dynamics at colliders / 293

QCD at the Forward Physics Facility at CERN

Corresponding Author: maria.vittoria.garzelli@desy.de

Primary frontier topic:

209. IF Planning / 428

QIS Points (#77, #102)

Corresponding Author: irwin@stanford.edu

Primary frontier topic:

102. The Roles of QIS in HEP / 245

Quantum Computing

Corresponding Author: mjs5@u.washington.edu

130. Enabling technologies for low mass and ps timing detectors / 250

RF perspective

Corresponding Author: martuso@syr.edu

108. Accelerator Probes of Light Dark Matter (keV-GeV) / 234

RF6 Light dark matter studies at high intensities (15' + 5')

Corresponding Author: krnjaicg@fnal.gov

127. Searches for dark sectors / 199

Rare Process Frontier Probes (RF6/AF5)

Corresponding Authors: sgori@ph.tum.de, sgori@perimeterinstitute.ca, sgori@ucsc.edu, stefaniagori83@gmail.com, goris@uchicago.edu

Plenary / 11

Remarks from Funding Agencies to the Snowmass Process: DOE

Corresponding Author: jim.siegrist@science.doe.gov

Plenary / 12

Remarks from Funding Agencies to the Snowmass Process: NSF

Corresponding Author: sgonzale@nsf.gov

125. EFTs for new physics sensitivity studies / 182

Removing Flat Directions in SMEFT Fits: Complementing the LHC with polarized EIC data

Corresponding Author: daniel.wiegand@northwestern.edu

Plenary / 19

Report from Accelerator Frontier

Corresponding Author: shiltsev@fnal.gov

Primary frontier topic:

51. Requirements for low background and underground detectors / 134

Report from BRN on Instrumentation

Corresponding Author: guenette@fas.harvard.edu

Plenary / 21

Report from Computing Frontier

Corresponding Author: sg@indiana.edu

Plenary / 17

Report from Cosmic Frontier

Corresponding Author: ttait@uci.edu

Plenary / 13

Report from Early Careers

Corresponding Authors: jbarrow3@vols.utk.edu, tiffanylewisphd@gmail.com, kristi.engel23@gmail.com, ylin@snolab.ca, garvitaa@buffalo.edu

Plenary / 14

Report from Energy Frontier

Corresponding Author: reina@hep.fsu.edu

Plenary / 20

Report from Instrumentation Frontier

Corresponding Author: petra@fnal.gov

Primary frontier topic:

Plenary / 15

Report from Neutrino Frontier

Corresponding Author: etw@bnl.gov

Plenary / 16

Report from Rare Processes and Precision Measurements Frontier

Corresponding Author: martuso@syr.edu

Plenary / 18

Report from Theory Frontier

Corresponding Author: ncraig@physics.ucsb.edu

Primary frontier topic:

Plenary / 22

Report from Underground Facilities and Infrastructure Frontier

Corresponding Author: john.orrell@pnnl.gov

Plenary / 23

Reports from Ethics and Community Engagement Frontier

Corresponding Authors: laurenat@stanford.edu, ketevi@bnl.gov

Primary frontier topic:

131. Physics requirements for HEP colliders / 225

Requirements from LLP searches

Corresponding Authors: lawrence.lee.jr@cern.ch, lubatti@uw.edu, spaganriso@lbl.gov, jenny.list@desy.de, stone@physics.syr.edu, gershtein@physics.rutgers.edu

131. Physics requirements for HEP colliders / 226

Requirements from substructure and jet reconstruction

Corresponding Authors: jenny.list@desy.de, marcel.vos@cern.ch, chekanov@anl.gov, kotwal@fnal.gov, apresyan@fnal.gov

Primary frontier topic:

186. High field (Schwinger limit) physics with intense electron and laser beams / 447

SLAC E-320 experiment

Author: Sebastian Meuren¹

¹ *Stanford University*

Corresponding Author: smeuren@stanford.edu

Primary frontier topic:

125. EFTs for new physics sensitivity studies / 186

SMEFT global fits

Corresponding Author: alberto.belloni@cern.ch

180. SRF and magnets for Higgs factories / 349

SRF for FCCee

Corresponding Author: frank.gerigk@cern.ch

180. SRF and magnets for Higgs factories / 348**SRF for Linear Collider Higgs Factories**

Corresponding Author: sposen@fnal.gov

186. High field (Schwinger limit) physics with intense electron and laser beams / 446**Schwinger field physics**

Corresponding Author: mpeskin@slac.stanford.edu

Community Town Hall / 54**Searches for Long-Lived Particles at the FCC-ee**

Author: Rebeca Gonzalez Suarez¹

Co-author: Patrizia Azzi²

¹ *Uppsala University*

² *INFN - LPC*

Corresponding Authors: patrizia.azzi@cern.ch, rebeca.gonzalez.suarez@cern.ch

The FCC-ee is a frontier Higgs, Top, Electroweak, and Flavour factory. It will be operated in a 100 km circular tunnel built in the CERN area, and will serve as the first step of the FCC integrated programme towards a 100 TeV and above proton-proton collisions in the same infrastructure. In addition to an essential and unique Higgs program, it offers powerful opportunities for discovery of direct or indirect evidence for BSM physics, via a combination of high precision measurements and searches for forbidden or rare processes, and feebly coupled particles.

The direct search for Long Lived particles (LLPs) in the high luminosity Z run, with 5×10^{12} Z produced, is particularly fertile; high statistics of Higgs, W and top decays in very clean experimental conditions will also be recorded. This motivates an out-of-the-box optimization of the experimental conditions, which is the object of a letter of intent submitted to EF08, EF09, EF10, and RF6.

Primary frontier topic:

Energy Frontier

Community Town Hall / 35**Searching for millicharged particles with scintillator based detectors**

Author: Matthew Citron¹

¹ *Univ. of California Santa Barbara (US)*

Corresponding Author: matthew.citron@cern.ch

The successful search for millicharged particles with the milliQan demonstrator has proved the feasibility the detector design as well as providing important lessons for background mitigation and signal performance. For Snowmass, we are planning a publication that will use data and fully calibrated simulation from the demonstrator to provide projections for the reach of full-scale scintillator-based detectors at the LHC and neutrino beam sources (e.g. DUNE, J-PARC). As detailed in the letter of intent (https://www.snowmass21.org/docs/files/summaries/EF/SNOWMASS21-EF9_EF0-NF3_NF0-RF6_RF0_Matthew_Citron-072.pdf) submitted to EF09, this effort will include a comprehensive evaluation of the dominant backgrounds and how they may be mitigated, as well as a full consideration of the performance for signal. On behalf of those involved in this Snowmass project and the milliQan collaboration, I will briefly summarise how scintillator based detectors can be used to search for millicharged particles and how the sensitivity of such detectors at a range of sites will be evaluated.

Primary frontier topic:

Energy Frontier

29. Low-energy precision experiments / 418

Session Intro

Corresponding Authors: newbyrj@ornl.gov, winterp@anl.gov

172. Near-term applications of plasma accelerators / 241

Session introduction

Corresponding Author: jvantilborg@lbl.gov

Primary frontier topic:

Community Town Hall / 105

Snowmass as a path towards cultural change, and the role of collaborations

Authors: Kelly Stifter¹ ; Micah Buuck² ; Kirsty Duffy³ ; Alvine Kamaha⁴ ; Hugh Lippincott⁵ ; Rachel Mannino⁶ ; Mark Messier⁷ ; Kimberly Palladino⁸ ; Sally Shaw⁹ ; Erica Smith⁷

¹ *Stanford University*

² *SLAC National Accelerator Laboratory*

³ *Fermilab*

⁴ *University at Albany*

⁵ *UCSB*

⁶ *University of Wisconsin*

⁷ *Indiana University*

⁸ *University of Wisconsin Madison*

⁹ *UC Santa Barbara*

Corresponding Authors: hlippincott@ucsb.edu, messier@fnal.gov, kpalladino@wisc.edu, kduffy@fnal.gov, mbu-uck@slac.stanford.edu, sally@physics.ucsb.edu, mannino2@wisc.edu, alvinekac@gmail.com, esmith227@gmail.com, kstifter@stanford.edu

The field of physics has largely failed to provide equitable opportunity to all who have the desire to perform physics research. This is evident in many ways, for example: the underrepresentation of many identity groups in the physics community, and the nearly 75% of undergraduate women in physics who report some form of sexual harassment. Iniquities also exist in society at large, but as physicists, we have an obligation to address the iniquities particular to our field. This is becoming especially relevant as our scientific collaborations continue to grow. Many collaborations have started to rise to the occasion and begun implementing a wide range of initiatives to improve their individual cultures.

These initiatives, while necessary, are not enough, as many issues transcend collaborations. Individual collaborations lack the resources and institutional infrastructure for meaningful enforcement of community standards; for example, they struggle with enforcing Codes of Conduct, which can further contribute to a culture of oppression.

We are not experts in the fields of race theory or sexual harassment, so we must turn to the guidance already laid out in the many summative reports by experts and calls to action by marginalized communities. Collaborations should draw on the recommendations in these reports and work towards more equitable cultures, and must also work with agencies, Universities, laboratories, and professional organizations to implement relevant best practices to effectively address cross-cutting issues.

The problem of inequity in our field will not solve itself. We must confront it every day, well into the future. Every collaboration should be grappling with these issues with the same energy with which they pursue their science. Through the Snowmass process, we have a more direct route to call for change. A long-range plan for HEP must include a plan for systemic and institutional changes to create more equitable and just communities.

Primary frontier topic:

Community Engagement Frontier

178. Common accelerator goals/technology at the energy frontier / 402

Staging Aspects for FCC

Corresponding Author: michael.benedikt@cern.ch

178. Common accelerator goals/technology at the energy frontier / 409

Staging of Muon Collider

Corresponding Author: mpalmer@bnl.gov

139. Testing LambdaCDM cosmology at low and high redshifts / 328

Standard Siren Cosmology

Corresponding Author: hsinyuchen@uchicago.edu

99. Advances in Event Generation and Detector Simulation / 282

State-of-the-art event generators via new techniques and technologies

Corresponding Author: enrico.bothmann@uni-goettingen.de

132. Collider Data Analysis Strategies / 266

Statistics-limited targets for measurements/searches

Corresponding Author: elizabeth.brost@cern.ch

173. AF5 organization with contributors / 302

Storage Rings for the Search of Charged-Particle Electric Dipole Moments

Corresponding Author: lenisa@fe.infn.it

51. Requirements for low background and underground detectors / 136

Strategic considerations

Corresponding Authors: jrklein7@fnal.gov, jrk@hep.upenn.edu

Primary frontier topic:

Plenary / 8

Strategies and Plans in Other Regions: Africa and Middle East

Corresponding Author: skhalil@zewailcity.edu.eg

Plenary / 4

Strategies and Plans in Other Regions: Asia and Pacific

Corresponding Author: gntaylor@unimelb.edu.au

Primary frontier topic:

Plenary / 6

Strategies and Plans in Other Regions: Canada

Corresponding Author: brigitte.vachon@mcgill.ca

Plenary / 3

Strategies and Plans in Other Regions: Europe and Russia

Corresponding Author: jorgen.dhondt@cern.ch

Primary frontier topic:

Plenary / 7

Strategies and Plans in Other Regions: Latin America

Corresponding Author: rogerio.rosenfeld@unesp.br

Plenary / 9

Strategies and Plans in Related Fields: Astrophysics

Corresponding Author: fiona@srl.caltech.edu

Plenary / 10

Strategies and Plans in Related Fields: Nuclear Physics

Corresponding Author: schol@phy.duke.edu

Plenary / 313

Structural changes in support of public engagement with science in South Africa

Corresponding Author: azwinndini.muronga@gmail.com

Primary frontier topic:

140. Future medium to ultrahigh energy gamma-ray detectors - #cpm_session_140 / 413

Summary

Summarize the discussion

74. Atomic to Cosmic: Wave Dark Matter and Beyond / 417

Summary Discussion

26. Energy Frontier discovery machines / 334

Summary and plans for 2021 Snowmass meeting

Corresponding Author: meenakshi_narain@brown.edu

Primary frontier topic:

84. Computing Requirements & Opportunities in Theory / 361

Summary of needs in Conformal Bootstrap

Corresponding Author: davidsd@gmail.com

84. Computing Requirements & Opportunities in Theory / 362

Summary of needs in Perturbative Amplitudes

Corresponding Author: ffbres@hep.fsu.edu

84. Computing Requirements & Opportunities in Theory / 360

Summary of needs in lattice

Corresponding Author: brower@bu.edu

Community Town Hall / 73

Superconducting Qubit Advantage for Dark Matter (SQuAD)

Authors: Ankur Agrawal¹ ; Akash Dixit² ; David Schuster³ ; Aaron Chou⁴

¹ *University of Chicago, Fermilab*

² *University of Chicago*

³ *U.Chicago*

⁴ *Fermilab*

Corresponding Authors: achou@fnal.gov, ankuragrawal@uchicago.edu, david.schuster@uchicago.edu, avdixit@uchicago.edu

We describe two complementary strategies that utilize superconducting transmon qubits to enable future dark matter searches. First, we discuss a novel photon counting technique harnessing the quantum non demolition (QND) nature of the qubit-photon interaction, which allows us to subvert the quantum limit. We have demonstrated an unprecedented counting error rate equivalent to noise 15.7 dB below the standard quantum limit. This results in a factor of 1300 speed up of future dark matter searches. Second, we enhance the dark matter induced signal by initializing a microwave cavity in a large n-photon Fock state using the non-linearity of the qubit. With preliminary results in preparing the n=10 Fock state, we expect an enhancement of a factor of 10 in the dark matter induced signal. This transfer of technology from the quantum information community opens up new frontiers for dark matter searches in the 3-30 GHz range.

Primary frontier topic:

Instrumentation Frontier

44. New accelerator concepts for high intensity muon beams / 125

Synergy with Muon Collider R&D

Corresponding Author: neuffer@fnal.gov

99. Advances in Event Generation and Detector Simulation / 286

Systematic effects in detector simulations

Corresponding Author: yarba_j@fnal.gov

132. Collider Data Analysis Strategies / 265

Systematics-limited targets for measurements/searches

Corresponding Author: jbendavi@mit.edu

184. Sources and targets for future accelerators / 386

Targets and Sources Plan Discussion

184. Sources and targets for future accelerators / 385**Targets and Sources Plan Presentations****179. AF7_Targets and Sources organization with contributors / 383****Targets and Sources Plan Presentations****179. AF7_Targets and Sources organization with contributors / 384****Targets and Sources Plan discussion****Community Town Hall / 47****Testing Lepton Flavor Universality and CKM Unitarity with Rare Pion Decays**

Author: David Hertzog^{None}

Corresponding Author: hertzog@uw.edu

A next-generation rare pion decay experiment motivated by several inconsistencies between SM theory and data will probe new physics at high mass scales. Using state-of-the-art instrumentation, computational resources, and high-intensity beams, two problems can be addressed with nearly the same apparatus and beamline. The first is a measurement of the charged-pion branching ratio to electrons vs. muons, $R_{e/\mu}$, which is extremely sensitive to new physics effects. At present, the SM prediction for $R_{e/\mu}$ is known to a 2 parts in 10,000, which is 15 times more precise than the current experimental determination. An experiment at a comparable level of accuracy opens a large window to test lepton universality at an unprecedented level, probing mass scales up to 3000 TeV. The second measurement concentrates on the rare process of pion beta decay, $\pi^+ \rightarrow \pi^0 e^+ \nu(\gamma)$, as well as various complementary rare decays modes. An order of magnitude improvement in sensitivity will determine V_{ud} in a theoretically pristine manner and test CKM unitarity at the quantum loop level. We will base our design on lessons learned from the recent PIENU and PEN efforts at TRIUMF and PSI. Improved resolution, greatly increased calorimeter depth, high-speed detector and electronic response, large solid angle coverage, and complete event reconstruction are all critical to the design, including a 4π LXe calorimeter, an internal pixelated active stopping medium and electron tracker, as well as a customized beam line.

Primary frontier topic:

Rare Processes and Precision Measurements Frontier

Community Town Hall / 34**Testing SIDM with Realistic Galaxy Formation Simulations**

Author: Ferah Munshi¹

¹ *University of Oklahoma*

Corresponding Author: fdm@ou.edu

The nature of dark matter remains one of the most important questions in physics. Because of the tremendous overall successes of the Cold Dark Matter (CDM) model, dark matter has been assumed to consist of a massive, weakly-interacting particle. However, the effort to detect such a particle with experiment have not yet yielded conclusive evidence. Although the CDM paradigm has been successful at describing our Universe on large scales, it has faced challenges on small scales (inside of galaxies and in low mass galaxies)- which has yielded alternative models including Self-Interacting Dark Matter (SIDM). As such, astrophysical measurements represent a compelling means of directly studying the properties of dark matter- in particular, the imprint of dark matter model on dwarf galaxies and their baryonic matter. This project uses state-of-the-art computer simulations of dwarf galaxy formation to test galaxy formation in the LCDM framework and in the SIDM framework, in order to constrain the nature of dark matter.

More technically, the project will result in a suite of high resolution, state-of-the art simulations of galaxy formation within a SIDM paradigm. SIDM preserves the large-scale success of CDM, while opening up the possibility of altering the small scales in testable ways using galaxy observations. We use the N-Body+SPH code ChaNGa to run a series of simulations: (1) “zoom” simulations of individual dwarf galaxies in order to test whether CDM or SIDM can reproduce the diverse range of rotation curves observed in real galaxies and (2) “zoom” volumes that contain dozens of dwarfs from 1000 solar masses to 10^9 solar masses in order to directly compare the observed shapes of galaxies with those predicted in CDM vs SIDM. Analytic models have shown that an SIDM model with an interaction cross-section of $\sim 3 \text{ cm}^2 \text{ g}^{-1}$ can reproduce the full range of galaxy rotation curves. The project tests this model across a range of galaxy simulations for the first time.

Primary frontier topic:

Theory Frontier

129. Higgs Factories / 159

The C³ Linear Accelerator Concept and its application to e⁺/e⁻ colliders and novel g-g colliders

Corresponding Author: tantawi@slac.stanford.edu

Primary frontier topic:

173. AF5 organization with contributors / 306

The International Axion Observatory (IAXO) and BabyIAXO

Corresponding Author: ruzarmendari1@llnl.gov

Primary frontier topic:

110. Baryon and Lepton Number Violating processes / 275

Theories for B and L Violation

Corresponding Author: babu@okstate.edu

Primary frontier topic:

28. Theory Challenges in Precision Measurements / 319

Theory challenges in heavy flavor decays

Corresponding Author: bgrinstein@ucsd.edu

136. Heavier particle dark matter $> \sim 10$ GeV / 87

Theory motivation and benchmarks

Corresponding Authors: nausheen.shah@wayne.edu, nausheen@fnal.gov

Primary frontier topic:

41. Anomalies in Flavor Physics / 174

Theory overview (15'+5')

Corresponding Author: bgrinstein@ucsd.edu

Primary frontier topic:

Community Town Hall / 101

Towards Future Discoveries at the Energy Frontier

Author: Marcela Carena¹

¹ *Fermilab*

Corresponding Author: carena@fnal.gov

Collider physics is rich, diverse and versatile, and offers amazing opportunities for advancing our understanding of fundamental physics and for discoveries at the Energy Frontier. Over the last several decades, colliders have played a central role in experimental establishment of the Standard Model. Since the discovery of the Higgs boson, the science drivers at the energy frontier have been study the Higgs boson in great detail and precision, and use it as a new tool for discovery, search and identify the new physics of dark matter, and explore the unknown: new particles, interactions and physical principles. In particular probing new physics particles in the mass range of ~ 10 TeV remains one of the highest priorities for the field.

The US should continue strong participation in global Energy Frontier efforts. A collider with energy reach significantly higher than LHC is of great interest, but e+e- Higgs factory is also very critical for deeper understanding of the SM. Several current proposals (ILC, CEPC, CLIC, FCC, MCC, etc)

present the idea of hosting the next facilities in Europe or Asia. Strong physics motivation coupled with unique expertise, make it natural for US scientists to play a leading role in the next major Energy Frontier facilities, regardless of where in the world they are hosted.

Primary frontier topic:

Energy Frontier

Plenary / 121

Town Hall Presentations

Mayly Sanchez - ANNIE and the Future of Hybrid Neutrino Detectors
 Doojin Kim - Detecting keV-range super-light dark matter using graphene Josephson junction
 Rebeca Gonzalez Suarez - Searches for Long-Lived Particles at the FCC-ee
 David Hertzog - Testing Lepton Flavor Universality and CKM Unitarity with Rare Pion Decays
 Sebastian Ellis - Heterodyne Detection of Axion Dark Matter via Superconducting Cavities
 Marcela Carena - Towards Future Discoveries at the Energy Frontier
 Philip Harris - DarkQuest and LongQuest at the 120 GeV Fermilab Main Injector
 Marcel Demarteau - Perspective on a Unified US Particle Physics Program
 Brian Nord - Culture change is necessary, and it requires strategic planning
 Kelly Stifter - Snowmass as a path towards cultural change, and the role of collaborations
 Sven Vahsen - Gas TPCs with directional sensitivity to dark matter, neutrinos, and BSM physics
 Matthew Citron - Searching for millicharged particles with scintillator based detectors
 Holger Mueller - Alpha: Measurement of the fine structure constant as test of the Standard Model
 Harvey Newman - Future Information and Communications Technologies for HL-LHC Era: Beyond CMOS and Beyond the Shannon Limit
 Marianna Safronova - Atomic/nuclear clocks and precision spectroscopy measurements for dark matter and dark sector searches
 Francesco Giovanni Celiberto - 3D proton tomography at the EIC: TMD gluon distributions
 Richard Talman - Colliding beam elastic pp and pd scattering to test T - and P -violation
 Matthew Szydagis - Metastable Water: Breakthrough Technology for Dark Matter & Neutrinos
 Karan Jani - A deci-Hz Gravitational-Wave Lunar Observatory for Cosmology
 Ferah Munshi - Testing SIDM with Realistic Galaxy Formation Simulations
 Ankur Agrawal - Superconducting Qubit Advantage for Dark Matter (SQuAD)
 Caterina Doglioni - Initiative for Dark Matter in Europe and beyond

Primary frontier topic:

173. AF5 organization with contributors / 304

Transduction for New Regimes in Quantum Sensing

Corresponding Author: nanni@slac.stanford.edu

209. IF Planning / 425

UF Points (#122)

138. Synergy of astro-particle physics and collider physics / 116

UHECRs and the muon problem

Corresponding Author: ralph.engel@kit.edu

122. Capabilities needed to execute underground experiments in a broad range of research categories / 326

Underground Facility Needs of Biology

Corresponding Author: krumholz@ou.edu

122. Capabilities needed to execute underground experiments in a broad range of research categories / 325

Underground Facility Needs of Geology/Geological Engineering

Corresponding Author: william.roggenthen@sdsmt.edu

122. Capabilities needed to execute underground experiments in a broad range of research categories / 379

Underground Facility Needs of Laser-Interferometry Gravity Experiments

Corresponding Author: jo@nikhef.nl

Primary frontier topic:

122. Capabilities needed to execute underground experiments in a broad range of research categories / 355

Underground Facility Needs of Quantum Information Science

Corresponding Author: perdue@fnal.gov

122. Capabilities needed to execute underground experiments in a broad range of research categories / 356

Underground Facility Needs of other Gravity Experiments

Corresponding Author: timothy.kovachy@northwestern.edu

175. Accelerator research centers and test facilities for future accelerators / 193

Universities (Ritchie Patterson, Cornell)

77. Quantum Sensors for Wave and Particle Detection / 204

Wave-like Dark Matter Needs

Corresponding Author: derek.jacksonkimball@csueastbay.edu

Plenary / 51

Welcome

Corresponding Author: lockyer@fnal.gov

176. Grand challenges of ultimate beams and ultimate high energy colliders / 366

Welcome and overview of LoIs in 176 (A10)

Corresponding Author: m.bai@gsi.de

28. Theory Challenges in Precision Measurements / 317

What do we need from theory?

Corresponding Author: huston@msu.edu

176. Grand challenges of ultimate beams and ultimate high energy colliders / 374

advanced acceleration concepts: PWA

Corresponding Author: ehesarey@lbl.gov

176. Grand challenges of ultimate beams and ultimate high energy colliders / 375

advanced acceleration concepts: SWA

Corresponding Author: piot@nicadd.niu.edu

130. Enabling technologies for low mass and ps timing detectors / 253

discussion and future plans

110. Baryon and Lepton Number Violating processes / 278

n-nbar oscillation experiments

Corresponding Author: broussardlj@ornl.gov

124. Lattice Gauge Theory for High Energy Physics / 258

v-Nucleus scattering brief

Corresponding Author: mwagman@fnal.gov