


Funded by DoE through the Exa.TrkX project

Graph Neural Networks for Reconstruction in Liquid Argon Time Projection Chambers

Jeremy Hewes
Fast Inference for Neutrinos
17th March 2021

Graph neural networks




- Describe information structure as a **graph** represented by **nodes** and **edges**.



- **Nodes** are generalised as quantised objects with some arbitrary set of **features**.
- **Edges** describe the **relationships** between nodes.
- Perform convolutions on nodes and edges to learn relationships within the graph.
- Output is user-defined:
 - Classify nodes or edges.
 - Classify full graph.
 - Regression outputs.

Graph networks in HEP


- Investigating the use of **Graph Neural Networks (GNNs)** as an alternative to Convolutional Neural Networks (CNNs).
- Building on promising results from the **HEP.TrkX** collaboration using such methods for track reconstruction in the LHC world.
- **Exa.TrkX** project building on these results to further develop techniques in HL-LHC, and branch out to explore other detector technologies like LArTPCs.




Simulation

- **CCQE beam neutrino interactions**

- Few-GeV energy.
 - Neutrinos travel along beam direction.
 - Typically “clean” interactions – primary lepton (e, μ) and minimal hadronic activity.
- Minimal sim/reco chain:
 - GENIE/Geant4 simulation.
 - Detector simulation.
 - Wire deconvolution & hit finding.




Message-passing networks



arxiv:1810.06111


- Message-passing network aggregates information from neighbouring nodes across edges to form new features on each node, utilising an attention mechanism to weight up useful edges.
- Repeat the same network multiple times in order for information to travel further across the graph over multiple iterations (the “message passing”).
- **Edge classifier:**
 - Input for each node is the features of incoming and outgoing nodes.
 - Two multi-layer perceptrons, using Tanh and sigmoid activations.
 - Outputs sigmoid score on each edge.
- **Node classifier:**
 - Uses edge score to aggregate each node’s features with incoming & outgoing edges as input.
 - Two multi-layer perceptrons with Tanh activation.
 - Produces new features for each node.

Message-passing network




Start with graph **node features**
(hit position, amplitude, RMS, etc)

Message-passing network




Form **edge features** by pulling in features from incoming and outgoing node

Message-passing network




Perform convolutions on edge scores to form a set of **class-wise probabilities**

Message-passing network



Propagate features from each node to adjacent nodes,
weighted by edge score


Message-passing network



Perform convolutions
to form new **node features**

Message-passing network


Repeating this process causes
information to spread across
the graph



Iteration 0

Message-passing network


Repeating this process causes
information to spread across
the graph



Iteration 1


Message-passing network

Repeating this process causes
information to spread across
the graph





Iteration 2

2D reconstruction




- Start with 2D representation and build up using graph network.
- Colour coded according to **true simulated particle**.
- Three 2D representations of the same 3D interaction.




ν_μ graph construction

- Connect hits that are adjacent in wire and time with **potential edges**.
- Potential edges drawn in grey between nodes.



v_μ graph construction


- Potential graph edges formed for **hits in close proximity** (5 wires & 50 time ticks).
- Potential edges then classified as **hadronic**, **muon**, **shower** or **false** as an objective for learning.



- Edges are classified as **false** if the two hits were not produced by the same particle in the underlying simulation.
- **Muon** edges are hits produced by the primary muon, **shower** edges by the primary electron, and **hadronic** edges are the remainder.

v_e graph construction


- Potential graph edges formed for **hits in close proximity** (5 wires & 50 time ticks).
- Potential edges then classified as **hadronic**, **muon**, **shower** or **false** as an objective for learning.



- Edges are classified as **false** if the two hits were not produced by the same particle in the underlying simulation.
- **Muon** edges are hits produced by the primary muon, **shower** edges by the primary electron, and **hadronic** edges are the remainder.


Multihead attention message-passing network

- Build on Exa.TrkX binary edge classifier.
 - Pass messages + form node features independently for each class.
 - Produce 4 edge attention scores on each edge.
 - Take the softmax of those edges **with each iteration**.
 - If an edge is strongly shower-like, the track-like classes will be weighted down accordingly.



2D edge classification network

- Current iteration achieves 84% accuracy in classifying graph edges.
- Performs well on showers, but still room for improvement in tracks.




Ground truth

Model output

hadronic, muon, shower, false

2D edge classification network

- Current iteration achieves 84% accuracy in classifying graph edges.
- Performs well on showers, but still room for improvement in tracks.




Ground truth

Model output

hadronic, muon, shower, false

Next steps

- In current setup, the three views are categorised independently.
- Match hits produced concurrently in time to allow information flow between views.
 - Message-passing *between* planes may aid with clustering *within* each plane.
- Long-term goal: combine with heterogeneous graph nodes such as LArTPC optical detector system for time matching.



Next steps

- Edge classification was a natural fit for track-forming in HL-LHC.
- Clearly shows promise in neutrino physics too, but less well-suited to the problem of clustering hits into dense objects.
 - Need a scheme to collapse disparate classified edges into objects.
 - Objective function scores each edge independently, and doesn't have any wider context.
- Considering newer techniques such as graph pooling and instance segmentation.
- Move beyond simple CCQE interactions to more complex event topologies
 - Build more sophisticated definitions of the ground truth.
 - Scale up from 2D representations to 3D.