



Contribution ID: 50

Type: **not specified**

Exploration of ultra-high dose rate radiobiology with laser-driven protons at BELLA [BALLROOM]

Tuesday, 23 July 2024 12:00 (30 minutes)

Laser-driven (LD) proton sources are of interest for various applications due to their ability to produce short proton bunches with high charge. These sources can be used in biological studies investigating improvements to radiation cancer therapy. Recently, the differential sparing effect on normal tissues versus tumors using the delivery of high radiation doses >10 Gy at extremely high dose rates (DR), has received increasing attention. However, the molecular and cellular mechanisms underlying the sparing effect are not yet fully understood. To explore these mechanisms, we have implemented a beamline at the BELLA PW that delivers LD proton bunches at ultra-high instantaneous DR (UHIDR) up to 10^8 Gy/s. This allowed us to investigate in vivo the acute skin damage and late radiation-induced fibrosis in mouse ears after UHIDR with 10 MeV LD protons and prescribed doses of several 10s of Gy. We observed sparing of healthy mouse ear tissue after irradiations with LD proton bunches at UHIDR compared to irradiations with 300 kV x-rays at clinical dose rates and similar total dose. Recent improvements to the LD proton source, delivery beamline, and diagnostic suite have also enabled the first peptide sample irradiations to explore the FLASH effect on the molecular level. This talk will provide a summary of radiobiology research activities at the BELLA PW.

Work was supported by the U.S. DOE Office of Science, Offices of FES and HEP, and LaserNetUS under Contract No. DE-AC02-05CH11231 and a Laboratory Directed Research and Development Grant, PI A. M. Snijders.

Working group

invited speaker

Primary author: OBST-HUEBL, Lieselotte (Lawrence Berkeley National Laboratory)

Co-authors: INMAN, Jamie (Lawrence Berkeley National Laboratory); DE CHANT, Jared (Lawrence Berkeley National Laboratory); MCILVENNY, Aodhan (Lawrence Berkeley National Lab); NAKAMURA, Kei (Lawrence Berkeley National Laboratory); HAKIM, Sahel (Lawrence Berkeley National Laboratory); BIN, Jianhui (Lawrence Berkeley National Laboratory); GEDDES, Cameron G. R. (Lawrence Berkeley National Laboratory); GEULIG, Laura (Lawrence Berkeley National Laboratory); GONSALVES, Anthony J. (Lawrence Berkeley National Laboratory); KIDD, Savannah (Lawrence Berkeley National Laboratory); MAO, Jian-Hua (Lawrence Berkeley National Laboratory); PALMER, Charlotte (Queen's University Belfast); RALSTON, Corie Y. (Lawrence Berkeley National Laboratory); SCHROEDER, Carl (Lawrence Berkeley National Laboratory); SIMMONS, Blake (Lawrence Berkeley National Laboratory); STASSEL, Brendan (University of Michigan); SUBRAMANIAN, Simruthi (Lawrence Berkeley National Laboratory); VAN TILBORG, Jeroen (Lawrence Berkeley National Laboratory); SNIJDERS, Antoine M. (Lawrence Berkeley National Laboratory); ESAREY, Eric (Lawrence Berkeley National Laboratory)

Presenter: OBST-HUEBL, Lieselotte (Lawrence Berkeley National Laboratory)

Session Classification: Plenary