



Contribution ID: 141

Type: **Poster**

## Amplitude Reproducibility of the Self-Modulation Process of a Proton Bunch in Plasma

*Tuesday, 23 July 2024 18:00 (1h 30m)*

The Advanced WAKEfield Experiment (AWAKE) relies on the self-modulation of a long proton bunch in plasma to resonantly excite wakefields. We use a relativistic ionization front to provide initial transverse wakefields for the self-modulation to grow from. It was shown that when the amplitude of the initial transverse wakefields exceeds a given value, a transition between two regimes, self-modulation instability (SMI) and seeded self-modulation (SSM), occurs. In the case of SSM the timing of the self-modulation along the bunch, and thus of the wakefields, becomes reproducible. We now show experimentally that, when transitioning from SMI to SSM, the self-modulation process also becomes more reproducible in amplitude. Amplitude reproducibility is essential for deterministic injection, and energy gain of a witness bunch.

### Working group

WG3 : Beam-driven plasma acceleration

**Primary author:** CLAIREMBAUD, Arthur (Max Planck Institut für Physik)

**Co-authors:** TURNER, Marlene (CERN); MEZGER, Jan (Max-Planck Institute for Physics); BERGAMASCHI, Michele; Dr RANC, Lucas (MPP); VAN GILS, Nikita; PANNELL, Fern; MUGGLI, Patric (Max Planck Institute for Physics)

**Presenter:** CLAIREMBAUD, Arthur (Max Planck Institut für Physik)

**Session Classification:** Poster [Atrium]