

Table 2. Summary of Baseline and Residual Risks (Shipping and Receiving)

Risk Tables Description		Baseline Risk	Residual Risk
2.1	Radiological – Onsite-1 Facility Worker	R: III	R: IV
2.2	Radiological – Onsite-2 Co-located Worker	R: III	R: IV
2.3	Radiological – MOI Offsite	R: III	R: IV
2.4	Toxic Materials – Onsite 1 Facility Worker	R: N/A	R: N/A
2.5	Toxic Materials – Onsite 2 Co-located Worker	R: N/A	R: N/A
2.6	Toxic Materials – MOI Offsite	R: N/A	R: N/A
2.7	Flammable & Combustible Materials – Onsite-1 Facility Worker	R: *	R: *
2.8	Flammable & Combustible Materials – Onsite-2 Co-located worker	R: *	R: *
2.9	Flammable & Combustible Materials – MOI Offsite	R: *	R: *
2.10	Electrical Energy – Onsite-1 Facility Worker	R: *	R: *
2.11	Electrical Energy – Onsite-2 Co-located Worker	R: *	R: *
2.12	Electrical Energy – MOI Offsite	R: *	R: *
2.13	Thermal Energy – Onsite-1 Facility Worker	R: N/A	R: N/A
2.14	Thermal Energy – Onsite-2 Co-located Worker	R: N/A	R: N/A
2.15	Thermal Energy – MOI Offsite	R: N/A	R: N/A
2.16	Kinetic Energy – Onsite-1 Facility Worker	R: *	R: *
2.17	Kinetic Energy – Onsite-2 Co-located Worker	R: *	R: *
2.18	Kinetic Energy – MOI Offsite	R: *	R: *
2.19	Potential Energy- Onsite-1 Facility Worker	R: *	R: *
2.20	Potential Energy – Onsite-2 Co-located Worker	R: *	R: *
2.21	Potential Energy – MOI Offsite	R: *	R: *
2.22	Magnetic Fields – Onsite-1 Facility Worker	R: N/A	R: N/A
2.23	Magnetic Fields – Onsite-2 Co-located Worker	R: N/A	R: N/A
2.24	Magnetic Fields – MOI Offsite	R: N/A	R: N/A
2.25	Other Hazards – Onsite-1 Facility Worker	R: *	R: *
2.26	Other Hazards – Onsite-2 Co-located Worker	R: *	R: *
2.27	Other Hazards – MOI Offsite	R: *	R: *
2.28	Access & Egress – Onsite-1 Facility Worker	R: N/A	R: N/A
2.29	Access & Egress – Onsite-2 Co-located Worker	R: N/A	R: N/A
2.30	Access & Egress – MOI Offsite	R: N/A	R: N/A
2.31	Environmental Hazards	R: N/A	R: N/A
<p>* This hazard has been evaluated within the common Risk Matrix table included in SAD Section I Chapter 04 <i>Safety Analysis</i>. Work in the specified areas involving this hazard implements the controls specified in the common Risk Matrix table. No unique controls are in use.</p> <p>NOTE: Per DOE-HDBK-1163-2020, Appendix C, “Risk Assessment Methodology”: “Events with an unmitigated risk value of III or IV would not require additional control assignments to provide reasonable assurance of adequate protection. Whereas, for events with an unmitigated risk value of I or II, controls would need to be assigned to either reduce the likelihood or the consequence, and therefore the overall mitigated risk. Generally, preventive controls are applied prior to a loss event – reflecting a likelihood reduction and mitigative controls are applied after a loss event – reflecting a consequence reduction. Each control is credited for a single “bin drop” either in likelihood or consequence; not both. Following a standard hierarchy of controls, controls are applied until the residual risk is acceptable – reflecting a mitigated risk value of III or IV. After controls are credited, events with a remaining unacceptable residual risk (i.e., I or II) are candidates for additional analyses and additional controls, often quantitative in nature.” For Fermilab, these controls for accelerator-specific hazards are identified as Credited Controls and further summarized in the Accelerator Safety Envelope (ASE).</p>			

Table 2.1 Radiological – Onsite-1 Facility Worker

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
Radioactive Sources	<i>Hazard: Personnel exposure due to various low activity sealed sources which arrive in receiving</i>	L: U C: L R: III	P: Containers in which sealed sources arrive in are to remain closed/sealed at all times and are put in designated secure area immediately upon arrival to minimize handling and potential exposure. P: All low activity sealed sources are kept in a properly labeled designated, secure area until retrieved by ES&H Hazard Control. M: GERT provides recognition that source training is required	L: EU C: N R: IV

Radiological Hazard Consequences, derived from Figure C-1, "Example Qualitative Consequence Matrix", DOE-HDBK-1163-2020.																																				
Likelihood (L, of event)/year A = Anticipated ($L > 1.0E-02$) U = Unlikely ($1.0E-02 > L > 1.0E-04$) EU = Extremely Unlikely ($1.0E-04 > L > 1.0E-06$) BEU = Beyond Extremely Unlikely ($1.0E-06 > L$)	Consequence (C, of event)/year H = High M = Moderate L = Low N = Negligible		Risk (R, Qualitative Ranking) I = situation (event) of major concern II = situation (event) of concern III = situation (event) of minor concern IV = situation (event) of minimal concern		Risk Matrix <table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="4">Likelihood</th> </tr> <tr> <th>A</th> <th>U</th> <th>EU</th> <th>BEU</th> </tr> </thead> <tbody> <tr> <th rowspan="4">Consequences</th> <th>H</th> <td>I</td> <td>I</td> <td>II</td> <td>III</td> </tr> <tr> <th>M</th> <td>II</td> <td>II</td> <td>III</td> <td>IV</td> </tr> <tr> <th>L</th> <td>III</td> <td>III</td> <td>IV</td> <td>IV</td> </tr> <tr> <th>N</th> <td>IV</td> <td>IV</td> <td>IV</td> <td>IV</td> </tr> </tbody> </table>			Likelihood				A	U	EU	BEU	Consequences	H	I	I	II	III	M	II	II	III	IV	L	III	III	IV	IV	N	IV	IV	IV	IV
			Likelihood																																	
A			U	EU	BEU																															
Consequences	H	I	I	II	III																															
	M	II	II	III	IV																															
	L	III	III	IV	IV																															
	N	IV	IV	IV	IV																															
Control(s) Type P = Preventive (reduce event occurrence likelihood) M = Mitigative (reduces event consequences)	C	Offsite (MOI)	Onsite-2 (co-located worker)	Onsite-1 (facility worker)																																
Acronyms MOI = Maximally-exposed Offsite Individual rem = Roentgen equivalent man	H	$C \geq 25.0 \text{ rem}$	$C \geq 100 \text{ rem}$	$C \geq 100 \text{ rem}$																																
	M	$25.0 \text{ rem} > C \geq 5 \text{ rem}$	$100 \text{ rem} > C \geq 25 \text{ rem}$	$100 \text{ rem} > C \geq 25 \text{ rem}$																																
	L	$5 \text{ rem} > C$	$25 \text{ rem} > C$	$25 \text{ rem} > C$																																
	N	$0.5 \text{ rem} > C$	$5 \text{ rem} > C$	$5 \text{ rem} > C$																																

Table 2.2 Radiological – Onsite-2 Co-located Worker

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
Radioactive Sources	<i>Hazard: Personnel exposure due to various low activity sealed sources which arrive in receiving</i>	L: U C: L R: III	P: Containers in which sealed sources arrive in are to remain closed/sealed at all times and are put in designated secure area immediately upon arrival to minimize handling and potential exposure. P: All low activity sealed sources are kept in a properly labeled designated, secure area until retrieved by ES&H Hazard Control. M: GERT provides recognition that source training is required	L: EU C: N R: IV

Radiological Hazard Consequences, derived from Figure C-1, “Example Qualitative Consequence Matrix”, DOE-HDBK-1163-2020.																																				
Likelihood (L, of event)/year A = Anticipated (L > 1.0E-02) U = Unlikely (1.0E-02 > L > 1.0E-04) EU = Extremely Unlikely (1.0E-04 > L > 1.0E-06) BEU = Beyond Extremely Unlikely (1.0E-06 > L)	Consequence (C, of event)/year H = High M = Moderate L = Low N = Negligible		Risk (R, Qualitative Ranking) I = situation (event) of major concern II = situation (event) of concern III = situation (event) of minor concern IV = situation (event) of minimal concern		Risk Matrix																															
	C	Offsite (MOI)	Onsite-2 (co-located worker)	Onsite-1 (facility worker)																																
Control(s) Type P = Preventive (reduce event occurrence likelihood) M = Mitigative (reduces event consequences) Acronyms MOI = Maximally-exposed Offsite Individual rem = Roentgen equivalent man	H	C ≥ 25.0 rem	C ≥ 100 rem	C ≥ 100 rem	<table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="4">Likelihood</th> </tr> <tr> <th>A</th> <th>U</th> <th>EU</th> <th>BEU</th> </tr> </thead> <tbody> <tr> <th rowspan="4">Consequences</th> <th>H</th> <td>I</td> <td>I</td> <td>II</td> <td>III</td> </tr> <tr> <th>M</th> <td>II</td> <td>II</td> <td>III</td> <td>IV</td> </tr> <tr> <th>L</th> <td>III</td> <td>III</td> <td>IV</td> <td>IV</td> </tr> <tr> <th>N</th> <td>IV</td> <td>IV</td> <td>IV</td> <td>IV</td> </tr> </tbody> </table>			Likelihood				A	U	EU	BEU	Consequences	H	I	I	II	III	M	II	II	III	IV	L	III	III	IV	IV	N	IV	IV	IV	IV
			Likelihood																																	
			A	U		EU	BEU																													
	Consequences	H	I	I		II	III																													
		M	II	II		III	IV																													
L		III	III	IV	IV																															
N		IV	IV	IV	IV																															
M	25.0 rem > C ≥ 5 rem	100 rem > C ≥ 25 rem	100 rem > C ≥ 25 rem																																	
L	5 rem > C	25 rem > C	25 rem > C																																	
N	0.5 rem > C	5 rem > C	5 rem > C																																	

Table 2.3 Radiological – MOI Offsite

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
Radioactive Sources	<i>Hazard: N/A</i>	L: C: R:		L: C: R:

Radiological Hazard Consequences, derived from Figure C-1, "Example Qualitative Consequence Matrix", DOE-HDBK-1163-2020.																																									
Likelihood (L, of event)/year A = Anticipated ($L > 1.0E-02$) U = Unlikely ($1.0E-02 > L > 1.0E-04$) EU = Extremely Unlikely ($1.0E-04 > L > 1.0E-06$) BEU = Beyond Extremely Unlikely ($1.0E-06 > L$)	Consequence (C, of event)/year H = High M = Moderate L = Low N = Negligible		Risk (R, Qualitative Ranking) I = situation (event) of major concern II = situation (event) of concern III = situation (event) of minor concern IV = situation (event) of minimal concern		<table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="4">Risk Matrix</th> </tr> <tr> <th colspan="4">Likelihood</th> </tr> <tr> <th colspan="2" rowspan="4">Consequences</th> <th>A</th> <th>U</th> <th>EU</th> <th>BEU</th> </tr> </thead> <tbody> <tr> <th>H</th> <td>I</td> <td>I</td> <td>II</td> <td>III</td> </tr> <tr> <th>M</th> <td>II</td> <td>II</td> <td>III</td> <td>IV</td> </tr> <tr> <th>L</th> <td>III</td> <td>III</td> <td>IV</td> <td>IV</td> </tr> <tr> <th>N</th> <td>IV</td> <td>IV</td> <td>IV</td> <td>IV</td> </tr> </tbody> </table>			Risk Matrix				Likelihood				Consequences		A	U	EU	BEU	H	I	I	II	III	M	II	II	III	IV	L	III	III	IV	IV	N	IV	IV	IV	IV
			Risk Matrix																																						
Likelihood																																									
Consequences		A	U	EU		BEU																																			
		H	I	I		II	III																																		
		M	II	II		III	IV																																		
		L	III	III	IV	IV																																			
N	IV	IV	IV	IV																																					
Control(s) Type P = Preventive (reduce event occurrence likelihood) M = Mitigative (reduces event consequences) Acronyms MOI = Maximally-exposed Offsite Individual rem = Roentgen equivalent man	C	Offsite (MOI)	Onsite-2 (co-located worker)	Onsite-1 (facility worker)																																					
	H	$C \geq 25.0 \text{ rem}$	$C \geq 100 \text{ rem}$	$C \geq 100 \text{ rem}$																																					
	M	$25.0 \text{ rem} > C \geq 5 \text{ rem}$	$100 \text{ rem} > C \geq 25 \text{ rem}$	$100 \text{ rem} > C \geq 25 \text{ rem}$																																					
	L	$5 \text{ rem} > C$	$25 \text{ rem} > C$	$25 \text{ rem} > C$																																					
	N	$0.5 \text{ rem} > C$	$5 \text{ rem} > C$	$5 \text{ rem} > C$																																					

Table 2.7 Flammable and Combustible Materials – Onsite -1 Facility Worker

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
<p>Combustible materials (cables, Boxes, Paper, wood cribbing, etc.)</p>	<p><i>Hazard:</i></p> <p><i>This hazard is a potential facility fire.</i></p> <p><i>The presence of excessive combustible materials can pose a hazard stemming from inadequate housekeeping practices.</i></p> <p><i>This hazard can add to the fuel load of a potential facility fire.</i></p> <p><i>Poor housekeeping can also lead to life safety concerns, such as egress obstructions and tripping hazards.</i></p> <p><i>The exposure of the hazard to the facility worker is of major concern.</i></p>	<p>L: C: R: I</p>	<p>See Section 1 Chapter 04</p>	<p>L: C: R:</p>
<p><i>Hazard:</i></p> <p><i>The presence of flammable gases in cylinders or storage containers pose an inherent hazard due to their flammability/combustibility properties.</i></p> <p><i>Exposure to hot work provides a dangerous situation where flammable liquids will ignite. Unmitigated this could lead to an explosion and subsequent fire.</i></p> <p><i>The exposure of the hazard to the facility worker is of major concern.</i></p>				

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
<p>Flammable Materials (Flammable gas, cleaning materials, etc.)</p>	<p><i>Hazard:</i></p> <p><i>This hazard is a potential facility fire.</i></p> <p><i>The presence of excessive combustible materials can pose a hazard stemming from inadequate housekeeping practices.</i></p> <p><i>This hazard can add to the fuel load of a potential facility fire.</i></p> <p><i>Poor housekeeping can also lead to life safety concerns, such as egress obstructions and tripping hazards.</i></p> <p><i>The exposure of the hazard to the facility worker is of major concern.</i></p>	<p>L:</p> <p>C:</p> <p>R:</p>	<p>See Section 1 Chapter 04</p>	<p>L:</p> <p>C:</p> <p>R:</p>
	<p><i>Hazard:</i></p> <p><i>The presence of flammable gases in cylinders or storage containers pose an inherent hazard due to their flammability/combustibility properties.</i></p> <p><i>Exposure to hot work provides a dangerous situation where flammable liquids will ignite. Unmitigated this could lead to an explosion and subsequent fire.</i></p> <p><i>The exposure of the hazard to the facility worker is of major concern.</i></p>			

Other Hazard Consequences, derived from Figure C-1, “Example Qualitative Consequence Matrix”, DOE-HDBK-1163-2020.

Likelihood (L, of event)/year A = Anticipated ($L > 1.0E-02$) U = Unlikely ($1.0E-02 > L > 1.0E-04$) EU = Extremely Unlikely ($1.0E-04 > L > 1.0E-06$) BEU = Beyond Extremely Unlikely ($1.0E-06 > L$)	Consequence (C, of event)/year H = High M = Moderate L = Low N = Negligible		Risk (R, Qualitative Ranking) I = situation (event) of major concern II = situation (event) of concern III = situation (event) of minor concern IV = situation (event) of minimal concern		Risk Matrix <table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="4">Likelihood</th> </tr> <tr> <th>A</th> <th>U</th> <th>EU</th> <th>BEU</th> </tr> </thead> <tbody> <tr> <th rowspan="4">Consequences</th> <th>H</th> <td>I</td> <td>I</td> <td>II</td> <td>III</td> </tr> <tr> <th>M</th> <td>II</td> <td>II</td> <td>III</td> <td>IV</td> </tr> <tr> <th>L</th> <td>III</td> <td>III</td> <td>IV</td> <td>IV</td> </tr> <tr> <th>N</th> <td>IV</td> <td>IV</td> <td>IV</td> <td>IV</td> </tr> </tbody> </table>			Likelihood				A	U	EU	BEU	Consequences	H	I	I	II	III	M	II	II	III	IV	L	III	III	IV	IV	N	IV	IV	IV	IV
			Likelihood																																	
A			U	EU	BEU																															
Consequences	H	I	I	II	III																															
	M	II	II	III	IV																															
	L	III	III	IV	IV																															
	N	IV	IV	IV	IV																															
Control(s) Type P = Preventive (reduce event occurrence likelihood) M = Mitigative (reduces event consequences) Acronyms MOI = Maximally-exposed Offsite Individual	C Offsite (MOI)	Onsite-2 (co-located worker)	Onsite-1 (facility worker)																																	
	H C ≥ Irreversible, other serious effects, or symptoms which could impair an individual’s ability to take protective action.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.																																	
	M C ≥ Mild, transient adverse effects.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.																																	
	L Mild, transient adverse effects > C	Minor injuries; no hospitalization > C	Minor injuries; no hospitalization > C																																	
	N Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level																																	

Table 2.8 Flammable and Combustible Materials – Onsite -2 Co-located Worker

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
Combustible materials (cables, Boxes, Paper, wood cribbing, etc.)	<p><i>Hazard:</i></p> <p><i>The presence of excessive combustible materials can pose a hazard stemming from inadequate housekeeping practices.</i></p> <p><i>This hazard can add to the fuel load of a potential fire.</i></p> <p><i>Poor housekeeping can also lead to life safety concerns, such as egress obstructions and tripping hazards.</i></p> <p><i>The exposure of the hazard to the co-located worker is of concern.</i></p>	L: C: R:	See Section 1 Chapter 04	L: C: R:
<p><i>Hazard:</i></p> <p><i>The presence of flammable gases in cylinders or storage containers pose an inherent hazard due to their flammability/combustibility properties.</i></p> <p><i>Exposure to hot work provides a dangerous situation where flammable liquids will ignite. Unmitigated this could lead to an explosion and subsequent fire.</i></p> <p><i>The exposure of the hazard to the co-located worker is of concern.</i></p>				

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
<p>Flammable Materials (Flammable gas, cleaning materials, etc.)</p>	<p><i>Hazard:</i></p> <p><i>The presence of excessive combustible materials can pose a hazard stemming from inadequate housekeeping practices.</i></p> <p><i>This hazard can add to the fuel load of a potential fire.</i></p> <p><i>Poor housekeeping can also lead to life safety concerns, such as egress obstructions and tripping hazards.</i></p> <p><i>The exposure of the hazard to the co-located worker is of concern.</i></p>	<p>L: C: R:</p>	<p>See Section 1 Chapter 04</p>	<p>L: C: R:</p>
<p><i>Hazard:</i></p> <p><i>The presence of flammable gases in cylinders or storage containers pose an inherent hazard due to their flammability/combustibility properties.</i></p> <p><i>Exposure to hot work provides a dangerous situation where flammable liquids will ignite. Unmitigated this could lead to an explosion and subsequent fire.</i></p> <p><i>The exposure of the hazard to the co-located worker is of concern.</i></p>				

Other Hazard Consequences, derived from Figure C-1, "Example Qualitative Consequence Matrix", DOE-HDBK-1163-2020.

Likelihood (L, of event)/year A = Anticipated ($L > 1.0E-02$) U = Unlikely ($1.0E-02 > L > 1.0E-04$) EU = Extremely Unlikely ($1.0E-04 > L > 1.0E-06$) BEU = Beyond Extremely Unlikely ($1.0E-06 > L$)	Consequence (C, of event)/year H = High M = Moderate L = Low N = Negligible		Risk (R, Qualitative Ranking) I = situation (event) of major concern II = situation (event) of concern III = situation (event) of minor concern IV = situation (event) of minimal concern		Risk Matrix <table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="4">Likelihood</th> </tr> <tr> <th>A</th> <th>U</th> <th>EU</th> <th>BEU</th> </tr> </thead> <tbody> <tr> <th rowspan="4">Consequences</th> <th>H</th> <td>I</td> <td>I</td> <td>II</td> <td>III</td> </tr> <tr> <th>M</th> <td>II</td> <td>II</td> <td>III</td> <td>IV</td> </tr> <tr> <th>L</th> <td>III</td> <td>III</td> <td>IV</td> <td>IV</td> </tr> <tr> <th>N</th> <td>IV</td> <td>IV</td> <td>IV</td> <td>IV</td> </tr> </tbody> </table>			Likelihood				A	U	EU	BEU	Consequences	H	I	I	II	III	M	II	II	III	IV	L	III	III	IV	IV	N	IV	IV	IV	IV
			Likelihood																																	
A			U	EU	BEU																															
Consequences	H	I	I	II	III																															
	M	II	II	III	IV																															
	L	III	III	IV	IV																															
	N	IV	IV	IV	IV																															
Control(s) Type P = Preventive (reduce event occurrence likelihood) M = Mitigative (reduces event consequences) Acronyms MOI = Maximally-exposed Offsite Individual	C	Offsite (MOI)	Onsite-2 (co-located worker)	Onsite-1 (facility worker)																																
	H	C ≥ Irreversible, other serious effects, or symptoms which could impair an individual's ability to take protective action.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.																																
	M	C ≥ Mild, transient adverse effects.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.																																
	L	Mild, transient adverse effects > C	Minor injuries; no hospitalization > C	Minor injuries; no hospitalization > C																																
	N	Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level																																

Table 2.9 Flammable and Combustible Materials – MOI Offsite

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
Combustible materials (cables, Boxes, Paper, wood cribbing, etc.)	<p><i>Hazard:</i></p> <p><i>The presence of excessive combustible materials can pose a hazard stemming from inadequate housekeeping practices.</i></p> <p><i>This hazard can add to the fuel load of a potential fire.</i></p> <p><i>Poor housekeeping can also lead to life safety concerns, such as egress obstructions and tripping hazards.</i></p> <p><i>The exposure of the hazard to the public is of minimal concern.</i></p>	L: C: R:	See Section 1 Chapter 04	L: C: R:
	<p><i>Hazard:</i></p> <p><i>The presence of flammable gases in cylinders or storage containers pose an inherent hazard due to their flammability/combustibility properties.</i></p> <p><i>Exposure to hot work provides a dangerous situation where flammable liquids will ignite. Unmitigated this could lead to an explosion and subsequent fire.</i></p> <p><i>The exposure of the hazard to the public is of minor concern.</i></p>			

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
<p>Flammable Materials (Flammable gas, cleaning materials, etc.)</p>	<p><i>Hazard:</i></p> <p><i>The presence of excessive combustible materials can pose a hazard stemming from inadequate housekeeping practices.</i></p> <p><i>This hazard can add to the fuel load of a potential fire.</i></p> <p><i>Poor housekeeping can also lead to life safety concerns, such as egress obstructions and tripping hazards.</i></p> <p><i>The exposure of the hazard to the public is of minimal concern.</i></p>	<p>L: C: R:</p>	<p>See Section 1 Chapter 04</p>	<p>L: C: R:</p>
<p><i>Hazard:</i></p> <p><i>The presence of flammable gases in cylinders or storage containers pose an inherent hazard due to their flammability/combustibility properties.</i></p> <p><i>Exposure to hot work provides a dangerous situation where flammable liquids will ignite. Unmitigated this could lead to an explosion and subsequent fire.</i></p> <p><i>The exposure of the hazard to the public is of minor concern.</i></p>				

Other Hazard Consequences, derived from Figure C-1, "Example Qualitative Consequence Matrix", DOE-HDBK-1163-2020.

Likelihood (L, of event)/year A = Anticipated ($L > 1.0E-02$) U = Unlikely ($1.0E-02 > L > 1.0E-04$) EU = Extremely Unlikely ($1.0E-04 > L > 1.0E-06$) BEU = Beyond Extremely Unlikely ($1.0E-06 > L$)	Consequence (C, of event)/year H = High M = Moderate L = Low N = Negligible		Risk (R, Qualitative Ranking) I = situation (event) of major concern II = situation (event) of concern III = situation (event) of minor concern IV = situation (event) of minimal concern		Risk Matrix <table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="4">Likelihood</th> </tr> <tr> <th>A</th> <th>U</th> <th>EU</th> <th>BEU</th> </tr> </thead> <tbody> <tr> <th rowspan="4">Consequences</th> <th>H</th> <td>I</td> <td>I</td> <td>II</td> <td>III</td> </tr> <tr> <th>M</th> <td>II</td> <td>II</td> <td>III</td> <td>IV</td> </tr> <tr> <th>L</th> <td>III</td> <td>III</td> <td>IV</td> <td>IV</td> </tr> <tr> <th>N</th> <td>IV</td> <td>IV</td> <td>IV</td> <td>IV</td> </tr> </tbody> </table>			Likelihood				A	U	EU	BEU	Consequences	H	I	I	II	III	M	II	II	III	IV	L	III	III	IV	IV	N	IV	IV	IV	IV
			Likelihood																																	
A			U	EU	BEU																															
Consequences	H	I	I	II	III																															
	M	II	II	III	IV																															
	L	III	III	IV	IV																															
	N	IV	IV	IV	IV																															
Control(s) Type P = Preventive (reduce event occurrence likelihood) M = Mitigative (reduces event consequences) Acronyms MOI = Maximally-exposed Offsite Individual	C	Offsite (MOI)	Onsite-2 (co-located worker)	Onsite-1 (facility worker)																																
	H	C ≥ Irreversible, other serious effects, or symptoms which could impair an individual's ability to take protective action.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.																																
	M	C ≥ Mild, transient adverse effects.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.																																
	L	Mild, transient adverse effects > C	Minor injuries; no hospitalization > C	Minor injuries; no hospitalization > C																																
	N	Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level																																

Table 2.10 Electrical Energy – Onsite-1 Facility Worker

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
High Voltage Exposure	<p><i>Hazard:</i></p> <p><i>Shock hazard, voltage > 50 V,</i> <u><i>Non-interlocked enclosures</i></u></p> <p><i>Flash,</i> <u><i>Non-interlocked enclosures</i></u></p>	L: C: R:	See Section 1 Chapter 04	L: C: R:

Other Hazard Consequences, derived from Figure C-1, "Example Qualitative Consequence Matrix", DOE-HDBK-1163-2020.

Likelihood (L, of event)/year A = Anticipated ($L > 1.0E-02$) U = Unlikely ($1.0E-02 > L > 1.0E-04$) EU = Extremely Unlikely ($1.0E-04 > L > 1.0E-06$) BEU = Beyond Extremely Unlikely ($1.0E-06 > L$)	Consequence (C, of event)/year H = High M = Moderate L = Low N = Negligible		Risk (R, Qualitative Ranking) I = situation (event) of major concern II = situation (event) of concern III = situation (event) of minor concern IV = situation (event) of minimal concern		Risk Matrix <table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="4">Likelihood</th> </tr> <tr> <th>A</th> <th>U</th> <th>EU</th> <th>BEU</th> </tr> </thead> <tbody> <tr> <th rowspan="4">Consequences</th> <th>H</th> <td>I</td> <td>I</td> <td>II</td> <td>III</td> </tr> <tr> <th>M</th> <td>II</td> <td>II</td> <td>III</td> <td>IV</td> </tr> <tr> <th>L</th> <td>III</td> <td>III</td> <td>IV</td> <td>IV</td> </tr> <tr> <th>N</th> <td>IV</td> <td>IV</td> <td>IV</td> <td>IV</td> </tr> </tbody> </table>			Likelihood				A	U	EU	BEU	Consequences	H	I	I	II	III	M	II	II	III	IV	L	III	III	IV	IV	N	IV	IV	IV	IV
			Likelihood																																	
A			U	EU	BEU																															
Consequences	H	I	I	II	III																															
	M	II	II	III	IV																															
	L	III	III	IV	IV																															
	N	IV	IV	IV	IV																															
Control(s) Type P = Preventive (reduce event occurrence likelihood) M = Mitigative (reduces event consequences) Acronyms MOI = Maximally-exposed Offsite Individual	C	Offsite (MOI)	Onsite-2 (co-located worker)	Onsite-1 (facility worker)																																
	H	C ≥ Irreversible, other serious effects, or symptoms which could impair an individual's ability to take protective action.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.																																
	M	C ≥ Mild, transient adverse effects.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.																																
	L	Mild, transient adverse effects > C	Minor injuries; no hospitalization > C	Minor injuries; no hospitalization > C																																
	N	Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level																																

Table 2.11 Electrical Energy 1 Onsite-2 Co-located Worker

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
High Voltage Exposure	<p><i>Hazard:</i> <i>Shock hazard, voltage > 50 V,</i> <u><i>Non-interlocked enclosures</i></u></p> <p><i>Flash,</i> <u><i>Non-interlocked enclosures</i></u></p>	L: C: R:	See Section 1 Chapter 04	L: C: R:

Other Hazard Consequences, derived from Figure C-1, "Example Qualitative Consequence Matrix", DOE-HDBK-1163-2020.																																				
Likelihood (L, of event)/year A = Anticipated ($L > 1.0E-02$) U = Unlikely ($1.0E-02 > L > 1.0E-04$) EU = Extremely Unlikely ($1.0E-04 > L > 1.0E-06$) BEU = Beyond Extremely Unlikely ($1.0E-06 > L$)	Consequence (C, of event)/year H = High M = Moderate L = Low N = Negligible		Risk (R, Qualitative Ranking) I = situation (event) of major concern II = situation (event) of concern III = situation (event) of minor concern IV = situation (event) of minimal concern		Risk Matrix <table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="4">Likelihood</th> </tr> <tr> <th>A</th> <th>U</th> <th>EU</th> <th>BEU</th> </tr> </thead> <tbody> <tr> <th rowspan="4">Consequences</th> <th>H</th> <td>I</td> <td>I</td> <td>II</td> <td>III</td> </tr> <tr> <th>M</th> <td>II</td> <td>II</td> <td>III</td> <td>IV</td> </tr> <tr> <th>L</th> <td>III</td> <td>III</td> <td>IV</td> <td>IV</td> </tr> <tr> <th>N</th> <td>IV</td> <td>IV</td> <td>IV</td> <td>IV</td> </tr> </tbody> </table>			Likelihood				A	U	EU	BEU	Consequences	H	I	I	II	III	M	II	II	III	IV	L	III	III	IV	IV	N	IV	IV	IV	IV
			Likelihood																																	
A			U	EU	BEU																															
Consequences	H	I	I	II	III																															
	M	II	II	III	IV																															
	L	III	III	IV	IV																															
	N	IV	IV	IV	IV																															
Control(s) Type P = Preventive (reduce event occurrence likelihood) M = Mitigative (reduces event consequences) Acronyms MOI = Maximally-exposed Offsite Individual	C	Offsite (MOI)	Onsite-2 (co-located worker)	Onsite-1 (facility worker)																																
	H	C ≥ Irreversible, other serious effects, or symptoms which could impair an individual's ability to take protective action.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.																																
	M	C ≥ Mild, transient adverse effects.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.																																
	L	Mild, transient adverse effects > C	Minor injuries; no hospitalization > C	Minor injuries; no hospitalization > C																																
	N	Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level																																

Table 2.12 Electrical Energy – MOI Offsite

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
High Voltage Exposure	<i>Hazard: Shock hazard, >50 V, Arc flash <u>outside</u></i>	L: C: R:	See Section 1 Chapter 04	L: C: R:

Other Hazard Consequences, derived from Figure C-1, "Example Qualitative Consequence Matrix", DOE-HDBK-1163-2020.

<p>Likelihood (L, of event)/year A = Anticipated ($L > 1.0E-02$) U = Unlikely ($1.0E-02 > L > 1.0E-04$) EU = Extremely Unlikely ($1.0E-04 > L > 1.0E-06$) BEU = Beyond Extremely Unlikely ($1.0E-06 > L$)</p>	<p>Consequence (C, of event)/year H = High M = Moderate L = Low N = Negligible</p>		<p>Risk (R, Qualitative Ranking) I = situation (event) of major concern II = situation (event) of concern III = situation (event) of minor concern IV = situation (event) of minimal concern</p>		<p>Risk Matrix</p> <table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="4">Likelihood</th> </tr> <tr> <th>A</th> <th>U</th> <th>EU</th> <th>BEU</th> </tr> </thead> <tbody> <tr> <th rowspan="4">Consequences</th> <th>H</th> <td>I</td> <td>I</td> <td>II</td> <td>III</td> </tr> <tr> <th>M</th> <td>II</td> <td>II</td> <td>III</td> <td>IV</td> </tr> <tr> <th>L</th> <td>III</td> <td>III</td> <td>IV</td> <td>IV</td> </tr> <tr> <th>N</th> <td>IV</td> <td>IV</td> <td>IV</td> <td>IV</td> </tr> </tbody> </table>			Likelihood				A	U	EU	BEU	Consequences	H	I	I	II	III	M	II	II	III	IV	L	III	III	IV	IV	N	IV	IV	IV	IV
		Likelihood																																		
		A	U	EU	BEU																															
Consequences	H	I	I	II	III																															
	M	II	II	III	IV																															
	L	III	III	IV	IV																															
	N	IV	IV	IV	IV																															
<p>Control(s) Type P = Preventive (reduce event occurrence likelihood) M = Mitigative (reduces event consequences) Acronyms MOI = Maximally-exposed Offsite Individual</p>	<p>C</p> <p>Offsite (MOI)</p> <p>H C ≥ Irreversible, other serious effects, or symptoms which could impair an individual's ability to take protective action.</p> <p>M C ≥ Mild, transient adverse effects.</p> <p>L Mild, transient adverse effects > C</p> <p>N Consequences less than those for Low Consequence Level</p>	<p>Onsite-2 (co-located worker)</p> <p>C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.</p> <p>C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.</p> <p>Minor injuries; no hospitalization > C</p> <p>Consequences less than those for Low Consequence Level</p>	<p>Onsite-1 (facility worker)</p> <p>C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.</p> <p>C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.</p> <p>Minor injuries; no hospitalization > C</p> <p>Consequences less than those for Low Consequence Level</p>																																	

Table 2.16 Kinetic Energy – Onsite-1 Facility Worker

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
Power tools	<i>Hazard: Personnel injury due to improper use of tools</i>	L: C: R:	See Section 1 Chapter 04	L: C: R:

Other Hazard Consequences, derived from Figure C-1, “Example Qualitative Consequence Matrix”, DOE-HDBK-1163-2020.																																					
Likelihood (L, of event)/year A = Anticipated ($L > 1.0E-02$) U = Unlikely ($1.0E-02 > L > 1.0E-04$) EU = Extremely Unlikely ($1.0E-04 > L > 1.0E-06$) BEU = Beyond Extremely Unlikely ($1.0E-06 > L$)	Consequence (C, of event)/year H = High M = Moderate L = Low N = Negligible	Risk (R, Qualitative Ranking) I = situation (event) of major concern II = situation (event) of concern III = situation (event) of minor concern IV = situation (event) of minimal concern			Risk Matrix <table border="1" data-bbox="1637 727 2040 946"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="4">Likelihood</th> </tr> <tr> <th>A</th> <th>U</th> <th>EU</th> <th>BEU</th> </tr> </thead> <tbody> <tr> <th rowspan="4">Consequences</th> <th>H</th> <td>I</td> <td>I</td> <td>II</td> <td>III</td> </tr> <tr> <th>M</th> <td>II</td> <td>II</td> <td>III</td> <td>IV</td> </tr> <tr> <th>L</th> <td>III</td> <td>III</td> <td>IV</td> <td>IV</td> </tr> <tr> <th>N</th> <td>IV</td> <td>IV</td> <td>IV</td> <td>IV</td> </tr> </tbody> </table>				Likelihood				A	U	EU	BEU	Consequences	H	I	I	II	III	M	II	II	III	IV	L	III	III	IV	IV	N	IV	IV	IV	IV
		Likelihood																																			
		A	U	EU	BEU																																
Consequences	H	I	I	II	III																																
	M	II	II	III	IV																																
	L	III	III	IV	IV																																
	N	IV	IV	IV	IV																																
Control(s) Type P = Preventive (reduce event occurrence likelihood) M = Mitigative (reduces event consequences) Acronyms MOI = Maximally-exposed Offsite Individual	<table border="1" data-bbox="763 847 1039 1372"> <thead> <tr> <th>C</th> <th>Offsite (MOI)</th> </tr> </thead> <tbody> <tr> <th>H</th> <td>C ≥ Irreversible, other serious effects, or symptoms which could impair an individual’s ability to take protective action.</td> </tr> <tr> <th>M</th> <td>C ≥ Mild, transient adverse effects.</td> </tr> <tr> <th>L</th> <td>Mild, transient adverse effects > C</td> </tr> <tr> <th>N</th> <td>Consequences less than those for Low Consequence Level</td> </tr> </tbody> </table>	C	Offsite (MOI)	H	C ≥ Irreversible, other serious effects, or symptoms which could impair an individual’s ability to take protective action.	M	C ≥ Mild, transient adverse effects.	L	Mild, transient adverse effects > C	N	Consequences less than those for Low Consequence Level	<table border="1" data-bbox="1039 847 1337 1372"> <thead> <tr> <th>Onsite-2 (co-located worker)</th> </tr> </thead> <tbody> <tr> <td>C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.</td> </tr> <tr> <td>C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.</td> </tr> <tr> <td>Minor injuries; no hospitalization > C</td> </tr> <tr> <td>Consequences less than those for Low Consequence Level</td> </tr> </tbody> </table>	Onsite-2 (co-located worker)	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.	Minor injuries; no hospitalization > C	Consequences less than those for Low Consequence Level	<table border="1" data-bbox="1337 847 1626 1372"> <thead> <tr> <th>Onsite-1 (facility worker)</th> </tr> </thead> <tbody> <tr> <td>C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.</td> </tr> <tr> <td>C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.</td> </tr> <tr> <td>Minor injuries; no hospitalization > C</td> </tr> <tr> <td>Consequences less than those for Low Consequence Level</td> </tr> </tbody> </table>	Onsite-1 (facility worker)	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.	Minor injuries; no hospitalization > C	Consequences less than those for Low Consequence Level														
C	Offsite (MOI)																																				
H	C ≥ Irreversible, other serious effects, or symptoms which could impair an individual’s ability to take protective action.																																				
M	C ≥ Mild, transient adverse effects.																																				
L	Mild, transient adverse effects > C																																				
N	Consequences less than those for Low Consequence Level																																				
Onsite-2 (co-located worker)																																					
C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.																																					
C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.																																					
Minor injuries; no hospitalization > C																																					
Consequences less than those for Low Consequence Level																																					
Onsite-1 (facility worker)																																					
C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.																																					
C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.																																					
Minor injuries; no hospitalization > C																																					
Consequences less than those for Low Consequence Level																																					

Table 2.17 Kinetic Energy – Onsite-2 Co-located Worker

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
Power tools	<i>Hazard: Personnel injury due to improper use of tools</i>	L: C: R:	See Section 1 Chapter 04	L: C: R:

Other Hazard Consequences, derived from Figure C-1, “Example Qualitative Consequence Matrix”, DOE-HDBK-1163-2020.																																								
Likelihood (L, of event)/year A = Anticipated (L > 1.0E-02) U = Unlikely (1.0E-02 > L > 1.0E-04) EU = Extremely Unlikely (1.0E-04 > L > 1.0E-06) BEU = Beyond Extremely Unlikely (1.0E-06 > L)	Consequence (C, of event)/year H = High M = Moderate L = Low N = Negligible	Risk (R, Qualitative Ranking) I = situation (event) of major concern II = situation (event) of concern III = situation (event) of minor concern IV = situation (event) of minimal concern			Risk Matrix																																			
					<table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="4">Likelihood</th> </tr> <tr> <th colspan="2"></th> <th>A</th> <th>U</th> <th>EU</th> <th>BEU</th> </tr> </thead> <tbody> <tr> <th rowspan="4">Consequences</th> <th>H</th> <td>I</td> <td>I</td> <td>II</td> <td>III</td> </tr> <tr> <th>M</th> <td>II</td> <td>II</td> <td>III</td> <td>IV</td> </tr> <tr> <th>L</th> <td>III</td> <td>III</td> <td>IV</td> <td>IV</td> </tr> <tr> <th>N</th> <td>IV</td> <td>IV</td> <td>IV</td> <td>IV</td> </tr> </tbody> </table>							Likelihood						A	U	EU	BEU	Consequences	H	I	I	II	III	M	II	II	III	IV	L	III	III	IV	IV	N	IV	IV
		Likelihood																																						
		A	U	EU	BEU																																			
Consequences	H	I	I	II	III																																			
	M	II	II	III	IV																																			
	L	III	III	IV	IV																																			
	N	IV	IV	IV	IV																																			
Control(s) Type P = Preventive (reduce event occurrence likelihood) M = Mitigative (reduces event consequences) Acronyms MOI = Maximally-exposed Offsite Individual	C	Offsite (MOI)	Onsite-2 (co-located worker)	Onsite-1 (facility worker)																																				
	H	C ≥ Irreversible, other serious effects, or symptoms which could impair an individual’s ability to take protective action.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.																																				
	M	C ≥ Mild, transient adverse effects.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.																																				
	L	Mild, transient adverse effects > C	Minor injuries; no hospitalization > C	Minor injuries; no hospitalization > C																																				

Table 2.18 Kinetic Energy – MOI Offsite

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
Power tools	<i>Hazard:</i> <i>N/A</i>	L: C: R:	The public does not have access to areas where power tools are used	L: C: R:

Other Hazard Consequences, derived from Figure C-1, “Example Qualitative Consequence Matrix”, DOE-HDBK-1163-2020.																																				
Likelihood (L, of event)/year A = Anticipated ($L > 1.0E-02$) U = Unlikely ($1.0E-02 > L > 1.0E-04$) EU = Extremely Unlikely ($1.0E-04 > L > 1.0E-06$) BEU = Beyond Extremely Unlikely ($1.0E-06 > L$)	Consequence (C, of event)/year H = High M = Moderate L = Low N = Negligible		Risk (R, Qualitative Ranking) I = situation (event) of major concern II = situation (event) of concern III = situation (event) of minor concern IV = situation (event) of minimal concern		Risk Matrix <table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="4">Likelihood</th> </tr> <tr> <th>A</th> <th>U</th> <th>EU</th> <th>BEU</th> </tr> </thead> <tbody> <tr> <th rowspan="4">Consequences</th> <th>H</th> <td>I</td> <td>I</td> <td>II</td> <td>III</td> </tr> <tr> <th>M</th> <td>II</td> <td>II</td> <td>III</td> <td>IV</td> </tr> <tr> <th>L</th> <td>III</td> <td>III</td> <td>IV</td> <td>IV</td> </tr> <tr> <th>N</th> <td>IV</td> <td>IV</td> <td>IV</td> <td>IV</td> </tr> </tbody> </table>			Likelihood				A	U	EU	BEU	Consequences	H	I	I	II	III	M	II	II	III	IV	L	III	III	IV	IV	N	IV	IV	IV	IV
			Likelihood																																	
A			U	EU	BEU																															
Consequences	H	I	I	II	III																															
	M	II	II	III	IV																															
	L	III	III	IV	IV																															
	N	IV	IV	IV	IV																															
Control(s) Type P = Preventive (reduce event occurrence likelihood) M = Mitigative (reduces event consequences) Acronyms MOI = Maximally-exposed Offsite Individual	C Offsite (MOI)	Onsite-2 (co-located worker)	Onsite-1 (facility worker)																																	
	H C ≥ Irreversible, other serious effects, or symptoms which could impair an individual’s ability to take protective action.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.																																	
	M C ≥ Mild, transient adverse effects.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.																																	
	L Mild, transient adverse effects > C	Minor injuries; no hospitalization > C	Minor injuries; no hospitalization > C																																	

Table 2.19 Potential Energy – Onsite-1 Facility Worker

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
Compressed Gasses	<i>Hazard: Personnel injury due to unexpected release or unsecure tanks</i>	L: C: R:	See Section 1 Chapter 04	L: C: R:
Material Handling	<i>Hazard: Personnel injury due to moving/handling material (rollovers, crush, etc.)</i>	L: C: R:	See Section 1 Chapter 04	L: C: R:

Other Hazard Consequences, derived from Figure C-1, "Example Qualitative Consequence Matrix", DOE-HDBK-1163-2020.

Likelihood (L, of event)/year A = Anticipated ($L > 1.0E-02$) U = Unlikely ($1.0E-02 > L > 1.0E-04$) EU = Extremely Unlikely ($1.0E-04 > L > 1.0E-06$) BEU = Beyond Extremely Unlikely ($1.0E-06 > L$)	Consequence (C, of event)/year H = High M = Moderate L = Low N = Negligible		Risk (R, Qualitative Ranking) I = situation (event) of major concern II = situation (event) of concern III = situation (event) of minor concern IV = situation (event) of minimal concern		Risk Matrix <table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="4">Likelihood</th> </tr> <tr> <th>A</th> <th>U</th> <th>EU</th> <th>BEU</th> </tr> </thead> <tbody> <tr> <th rowspan="4">Consequences</th> <th>H</th> <td>I</td> <td>I</td> <td>II</td> <td>III</td> </tr> <tr> <th>M</th> <td>II</td> <td>II</td> <td>III</td> <td>IV</td> </tr> <tr> <th>L</th> <td>III</td> <td>III</td> <td>IV</td> <td>IV</td> </tr> <tr> <th>N</th> <td>IV</td> <td>IV</td> <td>IV</td> <td>IV</td> </tr> </tbody> </table>			Likelihood				A	U	EU	BEU	Consequences	H	I	I	II	III	M	II	II	III	IV	L	III	III	IV	IV	N	IV	IV	IV	IV
			Likelihood																																	
A			U	EU	BEU																															
Consequences	H	I	I	II	III																															
	M	II	II	III	IV																															
	L	III	III	IV	IV																															
	N	IV	IV	IV	IV																															
Control(s) Type P = Preventive (reduce event occurrence likelihood) M = Mitigative (reduces event consequences) Acronyms MOI = Maximally-exposed Offsite Individual	C	Offsite (MOI)	Onsite-2 (co-located worker)	Onsite-1 (facility worker)																																
	H	C ≥ Irreversible, other serious effects, or symptoms which could impair an individual's ability to take protective action.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.																																
	M	C ≥ Mild, transient adverse effects.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.																																
	L	Mild, transient adverse effects > C	Minor injuries; no hospitalization > C	Minor injuries; no hospitalization > C																																
	N	Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level																																

Table 2.20 Potential Energy – Onsite-2 Co-located Worker

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
Compressed Gasses	<i>Hazard: Personnel injury due to unexpected release or unsecure tanks</i>	L: C: R:	See Section 1 Chapter 04	L: C: R:
Material Handling	<i>Hazard: Personnel injury due to moving/handling material (rollovers, crush, etc.)</i>	L: C: R:	See Section 1 Chapter 04	L: C: R:

Other Hazard Consequences, derived from Figure C-1, "Example Qualitative Consequence Matrix", DOE-HDBK-1163-2020.

Likelihood (L, of event)/year A = Anticipated ($L > 1.0E-02$) U = Unlikely ($1.0E-02 > L > 1.0E-04$) EU = Extremely Unlikely ($1.0E-04 > L > 1.0E-06$) BEU = Beyond Extremely Unlikely ($1.0E-06 > L$)	Consequence (C, of event)/year H = High M = Moderate L = Low N = Negligible		Risk (R, Qualitative Ranking) I = situation (event) of major concern II = situation (event) of concern III = situation (event) of minor concern IV = situation (event) of minimal concern		Risk Matrix <table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="4">Likelihood</th> </tr> <tr> <th>A</th> <th>U</th> <th>EU</th> <th>BEU</th> </tr> </thead> <tbody> <tr> <th rowspan="4">Consequences</th> <th>H</th> <td>I</td> <td>I</td> <td>II</td> <td>III</td> </tr> <tr> <th>M</th> <td>II</td> <td>II</td> <td>III</td> <td>IV</td> </tr> <tr> <th>L</th> <td>III</td> <td>III</td> <td>IV</td> <td>IV</td> </tr> <tr> <th>N</th> <td>IV</td> <td>IV</td> <td>IV</td> <td>IV</td> </tr> </tbody> </table>			Likelihood				A	U	EU	BEU	Consequences	H	I	I	II	III	M	II	II	III	IV	L	III	III	IV	IV	N	IV	IV	IV	IV
			Likelihood																																	
A			U	EU	BEU																															
Consequences	H	I	I	II	III																															
	M	II	II	III	IV																															
	L	III	III	IV	IV																															
	N	IV	IV	IV	IV																															
Control(s) Type P = Preventive (reduce event occurrence likelihood) M = Mitigative (reduces event consequences) Acronyms MOI = Maximally-exposed Offsite Individual	C	Offsite (MOI)	Onsite-2 (co-located worker)	Onsite-1 (facility worker)																																
	H	C ≥ Irreversible, other serious effects, or symptoms which could impair an individual's ability to take protective action.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.																																
	M	C ≥ Mild, transient adverse effects.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.																																
	L	Mild, transient adverse effects > C	Minor injuries; no hospitalization > C	Minor injuries; no hospitalization > C																																
	N	Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level																																

Table 2.21 Potential Energy – MOI Offsite

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
Compressed Gasses	<i>Hazard: Personnel injury due to unexpected release or unsecure tanks</i>	L: C: R:	See Section 1 Chapter 04	L: C: R:
Material Handling	<i>Hazard: Personnel injury due to moving/handling material (rollovers, crush, etc.)</i>	L: C: R:	See Section 1 Chapter 04	L: C: R:

Other Hazard Consequences, derived from Figure C-1, "Example Qualitative Consequence Matrix", DOE-HDBK-1163-2020.

Likelihood (L, of event)/year A = Anticipated ($L > 1.0E-02$) U = Unlikely ($1.0E-02 > L > 1.0E-04$) EU = Extremely Unlikely ($1.0E-04 > L > 1.0E-06$) BEU = Beyond Extremely Unlikely ($1.0E-06 > L$)	Consequence (C, of event)/year H = High M = Moderate L = Low N = Negligible		Risk (R, Qualitative Ranking) I = situation (event) of major concern II = situation (event) of concern III = situation (event) of minor concern IV = situation (event) of minimal concern		Risk Matrix <table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="4">Likelihood</th> </tr> <tr> <th>A</th> <th>U</th> <th>EU</th> <th>BEU</th> </tr> </thead> <tbody> <tr> <th rowspan="4">Consequences</th> <th>H</th> <td>I</td> <td>I</td> <td>II</td> <td>III</td> </tr> <tr> <th>M</th> <td>II</td> <td>II</td> <td>III</td> <td>IV</td> </tr> <tr> <th>L</th> <td>III</td> <td>III</td> <td>IV</td> <td>IV</td> </tr> <tr> <th>N</th> <td>IV</td> <td>IV</td> <td>IV</td> <td>IV</td> </tr> </tbody> </table>			Likelihood				A	U	EU	BEU	Consequences	H	I	I	II	III	M	II	II	III	IV	L	III	III	IV	IV	N	IV	IV	IV	IV
			Likelihood																																	
A			U	EU	BEU																															
Consequences	H	I	I	II	III																															
	M	II	II	III	IV																															
	L	III	III	IV	IV																															
	N	IV	IV	IV	IV																															
Control(s) Type P = Preventive (reduce event occurrence likelihood) M = Mitigative (reduces event consequences) Acronyms MOI = Maximally-exposed Offsite Individual	C	Offsite (MOI)	Onsite-2 (co-located worker)	Onsite-1 (facility worker)																																
	H	C ≥ Irreversible, other serious effects, or symptoms which could impair an individual's ability to take protective action.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.																																
	M	C ≥ Mild, transient adverse effects.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.																																
	L	Mild, transient adverse effects > C	Minor injuries; no hospitalization > C	Minor injuries; no hospitalization > C																																
	N	Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level																																

Table 2.25 Other hazards – Onsite-1 Facility Worker

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
Ergonomics	<i>Hazard:</i> <i>Office Space</i> <i>Industrial space (over lifting, repetitive motion, static posture)</i>	L: C: R:	See Section 1 Chapter 04	L: C: R:

Other Hazard Consequences, derived from Figure C-1, "Example Qualitative Consequence Matrix", DOE-HDBK-1163-2020.

Likelihood (L, of event)/year A = Anticipated ($L > 1.0E-02$) U = Unlikely ($1.0E-02 > L > 1.0E-04$) EU = Extremely Unlikely ($1.0E-04 > L > 1.0E-06$) BEU = Beyond Extremely Unlikely ($1.0E-06 > L$)	Consequence (C, of event)/year H = High M = Moderate L = Low N = Negligible		Risk (R, Qualitative Ranking) I = situation (event) of major concern II = situation (event) of concern III = situation (event) of minor concern IV = situation (event) of minimal concern		Risk Matrix <table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="4">Likelihood</th> </tr> <tr> <th>A</th> <th>U</th> <th>EU</th> <th>BEU</th> </tr> </thead> <tbody> <tr> <th rowspan="4">Consequences</th> <th>H</th> <td>I</td> <td>I</td> <td>II</td> <td>III</td> </tr> <tr> <th>M</th> <td>II</td> <td>II</td> <td>III</td> <td>IV</td> </tr> <tr> <th>L</th> <td>III</td> <td>III</td> <td>IV</td> <td>IV</td> </tr> <tr> <th>N</th> <td>IV</td> <td>IV</td> <td>IV</td> <td>IV</td> </tr> </tbody> </table>			Likelihood				A	U	EU	BEU	Consequences	H	I	I	II	III	M	II	II	III	IV	L	III	III	IV	IV	N	IV	IV	IV	IV
			Likelihood																																	
A			U	EU	BEU																															
Consequences	H	I	I	II	III																															
	M	II	II	III	IV																															
	L	III	III	IV	IV																															
	N	IV	IV	IV	IV																															
Control(s) Type P = Preventive (reduce event occurrence likelihood) M = Mitigative (reduces event consequences) Acronyms MOI = Maximally-exposed Offsite Individual	C	Offsite (MOI)	Onsite-2 (co-located worker)	Onsite-1 (facility worker)																																
	H	C ≥ Irreversible, other serious effects, or symptoms which could impair an individual's ability to take protective action.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.																																
	M	C ≥ Mild, transient adverse effects.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.																																
	L	Mild, transient adverse effects > C	Minor injuries; no hospitalization > C	Minor injuries; no hospitalization > C																																
	N	Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level																																

Table 2.26 Other hazards – Onsite-2 Co-located Worker

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
Ergonomics	<p><i>Hazard:</i> <i>Office Space</i></p> <p><i>Industrial space (over lifting, repetitive motion, static posture)</i></p>	<p>L: C: R:</p>	<p>See Section 1 Chapter 04</p>	<p>L: C: R:</p>

Other Hazard Consequences, derived from Figure C-1, "Example Qualitative Consequence Matrix", DOE-HDBK-1163-2020.																																		
Likelihood (L, of event)/year A = Anticipated ($L > 1.0E-02$) U = Unlikely ($1.0E-02 > L > 1.0E-04$) EU = Extremely Unlikely ($1.0E-04 > L > 1.0E-06$) BEU = Beyond Extremely Unlikely ($1.0E-06 > L$)	Consequence (C, of event)/year H = High M = Moderate L = Low N = Negligible		Risk (R, Qualitative Ranking) I = situation (event) of major concern II = situation (event) of concern III = situation (event) of minor concern IV = situation (event) of minimal concern																															
	Risk Matrix <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="4">Likelihood</th> </tr> <tr> <th>A</th> <th>U</th> <th>EU</th> <th>BEU</th> </tr> </thead> <tbody> <tr> <th rowspan="4" style="writing-mode: vertical-rl; transform: rotate(180deg);">Consequences</th> <th>H</th> <td style="background-color: #f8d7da;">I</td> <td style="background-color: #f8d7da;">I</td> <td style="background-color: #fff3cd;">II</td> <td style="background-color: #d4edda;">III</td> </tr> <tr> <th>M</th> <td style="background-color: #fff3cd;">II</td> <td style="background-color: #fff3cd;">II</td> <td style="background-color: #d4edda;">III</td> <td style="background-color: #d4edda;">IV</td> </tr> <tr> <th>L</th> <td style="background-color: #d4edda;">III</td> <td style="background-color: #d4edda;">III</td> <td style="background-color: #d4edda;">IV</td> <td style="background-color: #d4edda;">IV</td> </tr> <tr> <th>N</th> <td style="background-color: #d4edda;">IV</td> <td style="background-color: #d4edda;">IV</td> <td style="background-color: #d4edda;">IV</td> <td style="background-color: #d4edda;">IV</td> </tr> </tbody> </table>						Likelihood				A	U	EU	BEU	Consequences	H	I	I	II	III	M	II	II	III	IV	L	III	III	IV	IV	N	IV	IV	IV
		Likelihood																																
		A	U	EU	BEU																													
Consequences	H	I	I	II	III																													
	M	II	II	III	IV																													
	L	III	III	IV	IV																													
	N	IV	IV	IV	IV																													
Control(s) Type P = Preventive (reduce event occurrence likelihood) M = Mitigative (reduces event consequences) Acronyms MOI = Maximally-exposed Offsite Individual	C	Offsite (MOI)	Onsite-2 (co-located worker)	Onsite-1 (facility worker)																														
	H	C ≥ Irreversible, other serious effects, or symptoms which could impair an individual's ability to take protective action.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.																														
	M	C ≥ Mild, transient adverse effects.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.																														
	L	Mild, transient adverse effects > C	Minor injuries; no hospitalization > C	Minor injuries; no hospitalization > C																														
	N	Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level																														

Table 2.27 Other hazards – MOI Offsite

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
Ergonomics	<p><i>Hazard:</i> <i>Office Space</i></p> <p><i>Industrial space (over lifting, repetitive motion, static posture)</i></p>	<p>L: C: R:</p>	<p>See Section 1 Chapter 04</p>	<p>L: C: R:</p>

Other Hazard Consequences, derived from Figure C-1, "Example Qualitative Consequence Matrix", DOE-HDBK-1163-2020.																																				
Likelihood (L, of event)/year A = Anticipated ($L > 1.0E-02$) U = Unlikely ($1.0E-02 > L > 1.0E-04$) EU = Extremely Unlikely ($1.0E-04 > L > 1.0E-06$) BEU = Beyond Extremely Unlikely ($1.0E-06 > L$)	Consequence (C, of event)/year H = High M = Moderate L = Low N = Negligible		Risk (R, Qualitative Ranking) I = situation (event) of major concern II = situation (event) of concern III = situation (event) of minor concern IV = situation (event) of minimal concern		Risk Matrix <table border="1"> <thead> <tr> <th colspan="2" rowspan="2"></th> <th colspan="4">Likelihood</th> </tr> <tr> <th>A</th> <th>U</th> <th>EU</th> <th>BEU</th> </tr> </thead> <tbody> <tr> <th rowspan="4">Consequences</th> <th>H</th> <td>I</td> <td>I</td> <td>II</td> <td>III</td> </tr> <tr> <th>M</th> <td>II</td> <td>II</td> <td>III</td> <td>IV</td> </tr> <tr> <th>L</th> <td>III</td> <td>III</td> <td>IV</td> <td>IV</td> </tr> <tr> <th>N</th> <td>IV</td> <td>IV</td> <td>IV</td> <td>IV</td> </tr> </tbody> </table>			Likelihood				A	U	EU	BEU	Consequences	H	I	I	II	III	M	II	II	III	IV	L	III	III	IV	IV	N	IV	IV	IV	IV
			Likelihood																																	
A			U	EU	BEU																															
Consequences	H	I	I	II	III																															
	M	II	II	III	IV																															
	L	III	III	IV	IV																															
	N	IV	IV	IV	IV																															
Control(s) Type P = Preventive (reduce event occurrence likelihood) M = Mitigative (reduces event consequences) Acronyms MOI = Maximally-exposed Offsite Individual	C	Offsite (MOI)	Onsite-2 (co-located worker)	Onsite-1 (facility worker)																																
	H	C ≥ Irreversible, other serious effects, or symptoms which could impair an individual's ability to take protective action.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.	C ≥ Prompt worker fatality or acute injury that is immediately life-threatening or permanently disabling.																																
	M	C ≥ Mild, transient adverse effects.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.	C ≥ Serious injury, no immediate loss of life no permanent disabilities; hospitalization required.																																
	L	Mild, transient adverse effects > C	Minor injuries; no hospitalization > C	Minor injuries; no hospitalization > C																																
	N	Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level	Consequences less than those for Low Consequence Level																																

Table 2.31 Environmental

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
Airborne	<p><i>Hazard:</i></p> <ul style="list-style-type: none"> • Airborne release of radionuclides beyond permitted limits. • Discharge of chemicals into onsite surface waters beyond permitted limits. 	L: C: R:		L: C: R:
Water	<p><i>Hazard:</i></p> <ul style="list-style-type: none"> • Discharge of radionuclides into onsite surface waters beyond permitted limits. • Discharge of chemicals into onsite surface waters beyond permitted limits. 	L: C: R:		L: C: R:

Hazard	Hazard Description	Baseline Qualitative Risk (without controls)	Preventative (P)/ Mitigative (M)	Residual Qualitative Risk (with controls)
Soil	<p><i>Hazard:</i></p> <ul style="list-style-type: none"> • Radioactive soil in beam loss areas beyond allowable concentrations of radionuclides beyond calculated Fermilab limits. • Discharge of chemicals into onsite soils beyond permitted limits. 	L: C: R:		L: C: R: