MicroBooNE on the Grid




Yun-Tse Tsai SLAC National Accelerator Lab OSG All Hands Meeting April 8th, 2014

MicroBooNE

- Short-baseline neutrino experiment
- Explores low-energy neutrino phenomena:
 - Low energy excess measured at MiniBooNE
 - Sterile neutrino oscillation
- Uses the Booster neutrino beam at Fermilab
- Detector: Liquid argon Time
 Projection Chamber

- Detector commissioning:
 Sept.-Oct. 2014
- Data-taking: ~Jan. 2015



Software: LArSoft

- LArSoft: an art-based framework for the liquid argon experiments
 - art: an event-processing framework (C+ +11), used by the intensity frontier experiments at Fermilab
 - shared by MicroBooNE, LBNE, ArgoNeuT, and LArIAT
- Each individual experiment has its own specific package, such as uboonecode, Ibnecode

MC Challenge 4

MC Generation: Genie, CRY (Cosmic) Geant4 Simulation Detector Response Simulation 2-D Reconstruction 3-D Reconstruction Merge Files, Write to Tape

Job Submission

- Distributed through the BlueArc service
- Fermilab UPS packing to get versioned software to worker nodes
- Jobs submitted to Fermigrid
 - Scripts to automate job submission
 - File management using "IF Data Handling Client Tools" (ifdhc)
 - Input files copied from BlueArc to local scratch space
 - Output files copied back to BlueArc

MC Samples

Booster neutrino beam samples:


	$ u_{\mu}$ flux	$v_{\rm e}$ oscillation
w/o cosmics	Some crashed	Some crashed
w/ cosmics	Some crashed	Most crashed

- Cosmic samples: Some crashed
- Single particle samples:
 - μ^+ , μ^- , e^+ , e^- , π^+ , π^- , π^0 , γ , p
 - Most of them are good
- 10,000 events for each sample

Memory Issues

- MCC 4 jobs crashed mainly due to memory issues
 - Memory leak at Geant4, detection simulation, 2-D reconstruction, etc.
 - Large memory usage (>4G), e.g. optical simulation (photon library)
- Other minor issues: Singular matrix, etc.
- All the successful samples ~ 1.6TB

Memory Profiling



Plot courtesy of Gianluca Petrillo


Open Scientific Grid

- Distributed through the OASIS CVMFS service
- Fermilab UPS packing to get versioned software to worker nodes
- Uses the new Fermilab infrastructure, fifebatch, to submit jobs
- Available sites: UCSD, Nebraska, SLAC

OSG Status

- Automated submission scripts ready
- Infrastructure configuration ready
- Succeeded to run a MicroBooNE test job (MC generation) yesterday
 - A production job
 - Need the configuration
 ifdh cp --force=expgridftp -r dir1 dir2
- The Nebraska nodes don't work
 - A XII library is missing

MicroBooNE Gratia Plots



Maximum: 2.53 Hours, Minimum: 0.00 Hours, Average: 0.57 Hours, Current: 2.53 Hours

Plot courtesy of Tanya Levshina

OSG Plans

- Continue testing the MCC 4 jobs
- Provide wrapper scripts
- Test analysis or development jobs
 - e.g. tarball the working area and copy it to the worker node
- Fix the issue on the Nebraska nodes
- Prepare to run MC Challenge 5 on OSG!

LBNE Status (Tanya)

- Long-baseline neutrino experiment
 - CP-violation in lepton sector, neutrino mass hierarchy
- The infrastructure used for MicroBooNE is also utilized for LBNE
- Samples: Single muons in the geometry of the 35-ton prototype
- Run on 17 sites with CVMFS service
 - Failed on 6 sites

Summary & Outlook

- Succeeded running the first MicroBooNE job on OSG yesterday (on a SLAC node)
 - 3 OSG sites: UCSD, Nebraska, and SLAC
- Will continue testing both production and development jobs
- Will prepare to run MC Challenge 5 on OSG
- The same infrastructure is also used for LBNE (17 sites)

Acknowledgement

- Fermilab
 - Michael Kirby
 - Dennis Box (Jobsub)
 - Parag Mhashilkar (Jobsub)
 - Tanya Levshina
 - Herb Greenlee

- Eric Church
- Marc Mengel
- Joseph Boyd
- The Glideinwms
 Team
- SLAC
 - Tracy Usher
 - Wei Yang

Backup Slides